Cucumber Report

| Start : Apr 06, 3:16:50.148 PM	End : Apr 06, 3:17:17.332 PM	Duration : 27.184 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 2

Steps: 10

Pass % : 0 %

Pass % : 50 %

Pass % : 30 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	*27.184 s*	*2*	*1*	*1*	*0*	*10*	*3*	*1*	*6*

#	Feature Name	Scenario Name
1	Compose mail feature	Compose mail functionality

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	2	1	1	0	27.184 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	3	3	0	0	27.172 s
2		Compose mail functionality	7	0	1	6	0.157 s

Compose mail feature

FAILED	DURATION - 27.184 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 3:16:50.148 PM // 3:17:17.332 PM /					

Successful Login with Valid entries

PASSED	DURATION - 27.172 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:16:50.160 PM // 3:17:17.332 PM /				
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	PASSED	17.441 s
2	When Enter valid credientials	PASSED	1.336 s
3	Then Log in successfully	PASSED	8.379 s

Compose mail functionality

FAILED	DURATION - 0.157 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 3:16:50.166 PM // 3:16:50.323 PM /				
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User click on compose mail and compose window openedt	FAILED	0.121 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy22.click(Unknown Source)
	    at pageObject.Compose_Mail.compose_Mail(Compose_Mail.java:78)
	    at stepDefination.Gmail_Stepdef.user_click_on_compose_mail_and_compose_window_openedt(Gmail_Stepdef.java:63)
	    at ?.User click on compose mail and compose window openedt(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:14)
	* Not displayable characters are replaced by '?'.		

2	When Add recipients address ie. To , CC (carbon copy) , BCC (blind carbon copy) fields	SKIPPED	0.001 s
3	And Select Formatting Option to change font, make bold & change text color	SKIPPED	0.001 s
4	And Add Subject and Message body	SKIPPED	0.001 s
5	And Attach the file	SKIPPED	0.000 s
6	And click on send option	SKIPPED	0.000 s
7	Then email is successfully sent	SKIPPED	0.000 s