Question 52: Accept an employee code from user . Find the name of the employee from EMP table. If the employee is not existing then indicate it through a suitable message.

Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;
ACCEPT S_ECODE CHAR PROMPT 'Enter Employee Code : '
DECLARE
    V_ENAME EMP.ENAME%TYPE;
BEGIN
    SELECT ENAME INTO V_ENAME FROM EMP WHERE ECODE='&S_ECODE';
    DBMS_OUTPUT.PUT_LINE('Employee Name : '||V_ENAME);
EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('NO EMPLOYEE WITH ID : &S_ECODE.');
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE(SQLERRM);
END;
/
```

Code :

```
SQL> @q1.sql
Enter Employee Code : e001
NO EMPLOYEE WITH ID : e001

PL/SQL procedure successfully completed.

SQL> @q1.sql
Enter Employee Code : E001
Employee Name : RAHUL

PL/SQL procedure successfully completed.
```

Question 53: Write a PL / SQL block to add row in EMP table . If employee code is duplicate/dept code is not present in DEPT table then message is to be shown & row can not be added.

Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;
ACCEPT T_ECODE CHAR PROMPT 'Employee Code : '
ACCEPT T_ENAME CHAR PROMPT 'Employee Name : '
ACCEPT T_DCODE CHAR PROMPT 'Department Code : '
ACCEPT T_GRADE CHAR PROMPT 'Grade : '
ACCEPT T_BASIC NUMBER PROMPT 'Basic Salary : '
ACCEPT T_JNDT CHAR PROMPT 'Joining Date (DD-MON-YYYY) : '
DECLARE
    VAR_COUNT NUMBER;
    DUPLICATE_EMP EXCEPTION;
    DEPT_NOT_EXISTS EXCEPTION;
BEGIN
    SELECT COUNT(*) INTO VAR_COUNT FROM EMP WHERE ECODE='&T_ECODE';
    IF VAR_COUNT>0 THEN
        RAISE DUPLICATE_EMP;
    ELSE
        SELECT COUNT(*) INTO VAR_COUNT FROM DEPT WHERE DCODE='&T_DCODE';
        IF VAR_COUNT=0 THEN
            RAISE DEPT_NOT_EXISTS;
        ELSE
            INSERT INTO EMP
VALUES('&T_ECODE','&T_ENAME','&T_DCODE','&T_GRADE',&T_BASIC,TO_DATE('&T_JNDT','
DD-MON-YYYY'));
            COMMIT;
            DBMS_OUTPUT.PUT_LINE('RECORD INSERTED.');
        END IF;
    END IF;
EXCEPTION
    WHEN DUPLICATE_EMP THEN
        DBMS_OUTPUT.PUT_LINE('EMPLOYEE EXISTS WITH ECODE : &T_ECODE.');
    WHEN DEPT_NOT_EXISTS THEN
        DBMS_OUTPUT.PUT_LINE('DEPATMENT DOES NOT EXISTS WITH DCODE :
&T_DCODE.');
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE(SQLERRM);
END;
/
```

Code :

```
SQL> @q2.sql
Employee Code : E019
Employee Name : BINOY
Department Code : D01
Grade : A
Basic Salary : 70000
Joining Date (DD-MON-YYYY) : 12-AUG-2026
RECORD INSERTED.

PL/SQL procedure successfully completed.

SQL> @q2.sql
Employee Code : E019
Employee Name : BINOY
Department Code : D01
Grade : A
Basic Salary : 70000
Joining Date (DD-MON-YYYY) : 12-AUG-2026
EMPLOYEE EXISTS WITH ECODE : E019

PL/SQL procedure successfully completed.
```

Question 54: From the EMP table find the name of top 5 (according to basic salary) employees.
Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;
DECLARE
    VAR_COUNT NUMBER;
BEGIN
    SELECT COUNT(*) INTO VAR_COUNT FROM EMP;
    IF VAR_COUNT<5 THEN
        FOR R IN (SELECT * FROM EMP) LOOP
            DBMS_OUTPUT.PUT_LINE(RPAD(R.ENAME,20)||' '||R.BASIC);
        END LOOP;
        DBMS_OUTPUT.PUT_LINE('TABLE HAVE '||VAR_COUNT||' ROWS.');
    ELSE
        DBMS_OUTPUT.PUT_LINE('TOP 5 EMPLOYEES');
        FOR R IN ( SELECT * FROM ( SELECT ENAME, BASIC FROM EMP ORDER BY BASIC
DESC ) WHERE ROWNUM<=5) LOOP
            DBMS_OUTPUT.PUT_LINE(RPAD(R.ENAME,20)||' '||R.BASIC);
        END LOOP;
    END IF;
EXCEPTION
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE(SQLERRM);
END;
/
```

Code :

```
SQL> @q3.sql
TOP 5 EMPLOYEES
BINOY                70000
JOY                  35000
RINA                 30000
AMIT                 28000
ARUN                 26000

PL/SQL procedure successfully completed.
```

Question 55: Accept a department code from the user . Delete all the employee rows with that department code. Show how many rows have been deleted.

Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;
ACCEPT T_DCODE CHAR PROMPT 'Enter Department Code : '
DECLARE
    VAR_COUNT NUMBER;
    NO_EMP_FOUND EXCEPTION;
BEGIN
    DELETE FROM EMP WHERE DCODE='&T_DCODE';
    VAR_COUNT := SQL%ROWCOUNT;
    IF VAR_COUNT = 0 THEN
        RAISE NO_EMP_FOUND;
    END IF;
    COMMIT;
    DBMS_OUTPUT.PUT_LINE(VAR_COUNT || ' row(s) deleted.');
EXCEPTION
    WHEN NO_EMP_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('NO EMPLOYEE FOUND IN DEPARTMENT &T_DCODE.');
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE(SQLERRM);
END;
/
```

Code :

```
SQL> @q4.sql
Enter Department Code : D01
4 row(s) deleted.

PL/SQL procedure successfully completed.

SQL> @q4.sql
Enter Department Code : D10
NO EMPLOYEE FOUND IN DEPARTMENT D10

PL/SQL procedure successfully completed.
```

Question 56: Consider the following tables:

Table: ORDERMAST
Structure:
ORDER_NO CHAR(5) primary key
ORDER_DT DATE

Table: ORDERDETAILS
Structure:
ORDER_NO CHAR(5)
ITEM_NO CHAR(5)
QTY NUMBER
ORDER_NO + ITEM_NO is primary key

Table: DELIVERYMAST
Structure:
DELV_NO CHAR(5) primary key
ORDER_NO CHAR(5)
DELV_DT DATE

Table: DELIVERY_DETAILS
Structure:
DELV_NO CHAR(5)
ITEM_NO CHAR(5)
QTY NUMBER
DELV_NO+ITEM_NO is primary key

Write a PL/SQL block which accepts two dates & find the information of the pending delivery for the orders placed between the two dates supplied by the user. Note, an order can have request for multiple items. Against an order, multiple delivery with partial shipment is possible.
Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;
SET LINESIZE 200;

ACCEPT T_FROM CHAR PROMPT 'Enter From Date (DD-MON-YYYY): '
ACCEPT T_TO   CHAR PROMPT 'Enter To Date (DD-MON-YYYY): '

DECLARE
BEGIN
    DBMS_OUTPUT.PUT_LINE('PENDING DELIVERY REPORT');
    DBMS_OUTPUT.PUT_LINE('-----------------------');
    FOR R IN
    (
        SELECT
            OD.ORDER_NO,
            OD.ITEM_NO,
            OD.QTY AS ORDER_QTY,
            NVL(SUM(DD.QTY),0) AS DELIVERED_QTY,
            OD.QTY - NVL(SUM(DD.QTY),0) AS PENDING_QTY
        FROM ORDERMAST OM JOIN ORDERDETAILS OD
            ON OM.ORDER_NO = OD.ORDER_NO
        LEFT JOIN DELIVERYMAST DM
            ON OM.ORDER_NO = DM.ORDER_NO
        LEFT JOIN DELIVERY_DETAILS DD
```

```
            ON DM.DELV_NO = DD.DELV_NO AND OD.ITEM_NO = DD.ITEM_NO
        WHERE OM.ORDER_DT BETWEEN
            TO_DATE('&T_FROM','DD-MON-YYYY')
        AND TO_DATE('&T_TO','DD-MON-YYYY')
        GROUP BY
            OD.ORDER_NO,
            OD.ITEM_NO,
            OD.QTY
        ORDER BY
            OD.ORDER_NO,
            OD.ITEM_NO
    )
    LOOP
        DBMS_OUTPUT.PUT_LINE(
            'ORDER NO : ' || R.ORDER_NO ||
            ' ITEM NO : ' || R.ITEM_NO ||
            ' ORDERED QTY : ' || R.ORDER_QTY ||
            ' DELIVERED QTY : ' || R.DELIVERED_QTY ||
            ' PENDING : ' || R.PENDING_QTY
        );
    END LOOP;
END;
/
```

Code :

```
SQL> @assign-5/q5.sql
Enter From Date (DD-MON-YYYY): 01-JAN-2000
Enter To Date (DD-MON-YYYY): 01-JAN-2027
PENDING DELIVERY REPORT
-----------------------
ORDER NO : O001  ITEM NAME : KEYBD     ORDERED QTY : 15 DELIVERED QTY : 15 PENDING : 0
ORDER NO : O001  ITEM NAME : LAPTOP    ORDERED QTY : 10 DELIVERED QTY : 10 PENDING : 0
ORDER NO : O001  ITEM NAME : MOUSE     ORDERED QTY : 25 DELIVERED QTY : 15 PENDING : 10
ORDER NO : O002  ITEM NAME : MONTR     ORDERED QTY : 12 DELIVERED QTY : 10 PENDING : 2
ORDER NO : O002  ITEM NAME : SSD01     ORDERED QTY : 20 DELIVERED QTY : 10 PENDING : 10
ORDER NO : O003  ITEM NAME : PRNTR     ORDERED QTY : 5 DELIVERED QTY : 5 PENDING : 0
ORDER NO : O003  ITEM NAME : SCANR     ORDERED QTY : 4 DELIVERED QTY : 2 PENDING : 2
ORDER NO : O004  ITEM NAME : ROUTR     ORDERED QTY : 8 DELIVERED QTY : 8 PENDING : 0
ORDER NO : O004  ITEM NAME : WEBCM     ORDERED QTY : 10 DELIVERED QTY : 5 PENDING : 5
ORDER NO : O005  ITEM NAME : HEADP     ORDERED QTY : 18 DELIVERED QTY : 10 PENDING : 8
ORDER NO : O005  ITEM NAME : SPKRS     ORDERED QTY : 6 DELIVERED QTY : 6 PENDING : 0
ORDER NO : O006  ITEM NAME : PENDR     ORDERED QTY : 30 DELIVERED QTY : 20 PENDING : 10
ORDER NO : O006  ITEM NAME : PHONE     ORDERED QTY : 14 DELIVERED QTY : 8 PENDING : 6
ORDER NO : O006  ITEM NAME : TABLE     ORDERED QTY : 7 DELIVERED QTY : 7 PENDING : 0

PL/SQL procedure successfully completed.
```

Question 57: Assume a LEAVE table with emp_no,month,no._of_days.
For each employee find the effective basic for the current month as per the formula given below:
BASIC - (BASIC * no. of leave days in the month)/no. of days in that month.
Query :

```
SET SERVEROUTPUT ON;
SET VERIFY OFF;

DECLARE
    VAR_DAYS NUMBER;
BEGIN
    VAR_DAYS := TO_NUMBER(TO_CHAR(LAST_DAY(SYSDATE),'DD'));
    DBMS_OUTPUT.PUT_LINE('EFFECTIVE BASIC REPORT');
    DBMS_OUTPUT.PUT_LINE('----------------------');
    FOR R IN
    (
        SELECT
            E.ECODE,
            E.ENAME,
            E.BASIC,
            NVL(L.NO_OF_DAYS,0) LEAVE_DAYS,
            E.BASIC -(E.BASIC * NVL(L.NO_OF_DAYS,0) / VAR_DAYS) EFFECTIVE_BASIC
        FROM EMP E LEFT JOIN LEAVE_TAB L ON E.ECODE = L.EMP_NO
        AND L.MONTH_NAME = TO_CHAR(SYSDATE, 'MON') ORDER BY E.ECODE
    )
    LOOP
        DBMS_OUTPUT.PUT_LINE(
            R.ECODE||'  '||
            RPAD(R.ENAME,20)||'  '||
            'EFFECTIVE BASIC = '||
            ROUND(R.EFFECTIVE_BASIC,2)
        );
    END LOOP;
END;
/
```

Code :

```
SQL> @q6.sql
EFFECTIVE BASIC REPORT
----------------------
E001   RAHUL                 BASIC = 25000    EFFECTIVE BASIC = 23333.33
E002   AMIT                  BASIC = 28000    EFFECTIVE BASIC = 23333.33
E003   SUMAN                 BASIC = 22000    EFFECTIVE BASIC = 19800
E004   RINA                  BASIC = 30000    EFFECTIVE BASIC = 29000
E005   ANITA                 BASIC = 24000    EFFECTIVE BASIC = 24000
E006   ARUN                  BASIC = 26000    EFFECTIVE BASIC = 26000
E007   JOY                   BASIC = 35000    EFFECTIVE BASIC = 35000
E008   PRIYA                 BASIC = 20000    EFFECTIVE BASIC = 20000
E009   SOURAV                BASIC = 21000    EFFECTIVE BASIC = 21000

PL/SQL procedure successfully completed.
```