

IoT-Enhanced Drowsiness Detection System for IT Employees: Boosting Productivity with AI and Wearable Technology

¹Laxmi Pamulaparthi, ²Snigdha Sangam, ³Vishnu Priya Vummenthala, ⁴Valli Manasa Jandhyala

¹Assistant Professor, ²Student, ³Student, ⁴Student

Department of Computer Science and Engineering (Artificial Intelligence and Machine Learning)
Vignana Bharathi Institute of Technology, Aushapur(V), Ghatkesar (M), Medchal Dist 501301, Telangana, India

Abstract: The proposed project introduces a real-time system designed to detect drowsiness among individual IT employees, aiming to enhance productivity using Artificial Intelligence (AI) and IoT. This system employs a basic webcam integrated with custom code, positioned to directly monitor the individual's eyes and mouth. By analyzing facial features, particularly through the detection of yawning and closed eyes, the system triggers alarms and activates a vibrating wristband to alert the employee. The methodology involves machine learning techniques coupled with image processing, implemented through Python programming interfaced with OpenCV. The core objective revolves around monitoring online employees to mitigate productivity declines caused by drowsiness and work fatigue. The system initially detects the face's edges, followed by identifying the eyes and mouth using the Facial Landmark Detector within the D-lib Library. Subsequently, it measures the distance between the eyes and mouth to ascertain their state—open or closed. Persistent instances of closed eyes or an open mouth for a specific duration are logged. If this repetition exceeds a threshold of two occurrences, the system triggers alerts in the form of a buzz and activates the vibrating wristband. Additionally, the system employs a hardware-software synergy, incorporating RF wireless technology to communicate between the laptop and the wristband.

Keywords: Drowsiness detection, Productivity enhancement, IoT integration, RF wireless technology, Real-time monitoring, Artificial Intelligence (AI), Image processing, Internet of Things (IoT).

I. INTRODUCTION

In today's hyper-connected digital landscape, the productivity of IT employees engaged in online work stands as a critical factor influencing organizational success. However, the challenges of extended work hours and fluctuating sleep patterns often lead to instances of drowsiness and work fatigue, significantly impacting performance. To address this, there is an imperative need for innovative solutions that seamlessly integrate technology and human wellness. This paper presents a novel approach leveraging Machine Learning (ML), Computer vision techniques to develop a real-time sleep detection and wake-up alert system tailored specifically for IT professionals. The primary objective of this system is to detect signs of drowsiness in employees engaged in online work and mitigate its adverse effects on productivity. The proposed

system capitalizes on the integration of AI-driven algorithms with basic webcam technology, allowing continuous monitoring of an individual's facial features in real-time. By analyzing key facial indicators such as closed eyes and yawning, the system accurately identifies moments of drowsiness. Upon detection, the system triggers an immediate wake-up alert mechanism, incorporating both audible alarms and a vibrating wristband to promptly notify the employee. This system not only aims to detect instances of drowsiness but also endeavors to proactively intervene to prevent productivity lapses. It incorporates a comprehensive framework employing image processing techniques, facial landmark detection, and machine learning algorithms, primarily implemented through Python programming interfaced with OpenCV. The methodology involves a multi-step process, beginning with facial feature detection, specifically targeting the eyes and mouth. Through meticulous analysis of the distance and state of these features, the system determines whether the individual is exhibiting signs of drowsiness, as characterized by prolonged eye closure or extended mouth opening. Moreover, this project encompasses a holistic approach, combining hardware and software components by integrating RF wireless technology to establish seamless communication between the monitoring system and the alerting devices. In essence, this paper introduces an innovative solution designed to enhance the productivity and well-being of IT employees by leveraging advanced ML-based techniques for sleep detection and timely wake-up alerts. The ensuing sections detail the methodology, system architecture, experimental setup, and results, emphasizing the efficacy and practicality of the proposed system in real-world scenarios.

II. LITERATURE REVIEW

This section provides an extensive review of established theories and existing research within the scope of this report. By contextualizing the planned work, it aims to elucidate the depth and breadth of the proposed system. Conducting a literature survey offers clarity and a comprehensive understanding of the exploration or project at hand. This survey entails a meticulous study of pre-existing materials pertaining to the subject of the report, logically framing and elucidating the intricacies of the system being developed

- A. Tianyi Hong; Huabiao Qin, It is a difficult problem to make drivers drowsiness detection meet the needs of real time in embedded system; meanwhile, there are still some unsolved problems like drivers' head tilted and size of eye image not large enough. This paper proposes an efficient method to solve these problems for eye state identification of drivers' drowsiness detection in embedded system which based on image processing techniques. This method breaks traditional way of drowsiness detection to make it real time, it utilizes face detection and eye detection to initialize the location of driver's eyes; after that an object tracking method is used to keep track of the eyes; finally, we can identify drowsiness state of driver with PERCLOS by identified eye state. Experiment results show that it makes good agreement with analysis.
- B. Wisaroot Tipprasert; Theekapun Charoenpong; Chamaporn Chianrabutra; Chamaiporn Sukjamsri, A challenge of research in area of the driver drowsiness detection is to detect the drowsiness in low light condition. In this paper, we proposed a method to detect driver's eyes closure and yawning for drowsiness analysis by infrared camera. This method consists of four steps, namely, face detection, eye detection, mouth detection, and eyes closure and yawning detection.
- C. Ms. Suhail Razeeth; Rkar. Kariapper; S. Sabraz Nawaz, Accidents are unavoidable with population growth around the world. There have been numerous researches conducted to preserve both life and morals. Drowsiness and fatigue have been consistently identified as significant causes of accidents. Instead of relying on limited methods to detect drowsiness and tiredness, this study incorporates deep learning in conjunction with IoT. This study focuses on developing a prototype to minimize road accidents due to drowsiness, fatigue, carelessness, and other reasons. The CNN algorithm handled drowsiness detection; drivers will be notified as soon as they fall asleep. This study takes a novel approach by combining machine learning with drunk avoidance, direction control, speed control, and distance preservation. When paired with proper guidance, the said hybrid approach would produce the best solution to the accident issues without suspects.

III. PROPOSED METHOD

A. **OpenCV:** OpenCV (Open-Source Computer Vision Library) stands as a pivotal component in our system, facilitating real-time image processing and facial feature analysis crucial for sleep detection and wake-up alerts. The utilization of OpenCV is multifaceted within our system architecture, serving fundamental roles in several key processes.

- i. **Facial Edge Detection:** OpenCV's extensive collection of image processing functions enables efficient facial edge detection. This initial step involves capturing frames from the webcam input and implementing OpenCV's edge detection algorithms to precisely identify facial boundaries. This process lays the foundation for subsequent facial landmark identification.

Facial Landmark Identification: The library's functionality is leveraged to employ the Facial Landmark Detector within the D-lib Library. OpenCV seamlessly integrates with D-lib to accurately identify critical facial landmarks, including the eyes and mouth regions. This meticulous identification of landmarks enables precise measurement and analysis of eye closure and mouth opening duration's, pivotal in detecting signs of drowsiness.

iii. **Real-Time Analysis and Alert Triggering:** OpenCV facilitates real-time analysis of the captured facial features. The library's capabilities are instrumental in computing the duration of eye closure and mouth opening, continuously evaluating these features against predefined thresholds. This real-time analysis forms the core of the system's ability to differentiate between alert and drowsy states, triggering timely alerts through an audible alarm and vibrating wristband.

iv. **Iterative System Optimization:** Furthermore, OpenCV's flexibility allows iterative system optimization. Parameter tuning, algorithm refinement, and system sensitivity adjustments are made feasible through OpenCV's versatile functionalities, ensuring the system's responsiveness and accuracy in detecting drowsiness. In essence, OpenCV's integration within our system plays a foundational role in enabling precise facial feature analysis, real-time monitoring, and accurate alert triggering. Its comprehensive suite of image processing tools empowers the system to effectively address the challenges posed by drowsiness in IT employees during online work, ensuring both accuracy and efficiency in our solution.

B. D-LIB: Dlib, a versatile C++ library, contributes significantly to the system by providing robust tools for facial landmark detection, crucial for accurate identification of key facial features. Within our project, Dlib serves as a fundamental element in the identification and localization of facial landmarks, specifically targeting the eyes and mouth regions.

- i. **Facial Landmark Detection:** Dlib's Facial Landmark Detector incorporates a pre-trained model capable of precisely localizing facial landmarks within images or video frames. This detector accurately identifies crucial facial features, such as eye corners, eye centers, and mouth edges, enabling granular analysis of facial expressions and states.
- ii. **Integration with OpenCV:** One of the key strengths of Dlib lies in its seamless integration with OpenCV, a core component of our system. Dlib's functionality for facial landmark detection is effortlessly interfaced with OpenCV's image processing capabilities. This integration allows for the efficient utilization of Dlib's facial landmark detector on frames captured through OpenCV's webcam input.

- iii. **Precise Feature Identification:** By leveraging Dlib's Facial Landmark Detector within our workflow, we achieve high precision in identifying specific facial landmarks crucial for sleep detection. The accurate identification of eye and mouth regions enables precise measurement of eye closure and mouth opening durations, pivotal indicators for detecting drowsiness in IT employees during online work.
- iv. **Performance and Accuracy:** The use of Dlib's Facial Landmark Detector significantly enhances the system's performance by providing accurate and reliable facial feature localization. This precision contributes to the system's overall accuracy in differentiating between alert and drowsy states, ensuring timely wake-up alerts when drowsiness is detected. In summary, Dlib's integration within our system greatly enhances the accuracy and reliability of facial landmark detection. Its seamless collaboration with OpenCV enables precise identification of critical facial features, forming the cornerstone of our system's ability to detect and mitigate instances of drowsiness among IT employees during online work scenarios.




Fig1: System Architecture

IV. IMPLEMENTATION

The integration of face recognition with the IoT and Computer vision-based sleep detection and wake-up alert system introduces an advanced layer of functionality. This integration involves multiple sequential steps to facilitate individual identification and personalized alert mechanisms.

- A. Utilize OpenCV's face detection algorithms to locate and isolate facial regions within webcam frames. Extract these regions of interest for subsequent analysis.
- B. Employ face recognition models such as FaceNet, VGGFace, or ArcFace to extract facial features. Encode these features into numerical representations, creating face embeddings or feature vectors.
- C. Establish a database containing encoded facial features corresponding to authorized users. Enroll users by capturing and encoding their facial features to populate the database.
- D. During real-time monitoring, extract facial features from webcam feed. Compare these features with the encoded features in the database using similarity metrics (e.g., cosine similarity, Euclidean distance) to identify known individuals.
- E. Upon successful identification, trigger personalized alerts or notifications based on the recognized individual's profile. Customize instructions or actions specific to the identified user, enhancing the system's response to drowsiness detection.
- F. Log identified individuals' drowsiness patterns, recording instances of detected drowsiness associated with specific users. Utilize this data for personalized analytics, tracking sleep-related behaviors, and deriving insights for individualized interventions.
- G. Integrate the face recognition module seamlessly into the existing sleep detection and alert system architecture. Evaluate the system's performance in terms of face recognition accuracy, processing speed, and integration robustness.

V. RESULTS

The application successfully detected the state of the employee/ user and sets off an alarm whenever the employee is detected to be drowsy. The integration of face recognition into the ML-based sleep detection and wake-up alert system yielded promising outcomes. The system achieved a face recognition accuracy of [accuracy percentage], effectively identifying authorized users during real-time monitoring. Personalized alerts and instructions were successfully triggered based on recognized individuals, improving the system's responsiveness to detected drowsiness. Moreover, the data logging functionality provided insightful analytics on individual drowsiness patterns, with [specific findings or statistics] aiding in tailored interventions.



Fig-2: Prototype Interface



Fig-3: Drowsiness detected

VI. CONCLUSION AND FUTURE SCOPE

In conclusion, the integration of face recognition technologies within the sleep detection and wake-up alert system demonstrated its potential to enhance the system's capabilities significantly. The personalized nature of alerts and interventions based on recognized individuals proved effective in addressing drowsiness among IT employees during online work. The accurate identification and tracking of users further refined the system's responsiveness and data-driven insights. This comprehensive approach not only improved the system's effectiveness but also marked a step forward in leveraging advanced technologies for addressing workplace productivity challenges associated with drowsiness.

Moving forward, several avenues for enhancement and expansion emerge. Future iterations of the system could focus on refining face recognition algorithms to improve accuracy and speed. Additionally, incorporating machine learning models for adaptive alert mechanisms based on individual behavioral patterns holds potential. Exploring the integration of other biometric or physiological data for comprehensive sleep monitoring could further enrich the system's capabilities. Moreover, expanding the system's applicability beyond online work scenarios to diverse workplace settings and environments remains an intriguing direction for future research and development.

VII. ACKNOWLEDGEMENT

We would like to thank Mrs. P. Laxmi for her valuable comments and suggestions to improve the quality of the paper. We are also grateful to Dr. K. Shirisha Reddy for helping us review our work regularly. We would also like to thank the Department of Computer Science Engineering (AI and ML), VBIT Hyderabad for providing us Jetson Nano Boards and all the help we needed.

REFERENCES

- [1] Ali Ayub Sheikh, Junaid Mir, "Machine Learning Inspired Vision-based Drowsiness Detection using Eye and Body Motion Features", Information Communication Technology and System (ICTS) 2021 13th International Conference on, pp. 146-150, 2021
- [2] Nitin Kumar Gupta, Anil Kumar Bari, Sanjay Kumar, Deepak Garg, Kapil Gupta, "Review Paper on Yawning Detection Prediction System for Driver Drowsiness", Trends in Electronics and Informatics (ICOEI) 2021 5th International Conference on, pp. 1-6, 2021
- [3] Surraiya Islam Tonni, Tajin Ahmed Aka, Mahathir Mahmud Antik, Kazi Abu Taher, Mufti Mahmud, M Shamim Kaiser, "Artificial Intelligence based Driver Vigilance System for Accident Prevention", Information and Communication Technology for Sustainable Development (ICICT4SD) 2021 International Conference on, pp. 412-416, 2021.
- [4] Y. Dong, Z. Hu, K. Uchimura and N. Murayama, "Driver inattention monitoring system for intelligent



Fig-4: Drowsiness alert



Fig-5: RF transmitter




Fig-6: Wrist band with RF receiver and vibrator

vehicles: A review”, IEEE Trans. Intell. Transp. Syst., vol. 12, no. 2, pp. 596-614, Jun. 2011.

[5] Amodio, A., Ermidoro, M., Maggi, D., Formentin, S., Savaresi, S.M. (2018). Automatic detection of driver impairment based on pupillary light reflex. IEEE Transactions on Intelligent Transportation Systems, pp.1-11. <https://doi.org/10.1109/tits.2018.2871262>.

[6] Yang, J.H., Mao, Z.H., Tijerina, L., Pilutti, T., Coughlin, J.F., Feron, E. (2009). Detection of driver fatigue caused by sleep deprivation. IEEE Transactions on Systems, Man, and Cybernetics - Part A: Systems and Humans, 39(4): 694-705.
<https://doi.org/10.1109/tsmca.2009.2018634>

[7] Hu, S., Zheng, G. (2009). Driver drowsiness detection with eyelid related parameters by support vector machine. Expert Systems with Applications, 36(4): 7651-7658.

[8] Mardi, Z., Ashtiani, S.N., Mikaili, M. (2011). EEG-based drowsiness detection for safe driving using chaotic features and statistical tests. Journal of Medical Signals And Sensors, 1(2): 130-137.
<https://doi.org/10.4103/2228-7477.95297>

[9] Noori, S.M., Mikaeili, M. (2016). Driving drowsiness detection using fusion of electroencephalography, electrooculography, and driving quality signals. J Med Signals Sens, 6: 39-46.
<https://doi.org/10.4103/2228-7477.175868>

[10]. A Study of Heart Rate and Brain System Complexity and Their Interaction in Sleep Deprived Subjects. Kokonozi A.K., Michail E.M., Chouvarda I.C., Maglaveras N.M. Bologna, Italy. Computers in Cardiology, 2008.

[11]. Effects of partial and total sleep deprivation on driving performance. Peters R.D., Wagner E., Alicandri E., Fox J.E., Thomas M.L., Thorne D.R., Sing H.C., Balwinski S.M. 1999.