

RECON

Reconnaissance Methodology

Subdomain • URL • Content Discovery • Port Scanning • IP Collection

Target: `hackthebox.com`

Assignment Overview

01	Subdomain Discovery	subfinder, chaos, assetfinder, amass
02	URL Discovery	katana, gau, waybackurl
03	Content Discovery	directory / content enumeration
04	Port Scanning	nmap — top 1000 common ports
05	IP Collection	resolving & recording target IPs

1 Subdomain Discovery – Tools Used



subfinder

Used successfully to enumerate subdomains



chaos

Not able to find subdomains



assetfinder

Used successfully to enumerate subdomains



amass

Not able to find subdomains

```
kali@kali ~$ subfinder -d hackthebox.com
[INF] Current subfinder version v2.14.0 (latest)
[INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml
[INF] Enumerating subdomains for hackthebox.com
remote.fygapokei.hackthebox.com
ww1.app.hackthebox.com
jobs.hackthebox.com
roadmap.hackthebox.com
ai.hackthebox.com
dns.fygapokei.hackthebox.com
login.academy.hackthebox.com
challenges-cdn.hackthebox.com
resources.hackthebox.com
artemis.hackthebox.com
help.hackthebox.com
maintenance.hackthebox.com
account.academy.hackthebox.com
```

subfinder -d hackthebox.com


Command executed:

```
subfinder -d hackthebox.com >> subhack.txt
```

Output file created:

subhack.txt

All discovered subdomains for hackthebox.com were appended into this file for later filtering and analysis.



Command output & file creation

1 Subdomain Discovery – Filtering Results

Subdomains saved in subhack.txt were filtered to remove noise and duplicates before further analysis.

```
(kali@kali)-[~]
$ subfinder -d hackthebox.com | httpx >> subhack1.txt

Subdomain Discovery
1. Checked each host for availability
2. Subdomains saved to subhack1.txt

projectdiscovery.io

projectdiscovery.io

[INF] Current subfinder version v2.14.0 (latest)
[INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml
[INF] Current httpx version v1.9.0 (latest)
[WRN] UI Dashboard is disabled, Use -dashboard option to enable
[INF] Enumerating subdomains for hackthebox.com
[INF] Found 101 subdomains for hackthebox.com in 24 seconds 620 milliseconds
```

Filtering command

```
(kali@kali)-[~]
$ cat subhack1.txt
https://fygapokei.hackthebox.com
https://challenges-cdn.hackthebox.com
https://artemis.hackthebox.com
https://analytics.hackthebox.com
https://hs.hackthebox.com
https://help.hackthebox.com
https://app.hackthebox.com
https://account.hackthebox.com
https://enterprise.hackthebox.com
https://ctf.hackthebox.com
https://academy-cdn.hackthebox.com
https://maintenance.hackthebox.com
https://parrot-storage.hackthebox.com
https://api.jobs.hackthebox.com
https://cdn.hackthebox.com
https://sso.hackthebox.com
https://mcp.ai.hackthebox.com
https://labs.hackthebox.com
https://trust.hackthebox.com
https://get.hackthebox.com
https://referral.hackthebox.com
https://linkedin.hackthebox.com
https://www.hackthebox.com
https://store.hackthebox.com
https://t.apc215132.hackthebox.com
```

Filtered subdomain data

1 Subdomain Discovery — Chaos & Assetfinder

```
kali@kali: ~  
$ chaos -d hackthebox.com  
3 subdomain discovery  
4 checked domain names created file for filter data.  
5 example: www.hackthebox.com  
6  
chaos.projectdiscovery.io  
[INF] Current chaos version 0.5.2 (latest)  
[FTL] PDCP_API_KEY not specified
```

chaos — no subdomains found

```
Session Actions Edit View Help  
$ assetfinder hackthebox.com  
hackthebox.com  
www.whoissecure.xyz  
enterprise.hackthebox.com  
cybernetx.shop  
stats.cooperative-ferret.com  
academy.hackthebox.com  
www.netexec.wiki  
app.hackthebox.com  
hackingthehack.com  
akbar.cyronixsecurity.com  
retr0dev.42web.io  
www.hackthebox.com  
katsecurity.blog  
account.hackthebox.com  
www.watercaterpillar.blogspot.com  
bit.ly  
hackthebox.eu  
lapolis.blue  
zuber.pro  
artemisteams-project.netlify.app  
sniper7kills.org  
cybernotes.pl  
georgenadejde.github.io  
www.sibin-c.in  
resources.hackthebox.eu
```

assetfinder tool run

```
Session Actions Edit View Help  
$ cat assethack.txt  
academy.hackthebox.com  
academy-cdn.hackthebox.com  
proxy.academy.hackthebox.com  
account.hackthebox.com  
mcp.ai.hackthebox.com  
analytics.hackthebox.com  
t.apc215132.hackthebox.com  
app.hackthebox.com  
artemis.hackthebox.com  
cdn.hackthebox.com  
certificates.hackthebox.com  
challenges-cdn.hackthebox.com  
ctf.hackthebox.com  
enterprise.hackthebox.com  
proxy.enterprise-staging.hackthebox.com  
proxy.enterprise.hackthebox.com  
forum.hackthebox.com  
fygapokei.hackthebox.com  
get.hackthebox.com  
help.hackthebox.com  
hs.hackthebox.com  
jobs.hackthebox.com  
api.jobs.hackthebox.com  
labs.hackthebox.com  
linkedin.hackthebox.com
```

assetfinder — file created


2

URL Discovery – Tools Used

> Katana

> Gau

> Waybackurl



```
Session Actions Edit View Help
(kali@kali)-[~]
$ katana -u bugcrowd.com

projectdiscovery.io

[INF] Current katana version v1.6.1 (latest)
[INF] Started standard crawling for => https://bugcrowd.com
https://bugcrowd.com
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/components/lottie.min.js?ver=20260609
https://www.bugcrowd.com/wp-content/plugins/wp-rocket/assets/js/lazyload/17.8.3/lazyload.min.js
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/app.js?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/jquery.colorbox-min.js
https://www.bugcrowd.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=3.4.1
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/components/bootstrap.bundle.min.js?ver=1.1
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/tooltipster.bundle.min.js?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/components/slick.min.js?ver=20260609
https://www.bugcrowd.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.1
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/css/colorbox.css
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/css/swiper.min.css?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/css/jquery-ui.css?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/components/swiper.min.js?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/components/jquery-ui.js?ver=20260609
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/css/style.css?ver=20260609
```

Katana crawl output

2

URL Discovery – Saving Data & Waybackurl

```
(kali㉿kali)-[~]
$ katana -u https://bugcrowd.com -o katana_output.txt

projectdiscovery.io

[INF] Current katana version v1.6.1 (latest)
[INF] Started standard crawling for => https://bugcrowd.com
https://bugcrowd.com
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/js/
https://www.bugcrowd.com/wp-content/themes/bugcrowd/assets/css
```

Saved data in file

```
(kali㉿kali)-[~]
$ cat wayback_urls.txt
https://www.hackerone.com./
https://www.hackerone.com/
https://hackerone.com/
https://www.hackerone.com
https://hackerone.com
https://hackerone.com/003random
https://hackerone.com/0xnan
https://hackerone.com/1337_inj3c70r
https://hackerone.com/1n3
```

waybackurl results

2

URLs gathered were scanned and consolidated into a new output file for the next phase of testing.

```
(kali㉿kali)-[~]
$ katana -u https://bugcrowd.com | anew katana_bugcrowd.txt
```



projectdiscovery.io

```
[INF] Current katana version v1.6.1 (latest)
[INF] Started standard crawling for => https://bugcrowd.com
https://www.bugcrowd.com/wp-json/oembed/1.0/embed?url=https%3A%2F%2Fwww.bugcrowd.com%2Fhackers%2Ffaqs%2F&format=xml
https://www.bugcrowd.com/wp-json/wp/v2/solutions/3298
https://www.bugcrowd.com/wp-json/oembed/1.0/embed?url=https%3A%2F%2Fwww.bugcrowd.com%2Fsolutions%2Fhealthcare%2F&format=xml
https://www.bugcrowd.com/?p=3298
https://identity.bugcrowd.com/login/hacker/oauth2/authorization/hacker?returnTo=https://bugcrowd.com/dashboard
https://www.bugcrowd.com/?p=5658
https://bugcrowd.com/wp-json/oembed/1.0/embed?url=https%3A%2F%2Fwww.bugcrowd.com%2Fsolutions%2Fhealthcare%2F&format=xml
https://www.bugcrowd.com/wp-json/wp/v2/solutions/5658
https://www.bugcrowd.com/wp-json/oembed/1.0/embed?url=https%3A%2F%2Fwww.bugcrowd.com%2Fsolutions%2FAutomotive-security%2F&format=xml
https://www.bugcrowd.com/wp-json/oembed/1.0/embed?url=https%3A%2F%2Fwww.bugcrowd.com%2Fsolutions%2FAutomotive-security%2F
```

New file from scanned URLs

3

Content Discovery & Port Scanning

Content Discovery

Planned phase for enumerating accessible content/directories on the target. No further detail was recorded in the source notes.

Port Scanning

Tool: `nmap`

Scope: top 1000 common ports

```
kali@kali: ~  
Session Actions Edit View Help  
  
(kali@kali)-[~]  
$ nmap -p 80 zomato.com  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-02 05:29 -0400  
Nmap scan report for zomato.com (18.138.88.101)  
Host is up (0.038s latency).  
Other addresses for zomato.com (not scanned): 52.76.196.226 54.251.55  
00:0:3::344c:c4e2 2405:dc00:0:3::36fb:37be  
rDNS record for 18.138.88.101: ec2-18-138-88-101.ap-southeast-1.compu  
  
PORT      STATE SERVICE  
80/tcp    open  http  
  
Nmap done: 1 IP address (1 host up) scanned in 0.67 seconds
```

nmap scan — top 1000 ports

4

Port Scanning – Results

```
kali@kali: ~  
$ nmap facebook.com  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-02 05:32 -0400  
  
zsh: suspended nmap facebook.com  
  
(kali@kali)-[~]  
$ nmap hackone.com  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-02 05:33 -0400  
Failed to resolve "hackone.com".  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 5.06 seconds  
  
(kali@kali)-[~]  
$ nmap bugcrowd.com  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-02 05:35 -0400  
Nmap scan report for bugcrowd.com (151.101.194.132)  
Host is up (0.062s latency).  
Other addresses for bugcrowd.com (not scanned): 151.101.2.132 151.101.130.132 151.101.66.132 2405:dc00:0:3  
::9765:8284 2405:dc00:0:3::9765:4284 2405:dc00:0:3::9765:c284 2405:dc00:0:3::9765:284  
Not shown: 997 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
80/tcp    open  http  
443/tcp   open  https  
  
Nmap done: 1 IP address (1 host up) scanned in 50.27 seconds  
  
(kali@kali)-[~]  
$
```

Summary

- › Subdomain discovery: subfinder & assetfinder succeeded; chaos & amass found no subdomains
- › URL discovery: katana, gau, and waybackurl used to collect target URLs
- › Content discovery: planned but not detailed in source notes
- › Port scanning: nmap scan across the top 1000 common ports
- › IP collection: listed as a planned phase in the assignment scope