

Piscine C
24

Staff 42 piscine@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 5.00 P.M. AND 6.00 P.M.

Contents	
I Consignes	2
II Foreword III ft_generic.c	4 5

### Chapter I

## Consignes

- Only this page will serve as reference, do not trust rumors.
- Watch out! This document could potentially change up to an hour before submission.
- Make sure you have the appropriate permissions on your files and directories.
- You have to follow the submission procedures for every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. So if you want to avoid bad surprises, be as thorough as possible.
- Moulinette is not very open-minded. It won't try and understand your code if it doesn't respect the Norm.
- Using a forbidden function is considered cheating. Cheaters get -42.
- If ft\_putchar() is an authorized function, we will compile your code with our ft\_putchar.c.
- You'll only have to submit a main() function if we ask for a program.
- Moulinette compiles with these flags: -Wall -Wextra -Werror.
- If your program doesn't compile, you'll get 0.
- Exercises in Shell must be executable with /bin/sh...
- You <u>cannot</u> leave <u>any</u> additional files in your directory other than those specified in the subject.

- Got a question? Ask your peer on the right. Otherwise, try your peer on the left.
- Your reference guide is called Google / man / the Internet / ....
- Check out the "C Piscine" part of the forum on the intranet.
- Examine the examples thoroughly. They could very well call for details that are not explicitly mentioned in the subject...
- By Odin, by Thor! Use your brain!!!

## Chapter II

#### Foreword

```
$ rm -rf ./ex*/*
```

- \$ make clean
- \$ make
- \$ ./a.out

Initializing the day 24 ... Creating assets ... OK.

Setting up the decors ... OK.

Initialization of character variables ...

#### WARNING

Error: undefined item Nick Bauer

THIS PROGRAM SHOULD NOT WORK AT ALL.

CONTINUE Y/N ?

\$ Y


Launching the program  $\dots$  Updating the internal clock  $\dots$ 

Your only exercise is to synchronize you with this day thanks to to the standard Tut Tut of 24.

Good luck.

# Chapter III

## $ft\_generic.c$



• Ecrire une fonction ft\_generic() qui appelée depuis un main() affichera :

```
$>./a.out
Tut tut ; Tut tut
$>
```

 $\bullet\,$  Cette fonction sera prototypée de la façon suivante :

void ft\_generic(void);