Name: Akshat Mittal Course => BCA

Sec => B

KOLL NOW 19041174

Uni. Roll mora 1921013

Class Roy nor 05

Ams) XML file:

C?xml vusion "1.0" encoding = "utf-8"?>.

Chrarlayout xmrls: android="https://schunes.android.com/
apk/res/android"

xmnle: app = "http://schemas.android.com/apk/res-auto"
xmnle: stools="http://schemas.android.com/tools"

android: layout_width="notch_parent"
android: or ientation =" vertical"
android: layout-hight="match_parent"
tools_context=".mainActivity">

< EditText

android:id ="@+id |text"

and roid: layout_width = "moth-parent"

and roid: layout_height = "wrap-content"

android: layout_margin Top = 100dp"

android: hint = "enter ur!"

android: granity = "center" 1>

< Button

android: id="@+id|btn1"
android: layout-width="match-panent"
android: layout-heig ht="wrap-content"
android: lext-" submit" />

android: ich = Q + id | btn 2"

android: layout-width="match-parent"

android: layout-height="wrap-content"

android: layout-height="wrap-content"

android: layout-margin Top="100dp"

android: text="go toactivity two" 1>

Activity 2 xml code:

<?mm/ version="1.0" encoding="utf-8"?>

Clinear layout xmnls; and roid= "https://schemas.android.com/

apk I res [android"

xmmls: app=" http://schemas.android.com/apk/res-auto"

xmnls: tools = " https://schemar.and.roid.com/tools"

android: layout-width = montch -parent

android: layout height zumatch-parents

android: orientation=" vertical"

tools: context=". Main Activity 2">

< Text View

android: layout_width = "match_parent"

android: layout_wight = " wrap_content"

android: layout_mangintop = "200dp"

android: granity = "center"

andraid: text = "This is activity swo"/>

```
Java Code:
 package com. example implicity-explicit;
import androld x. apprompat.app. Applompat Activity;
import and roid content. Intent;
 import and roid net Urily
Import android. os. Bundle;
 import android, view. View.
import and void, widget . Button;
 import and void widget. EditText:
  public class main Activity extends Applompet Activity?
      EditText text:
       Button btn1;
       Button 6tr2;
     (a) everrido
       protected uoid on (reate (Burdle saved Instance State) {
           super on Create (sand Trustance State);
            Set Content View (R. Rayout. activity moin);
           text=find ViewBy Id (R. d. Acet);
           btn1 = (fndView By Id (R. id. btn1);
           btn 2=find Viaw By Id (R.id. btn 2);
       btn1. set On Click Listeney ( New View ON ( Rick Listeney () 2
         @ overvide
               public upid on Click (View view) {
```

```
String un1=text. get Text() to String ();
       Uni uni zUni. panse (UM);
       Intent intent znew Intent (Intent. AGTON_UIEW, UN)
       start Activity (intent);
3);
    6 th 2. Set On Chick Listener Crew Niew. On Click Listener 2) &
          @ override
             public void on Click Wiew view) &
         Intent (main Activity-this, com, example.implicit_
                      explicit. Main Activity 2. class);
```

第2000年 11 · 大海 日本2000年







10:15

implicit-explicit

enter url

SUBMIT

GO TO ACTIVITY TWO

implicit-explicit

This is activity two