Name - Aman Bhandari

Course - BCA

Sec - C

Roll No - 1921015 / 07

1) Java Code :-

```java
Package. Com. example. implicit_explicit;

import androidx. appCombat. app. AppCombat Activity;

import androiod android. Content. Intent;

import android. Widget. Edit text;

import android. view. View;

Public class MainActivity extends AppCompat Activity {

Edit Text text;
Button btn1;
Button btn2;

@override
Protected void OnCreate (Bundle SavedInstance State)
{
  Super. onCreate (Saved Instance State);
```

```java
setContentView(R.layout.activity_main);
text = findViewById(R.id.text);
btn1 = findViewById(R.id.btn1);
btn2 = findViewById(R.id.btn2);

btn1.setOnClickListener(new View.onClickListener

()
{
    @override
    public void onClick(View view)
    {
        String url = text.getText().toString();
        Uri uri = Uri.parse(url);
        Intent intent = new Intent(Intent.Action
        _View, uri);
        startActivity(intent);
    }
});
    btn2.setOnClickListener(new View.
        onClickListener()
    {
        @override
```

```
Public void onClick (view view)
{
    Intent intent = new Intent ( main Activity.
    this, com.example.implicit - explicit.mai
    -n Activity 2. Class);

    Start Activity (intent);
}
};

}
}
```

XML Code :-

```
<? xml version = "1.0" encoding = "Utf-8" ?>
< Linear Layout
  xmlns: android = " http:// Schemas.android.com/
apk/res/android"
xmlns: app = " http:// schemas.android.com/apk/
res-auto"
xmlns: tools = " http:// Schemas.android.com/
tools"
```

```xml
android : layout_width = " match_parent"
android : layout orientation = " vertical"
android : layout_height = " match_parent"
tools : Context = ". MainActivity"

< EditText
    android : id = " @ +id / text"
    android : layout_width = " match_parent"
    android : layout_height = " wrap_content"
    android : layout_marginTop = " 100 dp"
    android : hint = " Enter Url"
    android : gravity = " Center"
/ >

< Button
    android : id = " @ +id / btn1"
    android : layout_width = " match_parent"
    android : layout_height = " wrap_content"
    android : text = " Submit" / >

< Button
    android : id = " @ +id / btn2"
    android : layout_width = " match_parent"
```

```xml
        android : layout _height = " wrap - content"
        android : layout _ marginTop = " 100 dp"
        android : text = " go to activity two" />
    < / Linear Layout >
```

Activity 2 Code :-

```xml
< Linear Layout
    xmlns : android = "http : // schemas. android .com/
    apk / res / android "

    xmlns : tools : " http : // schemas. android. com / tools
    android : layout _width = " match _ parent"
    android : layout _ height = " match _ parent "
    android : orientation = " vertical"
    tools : context = ". Main Activity2"


< Text view
    android : layout _width = " match _parent"
    android : layout _ height = " wrap _ content"
    android : layout _margin Top = " 200 dp"
    android : gravity = " center"
    android : text = " This is activity two" />
    / / linear Layout>
```

LTE 10:15

implicit-explicit

enter url

SUBMIT

GO TO ACTIVITY TWO

implicit-explicit

This is activity two