Namp-Vipin Singh Rang University Roll No- 1921201 Section - C Vipin Q12 Explicit - implicit & Code package. com. example. implicit emplicit; imposit andoider. app compat. app. App Compath to the intent; infort marcial net vois impost android. Os bendle; impost android. View. View; mpost melvoid . widget Button; andowid . widget. Edit Text: Public class MainActivity entends EditTent: dest; Button both : Button both 2; a overside Butceted wid on Coreate (Bumble.

sufer on Create (saved Instance Hate); Set Content view (R. Jayout activity-main); btn 1 = find view by Fd (R. id. dext); btn 2 = find view by Id (R. id. btn 1); bln 2 = find view by Id (R. id. btn 2); Btn 1. set on click Listener (newview.
Ondick Listener); @ overeide Public void motick (View view) {

String val = dentget dent). to string (1;

Nal. val = Van. farm (int); Intent ? ntent = new Intent (Intent. Action, View, u

3tant Actulty (intent); ACTION, View word); btn 2. Set on click Listney (new Niews On click histney () { a Override fublic void on click (view view) ? Intent intent a new intent ( main Activity. this, com, example. Vipin

implicit - explicit . Main Activity . class); < and sold. suppost. constagent, Constagent toyout rimling: android = 60 http:// schemas, onderoid com / apk / ses / gra suoid " amons: app = " http://schemas.ondowood

com/aph/ses-auto" rmlns: tools = "http://schamas.android molevoid: layout width = " match panent" and sioid: layout height = "match passent"

tools: content = "enample. Gavatpoint.

com. activity Byecycle. MainActivity"? modavoid: Layout width = 66 warp content" and sword: layout height = "warp\_content" andried: text = " Heldo woodd!" aff: layout - constagent Bottom - to bo thomas = "pagent" app: layout constraint Left to Left of = "Pasient" app: layout - constrigint Right to Right of = 66 Pagient" app: layout constaint Top to Topot = se parient "/7 1 android suffort. constagent. Constantlayout? Vipin

## implicit-explicit

This is activity two

