
Graphic Era Hill University, Dehradun (Answer Sheet for Online Examination Aug. 2021)

Name	Please tick (V) your campus: (DEHRADUN/BHIMTAL/HALDWANI) Hundrau Koldyal, Univ.Roll No1921051 Student ID19041253
Date:	11/9/6/ Course / Company
Subje	ect Name: Anavoid Lay Subject Code: Page No.
17	Import android oc. Bundle:
-1-	Proposition android oc. Bundle.
	Import android oc. Bundle; Import android util. Log;
	2.11.
-1	Public class Main Activity extends Applompat Activity
-	public static final String status = Main Artivity · class-get Simple Name ():
	Simple Name ():
	@ Ouvride
	protected void on Create (Bundle saved Instance State
	Super. On (reste (saved Instance State);
	surver. on (reste (saved Instance State); set Content View (R. layout. activity - main);
	Log. i (Status, "In Method On Greate");
	ž J
	a ouveride
	protected void onstart ()
	1
	Suprey. On Start ();
	Log. i (status, "In Method (h start ");
	@ Ourpride
	and the test of the second
	protected void on Resume ()
	1
	super. on Resume (); Log. i C status, "In Method On Resume"];
	Log. i C status, "In Method On Resome",
	₹ ′
	hlar

Signature of Student

```
@ Owwide
protected void on Rause ()
  super. on Kause ();
   Log.i (status," In Method On Pause");
 a Ouvoide
 puetected void on Stop ()
   super on Stop ();
  Log. i (status, "In Method OnStop");
 @ Ouvide
   presented void on Destroy ()
     Suprer. on Destroy ();
    Log. i (Status, "In Method On Destroy");
```

Plot



implicit-explicit

This is activity two

package com. example activity life cycle; import andraidx appeampat app. AppCampat Activity; import android . os Bundle; impost and roid util log; public class Main Activity extends App Compat Activity Main Activity. class. getsimple Name (); protected void on Create (Bundle savedlustance State) super. on Create (saved Instance State); set Content View (R. Lay out activity - main); Log. i (Status, "In Method On (reate"); @ Override protected void onstart () ? super. on Start (); Logic (status, "In Method OnStort"); (a) Overside protected void on Resume() & super. on Resume (); Logo i Cstatus, " In Method On Resume"); protected void on Pause () ? super, on Pouse (1;

Log. il status, "In Method OnPauxe"); 6 Override protected void on Stop()? super on blob(); Log ilstatus, " In Method Onotos"); 6 Override protected void on Destroy () } superion Destroy(); Log. [(Status, "In Method Dr. Destroy"); < ? xml version = "1.0" encoding = "utf-8 "? > < manifest package = "Com. casycalling. my application > < application and roid: allow Backup = ee true " android: icon = "@ mipmap/ic - louncher"
android: label = "@ et ring Lapp - name" android: raindicon= "@ mip map /ic - Lounches android: supports Rt1 = " true " android: theme = " @ style / Theme . Hy Applic ation > </mainfest>