

Name - Priyanka Gussain  
University Roll No - 1921123  
Section - C

Q.17 Explicit - Implicit  $\neq$  Code

```
package . com . example . implicit_explicit ;  
import androidx . appcompat . app .  
    AppCompatActivity ;  
import androidx . content . intent ;  
import androidx . net . Uri ;  
import androidx . os . Bundle ;  
import androidx . view . View ;  
import androidx . widget . Button ;  
import androidx . widget . EditText ;
```

```
public class MainActivity extends  
    AppCompatActivity {
```

```
    EditText text ;
```

```
    Button btn1 ;
```

```
    Button btn2 ;
```

```
    @ Override
```

```
    protected void onCreate ( Bundle .
```

savedInstanceState) {  
super.onCreate(savedInstanceState);

setContentView(R.layout.activity\_main);  
textView = findViewById(R.id.textView);  
btn1 = findViewById(R.id.btn1);  
btn2 = findViewById(R.id.btn2);

btn1.setOnClickListener(new View.OnClickListener() {

② Override

public void onClick(View view) {  
String url = textView.getText().toString();  
url = url + "http://www.example.com/";  
Intent intent = new Intent(Intent.ACTION\_VIEW, Uri.parse(url));  
startActivity(intent);  
}

});  
btn2.setOnClickListener(new View.OnClickListener() {

② Override

public void onClick(View view) {  
Intent intent = new Intent(MainActivity.this, com.example.



bigak

```
android:layout_height = "wrap_content"
android:text = "Hello World!"
app:layout_constraintBottom_toBottomOf = "parent"
app:layout_constraintLeft_toLeftOf = "parent"
app:layout_constraintRight_toRightOf = "parent"
app:layout_constraintTop_toTopOf = "parent"/>
```

```
</android.support.constraint.  
ConstraintLayout>
```

# implicit-explicit

enter url

SUBMIT

GO TO ACTIVITY TWO

# implicit-explicit

This is activity two