Super: on start ();

log. i (status, "In Method On Stant");

@ Overiele puolecicel void on Resume () 5

```
3
```

```
super. On Resume ();
  log. i (status, "In Method On Resume");
@ overwide
   protected void on Paurel)
      super: on Paule!)
     Log. i (Status, "In melliod outame");
@ Overvide
 peroteckel void onstop {
     super. on Stop (1) &
     Superon Stop ();
     log-ilstatus; "In Method Onstop");
@ Overiende
    protected void on Derbuoy() &
      super on Derburg ();
      log. i (status, In Method On Deuteroy");
```

No

3

cativity _ main . xm!

<anolivity _ main . xm!

<anolivity _ main . xm!

<anolivity _ main . construction . Construct to yout

xm! ns . conolivid = "http://schemors. and wid. Com/apt/
els / and wid."

xm! ns . conolivid = "http://schemors. and wid Com/apt/
els / and wid."

and wid: hogoet _ width = "math: parent"

and wid: layout . trught = "math - parent".

tools: condext = "example: javapoint.com. achtitylik cycle

mais Achinty">

<text View

andwid: layout_width = "weap content"

andwid: text = "Hellow woodd";

app: beyout_contensist left_to left of = "parent".

app: beyout_contensist left_to left of = "parent".

</ardevoid. support. constraint. constraillagout)

(De