Graphic Era Hill University, Dehradun (Answer Sheet for Online Examination Aug. 2021) (Answer Sheet for Online Examination Aug. 2021)

public static final stary class get Simp LeName (); @ Overside protected void on Create (Bundle Saved Instance State); subex on Create (saved Instance State); set (ontent View (R. Invout - activity main); log i (status, "In method Oncode te"); supex on Start(); supex on Start(); log i (status, "In method onstart"); y we soid protected void on Pause (); supex on Pause(); log i (status, "In method on Pause"); log i (status, "In method on Pause");	ubj	ne: DivyanshuMadelUniv.Roll No. 19.21.658Student ID
import android . appcompat . app. App compat Activity: import android . os. Bundle: import android . util . log: Public class main Activity extends Appcompat Activity public static final string status = main Activity class get Simple Name (); @ Over side protected void on Create (Bundle Saved Instance State) subex . on Create (saved Instance State); set (oment View) (R. layout - activity main); log: (status, "In method on create"); } @ over side protected void Onstruct() (subex . on Stard (); log: (status, "In method on create"); y (a), over side protected void on Pause (); log: (status, "In method on Pause ();		
import android . appcompat . app. App compat Activity: import android . os. Bundle: import android . util . log: Public class main Activity extends Appcompat Activity public static final string status = main Activity class get Simple Name (); @ Over side protected void on Create (Bundle Saved Instance State) subex . on Create (saved Instance State); set (oment View) (R. layout - activity main); log: (status, "In method on create"); } @ over side protected void Onstruct() (subex . on Stard (); log: (status, "In method on create"); y (a), over side protected void on Pause (); log: (status, "In method on Pause ();	P	ackage com example activity bijecycle;
import android os Bundle; import android util log; Public class main Activity extends Apprompathetivity bublic static final string status = main Activity class get Simple Name (); @ Over side protected void an Create (Bundle Saved Instance State); set Content View (R. layout - activity main); log · i (status, "In method Oncreate"); } @ overside protected void Onstruct(); super · On Start(); log · i (status, "In method onstart"); y · i (Status, "In method onstart"); alog · i (status, "In method on Start"); log · i (status, "In method on Start");	-	J N h a shot Activities
import android os Bundle; import android util log; Public class main Activity extends Apprompathetivity bublic static final string status = main Activity class get Simple Name (); @ Over side protected void an Create (Bundle Saved Instance State); set Content View (R. layout - activity main); log · i (status, "In method Oncreate"); } @ overside protected void Onstruct(); super · On Start(); log · i (status, "In method onstart"); y · i (Status, "In method onstart"); alog · i (status, "In method on Start"); log · i (status, "In method on Start");		import androidx.appcompat.app.App company
Public class main Activity extends Application by blic static final string status = main Activity extends Application by bublic static final string status = main Activity class get Simple Name (); @ Over gride protected void on Create (Bundle Saved Instance State); super on Create (Saved Instance State); set (ontent View) (R. Invout - activity main); log i (status, "In method on create"); log i (status, "In method on start"); y log i (status, "In method on Start"); super on Pause(); log i (status, "In method on Save"); log i (status, "In method on Save");		
Public class main Activity extends App compatativity bublic static final string status = main Activity class get Simp JeName (); @ Over gide protected void on Create (Bundle Saved Instance State); set Content View (R. Invout - activity main); log i (status, "In method Oncreate"); } @ overgide protected void Onstruct(); super On Stard(); log i (status, "In method on start"); } @ overgide trotected void on Pause(); log i (status, "In method on Pause();		imbort android as Bundle;
public static final string status = main Acti class get Simp Je Name (); @ Over side protected void on Create (Bundle Saved Instance State); subex on Create (saved Instance State); set (omtent View (R. layout - activity main); log i (status, "In method Oncheate"); } @ overside protected void Onstruct() { subex on Start(); log i (status, "In method onstart"); y @ overside protected void on Pause () { subex on Pause(); log i (status, "In method on Pause"); log i (stat		
public static final string status = main Acti class get Simp Je Name (); @ Over side protected void on Create (Bundle Saved Instance State); subex on Create (saved Instance State); set (omtent View (R. layout - activity main); log i (status, "In method Oncheate"); } @ overside protected void Onstruct() { subex on Start(); log i (status, "In method onstart"); y @ overside protected void on Pause () { subex on Pause(); log i (status, "In method on Pause"); log i (stat		Abbiomodativi
class-get Simp leName (); @ Overgide protected void on Create (Bundle Saved Instance State); subject on Create (saved Instance State); set (ontent View / R. layout - activity main); log. i (status, "In method on create"); } @ overgide protected void Onstruct() { super . On Start(); log. i (status, "In method on start"); y @ overgide protected void on Pause (); super on Pause (); log. i (status, "In method on Pause"); log. i (status, "In method on Pause"); log. i (status, "In method on Pause");		Public class main Active
@ Overside protected void on (reate (Bundle Saved Instance State); super on (reate (saved Instance State); set (ontent View / R. layout - activity main); log · i (status, "In method Oncreate"); } do overside protected void Onstruct(); super · On Stard(); log · i (status, "In method on start"); g verside protected void on lause (); super · on Pause(); log · i (status, "In method on lause"); log · i (status, "In method on lause");		
super on Create (saved Instance State); set (ontent View) (R. layout - activity main); log · i (status, "In method Oncreate"); super · On Stard (); super · On Stard (); log · i (status, "In method onstart"); y (a) overside protected void onlawse (); super · On Pause (); log · i (status, "In method onlawse"); log · i (status, "In method onlawse");		class-getSimpleName ();
super on Create (saved Instance State); set (ontent View) (R. layout - activity main); log · i (status, "In method Oncreate"); super · On Stard (); super · On Stard (); log · i (status, "In method onstart"); y (a) overside protected void onlawse (); super · On Pause (); log · i (status, "In method onlawse"); log · i (status, "In method onlawse");		@ Overside Saved Instance Sta
Set (ontent View) (R. layout - activity mann) Log · i (status, "In method Oncleate"); 3 overside brotected void Onstruct() { super · On Start(); Log · i (status, "In method onstart"); y (a) overside brotected void onlause(); super · On Pause(); log · i (status, "In method onlause"); log · i (status, "In method onlause"); log · i (status, "In method onlause");		
Q everside protected void Onstruct(); super On Stard (); Log-i (status; "In method onstart"); y (a) overside protected void onlarse (); super on Pause(); Log-i (status, "In method on Pause"); Log-i (status, "In method on Pause"); Log-i (status, "In method on Pause");		subea on (reate (savea instance flair);
a) overside brotected void Onstruct(); super on Start (); log: (status, "In method onstart"); y a) overside protected void onPause (); super on Pause (); log: (status, "In method onPause"); log: (status, "In method onPause");		set (ontent view K. mother matter ");
brotected void Onstruct(); super on Stard(); log-i (status; "In method anstart"); y of the ded void on Pause (); super-on Pause(); log-i (status, "In method on Pause"); log-i (status, "In method on Pause");		Log. i (status, in morned
brotected void Onstruct(); super on Stard(); log-i (status; "In method anstart"); y of the ded void on Pause (); super-on Pause(); log-i (status, "In method on Pause"); log-i (status, "In method on Pause");		3
brotected void Onstruct(); super on Stard(); log-i (status; "In method anstart"); y of the ded void on Pause (); super-on Pause(); log-i (status, "In method on Pause"); log-i (status, "In method on Pause");		
Super On Start (); Log i (status, "In method onstart"); Protected void onlawse () { Super On Pause (); Log i (status, "In method onlawse"); Log i (status, "In method onlawse");		(a) oversuat On street) &
alogi (status, "In Memon anstado); alogi (status, "In Memon anstado); super on Pause(); logi (status, "In method on Pause"); logi (status, "In method on Pause");		brokera vola crista
a) overside protected void onlawse () { super on Pause(); log.i (status, "In method Onlawse"); log.i (status, "In method Onlawse");		1.1 1 MP 1000 11 MISTOUR
(a) overside protected void onlause () { "super on Pause(); Log. i (status, "In method onlause"); Viscolarity	*	TOG TOTAL OTTERS
super on Pause(); log.i (status, "In method On Pause");		6
super on Pause(); log.i (status, "In method On Pause");		a avanide
super on Pause(); log i (status, "In method On Pause"); Vivant		a pla clad void onlaise () {
209: (status, "In method Ontouse")		Pauce();
Nount		1 1 1 1 1 1 method Ontouse //
1 minute		100.1 (\$1000)
F.V £4J1		Signature of Student

```
(a) Overside
       brotected void onstop ()
                                       mill about 1
         super-on stob ()
        log i (status," in method on stop");
      @ ovenside
     protected
                 void on Destroy ()
       super on Destroy ();
       Log. i (status, " In method on Destroy");
                   the strange by the time
      main Activity Java File:
Package com-example explicit_intent;
import and roid u. app compat. app. App compat Activity;
         android -os. Bundle
 trodmi
         class Activity2 extends App Compat Activity of
 Public
    @ override
   protected void on create (Bundle saved Instance State) of
      Super. on Create ( saved Instance State);
       set Content View (R. layout, activity - 2);
```

2. package com. example activity difecycle; import andraidx: appeampat. app. AppCampat Activity; import ondroid . os. Bundle; Impost and roid util log; public class Main Activity extends App Compat Activity = Main Activity. class. getsimple Name (); protected void on Create (Bundle savedlustonce State) super. on Create (savedinstancestate); set Content View (R. Lay out activity - main); Log. i (status, "In Method On Create"); @ Overside protected void onstart () { super.onStort(); Logic (status, "In Method Onstort"); 3 6 de puilles par - may a sportang @ Overside protected void on Resume() & super. on Resume(); Log. i Cstatus, " In Method On Resume"); MIN - 17 PALLONS OF LOVE SPANNER - SIL JOHN HAVE DE TO BOTHER CHIEF TON a Overrice protected void on Pause () } super, on Pouse (1)

Log. il status, "In Method OnPauce"); @ Override Protected void on Stop () ? Super on Stop (); Log. i (status, " In Method OnStop"); protected void on Destroy () { Superion Destroy(); Log. 1 (Status, "Tr Nethod DuDestroy"); < ? xml version = "1.0" encoding = "utf-8"? > package = " Com . casycalling . my application" < application and roid: allow Backup = " true" android: icon = "@ mipmap/ic - launcher"
android: label = "@ et ring lapp - name"
android: roundicon = "@ mipmap/ic - launcher" android: supports htl = " true" android: theme= " @ style / Theme. Hy Application) </mainfest>

implicit-explicit

enter <mark>ur</mark>l

SUBMIT

GO TO ACTIVITY TWO

implicit-explicit

This is activity two