Name: Sumit Kumar sha (1)

Covorre: BCA

Section: C

Prou no: 1921184

Activity_main.xml

<? xml version=11.09 concoding = 66 Utf-811? > Candroid . support . constraint . constraint layout xmins: android = 66 http:// Schemas.android.com/ apK/res/ android " xmin: app = "http:// schemas. android.com/apic/ res-auto xmnis: tools = "http://schemas.android.com/tools" android: Layout_width = "match-parent" android: Layout - width height = 61 match-parent 19 tools: context = 66 Escample, jaratpoint, com. implicitintent. main Activity"> LEdit Test android: id = "@ +id/edit Test" android: layout-width = "wrap-content" android ! Luyout height = "wrap-content" android: Layout-margin End = "8dp" android: layout-maryin Start = "8 dp" android: layout margin top = "160dp" android: em= 1/1011

Name - Sumit Kumor The Cowere - BCA Section - C Roll no - 1921184



app: luyout_constrainEnd_to Endob = "6 parent" app: layout - constrain Harizontal - bias = "0.575" app: Layout - worstainstart to start of = "parent" app: layout-constrain Top to Top of = " parent" /> < Button android: id= "@tid/button" android: layout-width = "wrap-content" android: luyout-height = " wrap content" android: layout-maryin Right = "8dp" 66 156 ap 11 android: layout - maryin left = 66 172 dp " android : layout - maryin Top = android: test = "visit" app: layout-constrain End-to End OF = " parent" app: leyout-construentitorizontal-bias = "10.0" app: layout_constraint start-to start of= " parent" app. lugout - constraint op - to Bottom of = "@+id/edit </android. Support. constraint. constraint (uyout)

Buit

Name: - samit Kumar Jha Course :- BCA section: - C poel no: - 1921184

Main Activity java

Parkage example. javatpoint. com. implicité ntent, import android content- sitent; import android.

import android. Support V7. app. App compat Activity; import android support v7 app. App compat Acti

import android os Rundle,

import android view view;

import android. Widget Button,

import android. widget. Edit Test,.

Public class main Activity extends App compatActivity &

Button button;

Edittent edittent,

Coverside

protected void on crowe (Bundle Seved Instance State) {

Super. on Croute (Sovedinstance State);

Set content view (R. layout. activity - main);

button = Find view By Id (R.id. button);

editTest = findview By IdCR. id. editTest).

button, uset on dich listner (new view, on Wicklistner () 5

@ overvide

Name :- Samit Kumar Jha Course: BCA Section :- (. ghou no :- 192/184 Public void onclick (view view); string un= Edit Test. get Test ()-to String (); Entent intent = new Intent (Intent. Action - vicw, uni. parse (url); start Activity (intent);

Name; - Sumit Kumar Sha Course: - BCA Section: - C Thou no: - 1921187

Main Activity -1

<! xml version = 1.0" encoding = 66 Utf - 8"! > < Relative luyout somens: android = "http://schemas.

android.com/apk/res/andr

oid 1' xmlns: app = " htt// schemas. android. com/apk

(1)

auto "xmlns: took = "http:// schemas. android. com/tooks "android: Layout-widh

n=" motth-parent" and roid: layout height=

16 match-parent"

tooks: context = " main Activity's

Z Tent View android: leyout - width = "mater pa.

yent"

android: layout height = " wrap content"
android: test "Hello, This visactivity 2"
-android: growity = "center"
android: layout mirroin Top = "90dh"

android: layout-margin Top="904" "
android: text size="400p"

android: id = "(Ct id/tu-1"/)

8 with

Name: Sumit Kumar Jha
Cowre: BCAS
Section: C
Rollno: 1921184



Java Code:

package com. example. crepticit-intent;

import android apprompt app compathetists;

import android os. Burde;

import android view. view;

import android widget. Button;

import android widget. Test view;

fulic class Main Artisity escends

App Compathetivity & Test view to;

Button 6tn;

@ overide

Suit me

Name! - famit Kumar 3na Poll no! - 1921184



Protected void on create (Dundle Sowed Instance State) { Super-On create (Sowed Instance State); Set Content view (or. Caegous. autivity-min);

tw-fredview By Jd (R. id.tv-1); 6th = find View By Jd (R. id. btn 2); 6th · set on dich listner (new view. on dich listner () {

@ overtide

Paulic void onclick (view v) {

Sutert i= new

Julent (get Application content (), Activity 2.

Class);

start Activity (i).i

5 7;

3

Buiting

Sign - Smit me Devices are not internet Internet connection dependent on is required for the internet communication limited Scope A large no of Scope for devices. services devices yet scopes is wrige Business 2 Business 2 Business Business type Businers (BZB) (B2B) and Businers used 2 combuner (B2C) open API support There is no support Open API support for Sntegration open API's Smart wearables, Sendors, Duta Escample Big data, and cloud and information etc.

Name: Sumit Kumar sha Course: BCAS Ray no! 1921184

02

Parlinge. com. sample. activity lipeuple;
import
android x. apprompat. app. App compat Activity,
import android. os. Burdle;
import android. whil. Log;

Public dars main Activity intents App compat Activity

Public static final cting status

main Activity class set simple Nane(1;

@ overlide

protected void on write (Burdle Soved Instane stat)

E uper on create (saved surtance State);

set content view (R. layout. activity - main), log. i (Status, on metal. on create");

a override

super on stop (); log. i (stutus, " on metul on stop"),

Granne Granne