Mami- ujual Singh Ramat Burs-BCA Roll No. 65/1921193 Course Subject. Mabile Application Dumberment



```
Ansi) Implicit
```

the Deep layer stury by pully front, and double legister <? xml version = "1.0" encoding = "yt-8"> < Relative Layout xmlns: and rod = "http://genemos. android.com/apx/res/androd" Xmins: app. " http://schemas. and rod com/apk/res-auto" Xmlns: took = "http: 11 echemas android. wm/took" andrad: layous-wiell , "makinparend 11 and rod: layout width = "match- parent" and roid; lay out haight = "wrap-content" android: id = " @ +idlet-1" android: inputtype: "text"
android: paololing: "3000p"
android: tagottl-margin (op: "300p") < Bulton android: layoul-wielth, "wrap-c content? and voia: layout-height. "wrap.c. content " and roid: text. "Cuck here" and roid: text id = " Quid! btn-1" android: textsize = "30 dp" ardrod: background: @ Wor Ital-700" and oid: layour -below. " (atidlet." android: layout marginly1 = 800/20 android: layout: layout-morgin top. "40 dp"/>

Jana

package com example, implicit intent; import and roid apprompal. app-ApprompatAC turiny; import and moid,

(Relativelayout>

import and rod net. Uni: importe and road of Burd e; import



and roid view view; import grant light bright brusher Will Day mandined in them, may in theming " and oid. widge. Button; comport android widget. Editterby and harden Public closs Hain Actually extends ApplompatActually EditText CI Buttonben; Quern public void on Great ( Burdle Quicol Inglance steve ) } super. onCreate (gauca Irgance state). setcontent viewlr. layout activity. main);


a find View By Idl R. id. ct. 1).

btn. fine view By Idl R. id. btn. 1);

btn. set On Click Listener (new view. bn Click Listener); on Click Wiewolf Inglid Sour String grengetlext 1. tost ring 1; Interview Intervisation, ACTION, VIEW, 93); Start Actual(1).

## OUTPUT:





```
Name - liquid sing to laural Caution - BCTP RALL to - 68 [1921[193]

Subject - risked 8pt Development Date : 1-10-21

(? xml vergion: "1.0" encooling = Up - 5"?)

Filative Layout

Xmlx: and Did = "http://schemog. and Did. com lapt/res/and rod"

Xmlx: and Did = "http://schemos. and Did. com level"

Android: layout width = "math. parent"

Lools: context + "math. parent"

Tappical

and oid: layout width = "math. parent"
```

```
android: layout neight "wrap to rivery with the bound
           android: jest. "Hello, mis is Actually!"

android: jranly = "cents"
           android : gravely = "center"
           android: Layout. margio Top = "70de"
                                       Much Amolton Salar
            android itext size 12" bolp"
         android: text Colour = @eolor/teal 2001
            android: lext Style: 460 let
            CBUHON + WHU-1"/>
              and roid: layout widet: " wrap Contact"
              ardioid: byout height "comp. Conton!"
             ardroid: loyan. veloio: @ +id/tu-1"
              and roid : id , layou margin Top "bode"
    and roid: id: "@ + idl bini"
             android: by ow contriborizontal = "true"
             and oid text, "Chex Hose for Actionly ?" >
       Zauro Coch
     emport and void, content. Intent;
             limport. os. Bundle; import
       android view. View import android widgel Button
              import android. widget tertuien;
               public closs Main Actually externess APPCompatActually Transview by
               Button ben; pilos a "al" agree day
                 protected void on Createl Bundle Saved Saved Instance state)
Super on Create (sauce) Instances tate)
    Setcontent Vicu (R. Layout activity main).
         ty-bindular By Id(R.rd.tu_1)
                  ben find view By Id [ R. rd. 6tn 1);
               bt n set Ondreklistera lnew View Onclick Listenter ()4
                           public wid on Charl viaouly
                              Interd i'mow Interd Igel Application Conter H 1, Activity?
                 Maring Man (Class); maple
```

Stanfactual(1); 37); )}

Mainachunt scale ( ? xml version = "1.0" cocoding = " 18-8"? < pelative layout xmlns: android . "hup.//schernas, android com/apx/res/android; xmens: app, " http:// schemos. android . com/apx/ res-auto" x mun; tools, " http://schemps; and road comptools" and soid: layour width. "match-parent" android: layout - trugtd. "match parard" took; context = ". Actually"> (Text Viau and roid: by out width " match-parent" android: lay but . height = " wrapo\_content" anchoid: test. "Hellow this is Activity 2" android: kutsin " 4000 ardroid: by out-center Horizontol- 4,000 archoid: layout - cerdervertical - "true" android: text Color = "@color/teal 200"/> (I relatively out)

:

