```
· implicit intent
```

< ! xml vursion = "1.0" encoding = "vtf-8"> The state of the s

< Relative Loyout

xmlns: android = "http:// Schomes android.com/apk/sps/android

Xmlns: app = "http:// Schomos, android.com/apx/sis-auto"

xmlns: tools = "http://schomes.ondroid.com/tools"

android: leyout width z'metch - parent"

android: layout-height z' motch - parent"

tools: contact = ". main Activity ">

< Edit Toxt

endrois: byout - with = "metch - penent"

android: id z " Q + id / of " " wrop - content"

ondroid: id z " @ +id/et\_ 4"

android: input Type 2 "text"

ondroid: poddin z "30 dp"

android 1 legout - margin top = "30dp"/>

< Button

android: byout-width = "wrap - Contint"

endroid: legort - height = "wrep - contint"

endroid: text = "Click Lon"

android: trat = "@ +id/6tn\_1"

android: tivtsize = "30dp"

endroid : background = "@ color / Hal - 70.11

Biggs blockers brogers

1921165

al" nevery dony!

dad i dangon

thought and less of

devila de de

Link to Benton

andrid: layout\_below z "@tid/et\_1" condroid legoot below = " tid/et-1 android: legort-mergin left = "80dp" ondroid! logout - morgin top 2 "40 dp"/> Peletive Lagout and the former of the second o

## JovaCode

the same and the state of the s Pockege Com, example implicit intent; ondroidx. applompat. app. App Compat Activity; my of the ducker of the proimport android net. uri; A STATE OF THE STA import android - Os. Burdle; import androld - view. View; balvas agradugal interior and the second s android, widget. Button; import android-widget-EditText;

public class Hein Activity extends App Compet Activity & Edit Text el! Button 5tn;

@ overn'te

The Art house on Copeto (Bundlo Sured Instanco State)


Twosen Lines

We will have the house

Prof Marin Comes and bourness and in him

BI MINE TO THE PARTY OF THE PAR





will talk not the

o (A) and only

wisher with the state of the state of the

« Explicit intent

main Activity-1 code s

< Reletispleyout sombis : android 2 "http://schon. android, com/opk/sis

xnins: opp = "https:// schoners-android-Com/topk/ms-auto"

xmlns: tools 2 "https://Schemas-ondroid. Con/tools"

ondroid: Coyout\_width 2 "match-possent"

endrøid: legout - height = ce motels parent"

tools: Contrat = "main Activity">

< TIXT VIOW

android - legat - ridth z " moth parent"

android - legat - beight = " wrap - content"

ondroid: text = "Hello; This is Activity 1"

andrid: gravity 2 "Contir"

androit: legout-mergin Top 2 490dp"

endroid : text Size = " 40 dp"

endroid; text Color 2 (a) Color /tral- 200"

endroid: text Style 2 "bold"

ondroid: Id = "@+id/+v-1"/>

< Button

android: legort-width z "wrop-content"

android: layout-height = "wrop-content"

A Therese St.

St. Obiox Bulary

Many in the same

ondroid: legort-below = "Q+id/tv-1" ondrid: legort-mergin Top = "60dp" endroid : id = "@id/betn1" ordroid: Leyout - Center Konizontal 2 "true". ondroid i tret 2" Click seen for Activity 2"/s < | Peletiveleyout > The second secon

Jova Code

Package Com. l'xemple. explicit\_intint; import android x. app compatapp. App Compat Activity; import android, content. Intent, philippine of the second import ondroid os Bundle; Special Control of the Section of th impoint android - view. view; import android midget. Button; import android. midget. Text view; Public Class Main Activity extends App CompatActivity American and and the second of Taxd view tv; Button blu; @ overry'do

protected void on Creets (Bundle Sould Instence State) Supri. on Creato (Sound Instince State); Set Contint view (P. Icyout. activity - main); tv = fird view By 2d (P-id.tv-1)

btn = fird view By 2d (F. id-btn1);

btn. set on click Listrer (new view- onclick Listrer () {

@ overwide

public void on click (view v) {

Intent i = new Intent (get Application Context (), Activity 2. closs);

Stort Activity (i)!

3);

main Activity -2 Code

C? xml version 241.0" encoding = 4vtf-8"7>

Kleletive Leyout xonline: android = "https://schemes.ondroid.com/cpk

"" produced to a constant of ""

×nlns: app z'https://schemes.ondroid.com/apk/sis-avto"

xmlns: tools = "https://schones. android. Com/tools"

android: logovt-wisth = " match-parent"

android! byout - height = " moth - perent"

tools: Context 2 4. Activity 2.">

< traf Vin

android: Coyout - Width 2" martch - permit"

android: Leyout - Leight 2" wrep - Contint"

android: text 2" Hello, This is Activity 2"

ordroid: text size 2 "40dp"

cordroid: legout - Centre Monizontel 2 "trup"

cordroid: legout - contex verticle 2 "trup"

android: text 600x 2 "@600x /tral\_200"/>





Go