S.Id: 19041278 Animesh Bailwal Univ. Roll No.: 1921020 Page: 1

1/10/2021 BCA DC

Mobile Android Development TBC. So 2

Ansl: . main activity

package com example, android myapp ;

import and roidx apprompat app. App Compat Activity:

import android content. Intent;

import android net . Uni ;

import android os Bundle;

import android view. View:

import android widget. Button;

import android widget. EditText;

public class Main Activity extends App Compat Activity {

@ Ovenside protected void on Create C Bundle Saved Instance State) { super. on Create (saved 9 nstone State);

setContent View (R. Poyout activity-main);

Button Un = findu: ew By gd (R. id. Gutton Expl); Ctn. set On Click Listenen (new View On Circk Listenen ()

& @ Overnide public Void on Click (View view) { gntent : = new gntent ( get Application Content (), Activity 2. class );

stant Activity (i);

3 3); Edit Text uni = find Usew By 9d (Rid. edit); Button Utal = find View By gd (R. id. Lutton 9mplisit);

Utn1. setOnClickListenen (new View. OnClickListenen () ?

@ Ovenside public void on Click (view view) {

X

```
, Poge: 2
   String unl = uni. get Text(). to String();
     gotont : = new gotont (gotont. ACTION_VIEW, Uni. Panse (UNI));
       stont Activity (:):
33);
 activity 2
 Rackage Com. example. android . myapplication:
    import android x apprompat app. App Compat Activity:
    import android os. Burd'e;
    public closs Activity 2 extends Applompat Activity {
    @ Overnide
     protected upid on (reate (Bundle soved Instance State) {
            super . on Create (soved Instance State):
            set Content View (R. layout activity - 2);
    3 3
```

A

Animesh Bailwol Univ. Roll. No : 1921070 5. Id: 19041278 Page : 3 BCADC 1/10/2021 Movile Android Pevelopment TBC-502 activity - moin . xm = 3 xml version ="1.0" encoding=uty -8"?> C Lineal ayout xmlns: andwid: " --." Tim ns: opp = " - " xmins: tools="-" android: Payout width " - " android: id: "@tid/ "T-view!" L Text View android: id='@+id/ Culton Exp' L Button ordroid: id: [@idl Twew 2] C Tat View L Edit Text android : id = "@ +id led:t" android: id = "@ +id/button 9 mplicit" c Button (1) Linearly ayout >

A

ortivity 2. xm 1

2 xm1 version = "1.0" encoding = "vtf-2"? >

Condadid x · constraint Royaut. Widget · Constraint Layout

tools: context = ". Activity 2" >

C Text View

andhold: id = "@+id/T-view5

17

A-