NUM	e: vipin singh subject : and wid
	e ? BCA Rollho: 1921200
sem	sign: Zilin Date: //
01	main xml lile (amplicit)
	(linear layout
	XMIns: and wid: "http:// schemas. emdwid.com/com/com/
	ry 1 audroid"
	Audmid Han I will Malely Davous!
	and wid : layout - width = " Match - Davent"
	and mid: lay out - height = "Matth - parent"
	of - will the
	android: gravity="(cuter")
4	Edit Text
	and soid : layout - width = " wrap - content"
	android: layout-height="wap-content" android: lagout-height="wap-content"
	0 110 111 11
	em droid : 2 d = "@ +id/e1"
	an apoid . ayout - gravity = top"
0	udsoid agout- ungaponent 10 p2 true"
0	android: layout-gravity = "top" udroid: layout-align forcht Top="true" udroid: layout-Margin Top = "lodp"

Date: / /
< Button
android: text="Visit"
android: layout-width = "wrap- content"
and wit: layout - height = "wrop-lantert" and wit: id = "@tid 162"
and wid: layout-gravity = " (center-vertica)"
< liman la
< (linear layout)
Main Java file
Palhage Comintent myapp;
IM port Undwid view *
impost andwid. app. +;
IMPORT emanid-os: x;
import and wid view view.
import and roid view view.
Import android content +;
pur bart an quoig , net . not.

	Date: / /
	Public Class main Activity extends Activity
	Ruhan
	Button Hul.
	Edit Pex + et;
	Section 4 th
	@ ovonide
	prefected void on create (Bundle Javed Instance
	Steple)
	¿ Juper on Creak (saved Interne Stak);
	det Content view (R. Layout. Main);
A STATE OF THE PERSON	Jet Content view (R. Layout. Main); Oth 1 = find view By 8d (1.2d.61); et = find view by 2d (R. 2d.e1);
	et = find view by it (k, 14.61);
	BINI get on click listener (new view on click
	Wistener()
	¿ @ OVOIYIX
	Public void on (lich (view veiw)
-	At they UN= ex.get text(). to string();
	Intent in= new Intent (Intent. Action-view, Lyl. Payse(Uyl)); Jeast Activity (in);
	1 le v 1 v (HUL (1));
	1 10 14 19(1V) 3 3)12 2

Date: / /
Main xml file (Explicit)
 2 livear (a. a.)
 X MING: and soid = h HP: 11 xhenry and wid form fally 1211 (and soid 2)
(In language of the water of the manual contident
and soid: layout - width=" Matth-Parent"
Andmitterall March Base 11
and mi d': layout. height = "Matth-Parent"
android: gravity: "leuter">
< Edit lext
audwid: layout - width="wrap-content"
android: layout - neight = "wap- Content"
lundroid: id = " e tidle!!
audroid: layout - margin Top = " 70 dp"

Date: / / & Button ourder andwid: text = " Will" and wid: layout - width = "wxxp-lontent" and wid' layout - height =" wrap-lonkent" and bid : id = "@ +id | bi" and soit ! layout - 9 ravity = " (outor - vertical") 2 (linear layout) Main - Jaylia Empor audroid . view , +; (1 . CCP . *) 11 . OS . *; 11 11 · wice view x; t. 1 11 mal. In port Com. my company, my app. +,

Date: / /		
Rullic Class main Activity extends altivity? 2 Button Hur;		
@ Onrige		
stak) void on Mak Bundle ravinskurt		
2 Super. On (Yeak (saved Instant Hak);		
Il Content vica (Rlaypy 1-Main);		
bfh 1= lind view By It (Rid.h)		
1441. set on Click Listener (new Vicio on		
(lich liskner() {		
Public void on clich (view view)		
pull (and an enter (and and)		
In Hutin= New		
The Lent (get Application Content ext(),		
In Mutin= New In tent (get Application Content ext(), activity 2. (Cas); last Activity (in);		
May + Activity (in); 2		
3)', 3 7		