Name: Abhishet wishwakarma University roll no: 1921006 BCA 5°C'

Answer-1 MainActivity jour

package com. example android. myapplication; import androids. appcompat app. AppCompathchivty; import android. context. Intent;

import android net . Uri;

import curdroid os Bundle;

import androld view. View,

import android. wielget-Button;

import android winget. EditText;

public class Moun Activity extends App CompatActivity {

protected void on Create (Bundle sauce Instince State)

super on Create (saved Instance State);

set Contont View (R. layout activity main);

Button btn = find venoby Id (f. id. button Enpl). btn. set On Click Listener (new Vac. On Click Loterer () {

Alswaret

```
Fublic void onlyck (View view) {
          Intent 52 new Intent (get Application Context)
                                                                                                         Activity 2. dars);
                             Start Activity (1);
3)
   EditText uni = find view by Id (R. id. edit);
     Button both = find view By Id (R. id. Button Implicit)
      btn g. set on Click Listener ( new View. On Clicklestera () {
                                                 public void on Click (Vibra view) &
                                           Strong url= ari- get Text(). to Strong();
                                 Intent iz new Intent (Intent ACTION VIEW,
                                                                                                                                                                       Urio, parse (url).
             Start Activity (i);
          Some of the state of
     Francisco di a constituti l'establishe del la referencia de l'establishe de l'
```

Activity & (Explicit Intent)

public class Activity 2 extends Apploapat Activity S

protected void on Create (Bundle save Instance State);

super on Growle (saved Instance State);

Set Content View (R. sid activ R. layoud activity);

3

Activity main, mind

Activity-main. aml

(linear Layout

android: orientation = "vertical">

android: layout width = " motten farent"

android: layout-height-"moth-parent"

C Text view

android: layout-width = "match forest" android: layout height = "wrap ontext" ordroid: text = "Explicit Intext"

Q

EW,

«Button
andwid: id = "@+ id /button Expl"
android: layout_width = "wrap-content"
android: layout_height = "wrap-content"
ardroid: tat = "Next Activity"
android: tautSize = "20 cp"/>

< Textview

android: logout-width= "metch-parent"

cundroid: layout-height= "wrap-content"

android: text= "Implicit Dutent"

android: textSize = "208p" />

< Edi't Text

android: od= "@+id/edet"

android: layout width = "match_parent"

android: layout height = "wrap-content"

CButton

android: 1'd = "@+ 10 / ketton Insplicit"

'android: text = "Click" />

4 Crnear Layout)

Activity & xml

< linear Cayout &

android: layout_width = "metch-parent" android: layout_height= "motch-parent"

< Text View

android: text= "I am Activity?"
android: textsize = "40 ep"/>