Student id & 19042221 Name: Lannie Univ. Roll No : 1921090 Coususe: BCA Sem: 5 Section & C Subject : Mobile Application Development Sign : Baumi Subject code : PBC 502 Page No : I dit Main-unt file (Implicit) andrisid ? < Linear layout andword: layout-width = "match parent"
andword " layout-height = "match parent"
andword of gravity = "center" > andersid : layout width = "wrap content" < Editte ut anderoid i layout-height = "wrap-condent"

anderoid i id = "@+id/e1" android : layout gravity = "top" < Button android: tent = "visit" android! layoutswidth = "wrap content" anderoid: rd = 10 + 19191, andovoid: layout gravity = "certer vertical" 2/Lineaudayout)

Name: Lanne Roll No: 1921090 Student Ed: 19042221 Course: BCA Section: C Sem: 5 Subject: Mobile Application Development Page Noi 12 Subject code: PBC 502 Sign: Banni Subject code 3 PBC 502 File: Main Activity java Package enample, com simplicitent ; imposit anduald content . Intent; ; bell ter biosebno tregmi imposit anderoid. supposit. v7. app. App Compact Activity; imposit andraid. Os Bondle, imposet android view. View; emposet andwid widget Button; imposet andwid widget EditText; public dans Main Activity enterds AppComat Activity & Button button; Edit Tent edit Tent; (Joverside protected void on Greate (Bundle raved Instance State) 2 super on Create Gened Instance State); settentent View (R. Layout - activity_main); button = find View By Id (R. id. button); edit Tent = find view By Id (Rid, edit Tend); button. set Onclick List new (new View. onclick list new) Dovervide public void onclick (view view) String veil = edit Tent, get Tent (), to string ();
Intent intent = new Intent (Intent. Action View,

Veu, pauce (veil));

1921090 Student ID: 19042221 Roll No: Name y Laxmi Section : C Sem: 5 Course + BCA Page: 3 PBC 502 Subject Code : Donni stant Activity (Entert); 4); => File : Main Activity. java package example . com, explicit intent? imposet anderoid content. Intent; imposet anderoid supposet v7 app, App Comparativity; imposet andewid o.s. Bundle; imposet android-view. View? Rublic class Main Activity entends activity 2 Button bint;
@overvide
protected void oncorede (Bundle saved Instance State) superionCouate (sowed Instance State); setContent View (R. Layout main); btn1= find view By Id (Riid. b1); bt nt. setondick listener (new View Ondick Listener () \$ Doveruide public void onclick (view view) S intent in = new Intent (get Application condent (), activity a. class); Stant Activity (Pn);