Nome - Naveen Kanwar Gode PBC-502 Rall- 1921218

Subject - Mabile Application Development Lab Date - 1 Oct 2021 al "activity - second. xml" in res layout file Add code Second Activity. class and set resource loyal filepackage in exchant intentypes in plicit and explicit; import andraid. support. v7. app. App Compat Adviry; import andraid. as. Band; public dos secondActivity extends App CorportActivity s Overvide

protected void on Create C Bundle soved/extrante

State 12 Super On Create C saved Indone State); Set Content View (R. Layout, activity\_second); Main Achiry, class public class Main Activity extends App Compat Activity & protected void on Greate (Bundle soved Instance State) {
super on Create Csaved (nutance State);
set Content View (R. Layout. activity\_rain); Novement

Il implicit intent example Button btn Implicit = (Button) find Vices Byld

(R.id. button \_ im);

btn Implicit. set on Click Listener (new View. on Clicklistener)

(75 @ Override
public vaid on Click (View view){ String aid = "https://google.com";

(laction
Intervent i= new (Interv. AlTION\_VIEW);

(l dota i. set Dota (Uri. parse Curl);

Start Activity (i); 1/ Explicit intent example Button btn\_Explicit = (Button) find View By ld

(R.id. button\_ex);

btn\_Explicit - set on Click Listener Cnew View On Click Poblic void on Click (View view) {

Intent intent = new

Intent (Main Activity. His, second Activity. class);

start Activity (intent);