Name - Shivam Rawout Univ Rolling - 192116 Student ID 19.44300 Date - 1,0ct, 2021. Course - BCA Branch Sem - Sty Section -Page no - 1 subject coole Implicit as need as captient <2 kml version 211.01, encody = "utt-8"?> · linear layout xulus; android =" http://schemes.android.um. 10pre (ves) andusid' c'inttps //shews android. Low ! xmlms 1 emplo apx / res-auto xun Instools z "nHb://chay andreid.ulpala android: layout_width = 4 mouth_borrens' androvd. orientebrin = "vertical" combroid; layout - haght z'matr-parent? tools: content z M. Main Activity"> a Edit tent android vid "@ id/tent" and id: layout - widty = " mottle-parent" android: leyout-height="lorop-content" android: layout_morgin Tob = "100 ap" and sold: hint = "enter ul"

and wid = growity = 4 center " Scanned by TapScanner

(Whi vom Part)

android: layout-points "moth porent"
android: layout-height: "moth content"

android: tent = " Submit"/>

android: layout-mongintop = " moder"

android: layout-mongintop = " locap"

android: layout-mongintop = " locap"

android: text=" go to activity too"/>

Activity 2 code

< 9 xml vension = "1.0" encoding = "uff-8"?

< Linenlayout

x mlns: android: "https:// schemes.on dooid
com/4ke / res/android"

Xmlns: app = 4 https: 11 schemas. and not al com
(apk (res -auto"

com 1 tools = "https: 1/schenny. android

androld ! gout - width = "moteh-povent"

androld ! Lay out - height = "moteh priest"

androld : orientation = " Vertical.

". Manin Arctivity 2"5. (3) tools; content -

< Tesct Views

android: layout-wralth = "moster-format" anahordi layout - height 2 "wrot - content" android. lagant margin Top = "200 alp" android: growity = "center" android i tent z" This is activity two"/> c/linealeyout>

Jan code

package com. example. implivity - explicity; import and noidy. Of prompot of p. Apprompat Activity;

. content. Intent; and-not d im/20 4met. Urli android. import

. os. Burdle; androtd input

android. view. View; import

android. midget. Button; android. midget. Edit Tent; android. Input togui

public class Mouin Activity contends APA confact Activity 2

EditTent tentj Button 10+n1; Button 5+n2; void ontreate (Dundle some Enstareston) a Duandale purte hed Super. our Creeke (some allusturie State) set content vien ce layant, cotivity mans). tent 2 Find viewgidLR. id tent); - Find Viero, ById (R. id Hm 1); 10 + n2 - find view By Id (Rid Hm2); otn 1. oet on Clicklistner (neur View. On Click Doversi de on dick (View view) 2 public voi d by 2 tent get Tent (). tosting (). ort oriz Ovi. parsecurl) inten intent = nou Owtent Action - View, url); Start Activity (intent) Cilmp (

A click litheren (new views. on click lither Downso Ablic void ancile Colema New 2 Intent Intent new detent (Ami AcHilly this, consensele. No Pait explicit having Activity 2 class? Short Activey Centent) (5-2-1)