Name - Vikas Chand UnivRn-1921198 Student ID - 19041270

Course - sem - sec - BCA-SC

Subject - Mobile - Application Dwelopment - Mid - Term (PBC-502)

main activity young

package com. example. android. myapplication; import androidx. appeampat. app. Applompat Achivity;

audroid. content. Intent; import

import android. net. Usi; import android. Os. Bundle;

import android, view. View;

android. audget. Button; import

android. widget. EditText:

public class Main Activity extends Applomport Activity &

@ Overnde protected void on Geate (Bundle sowed Instance State)

super. on Create (served Instance State). set Content View (R. layart, activity-main).

Button both = Find View By Id (R.id. button Expl).

```
View. On Click listenes ()
btn. set On Chitlistener (new
  @ Ournide
   public void onclice (View View) &
       Intent i= new
  Intert (get Application Contat (), Activity 2. Jans).
      start Activity (i);
 z);
  EditText un = find View By Id (R. id . edit);
  Buttonbtn1 = Find ViewBy Id (R. id. button Implicit);
        seton Click listener ( new View. On Click listener () }
         @ Overnide
          public vod on Click (View view) {
                String url = uni gettext(), to String ();
               Intent i= new Intent (Intent. ACTION-VIEW,
     Uni. park (url));
               start Actively (i);
```

notes activity 2 (Expect In kut) package com. example. android nyapplication; import androids. apprompt app Applompat Activity; import audeord os Burdle; public class Activity 2 extends Applompat Activity ? @ Overnde projected void on Grate (Bundle sowed Instance State) Eugen. on Grate (saved Instance State); set Content View (R. Layord. activity-2); achierly - main . xml < ? xml virion = "1.0" encoding = "UHF-8"?) (linears layout xmlns: android = " http://schemas.oudtood com/opt/ro/audeoid" , xmlns : app="http://schemas.andloid.com/apk/res-auto" xmlns: toob = "http: 11 schemas. android. com 1 tools" android: layout - width : " match - parent" android: layout height = "moth-pacent"

tools: context = ". Main Activity"

oundarid: on in totion = "vertical"

(Tex+ View

android: layout-width = "match-parent"

andloid: Layout - hughet = "wrap_con kut"

android: Lex+ = " Explicit Intent"

andeoid: text Size = "20sp."

. android: text Alignment= "center"

hools: Layout_editor_absolutex = "bdp"

tools: Layout - editor - absolute Y = "130dp" />

< Button

android: id= "@+ id/ button Exp"

android: Layout . width = "wrap-content"

android: layout-hught = "wrap-conkert"

andloid : text = "Next Achicity"

android: 10x+813c = "20sp" 1)

KText Vicus

andloid: layat-width = "match-paluat"

andrad: layout-height = "wrap-con kut"

android: text = "9 mplicet Intent"

android: text size = "20sp" (>

Ltdo tax android + id = "@ +id [edit" andsoid: layout - width = "match - parent" android : layout - height = "wrap-conket" Z Button android: id = "@ + id / Button champticites Amplicit" andsoid; fext = "click" /> 1/ Linear layout? Activity - 2. xm 1 Climar Cayout android: layout mudth = "match-parent" android: layout-height = "match-palent" LText Vicu android: Lext= "9 am Activity" androd: textsize = "405p"/> L/ linear layout