```
Strivam Dutt Pathak
13/22 xml version = "1.0" encoding = "v+f-8" 2>
  L'Unear Layout xmlns: android = "http://schemas.
    android. com/apk/res/android"
xmlns: expp="http://schemas.android.com/apk/res-
 xmlns: tools = "http:// schemas. and roid. com/toots"
 android: layout-width = "match-parent"
 android: orientation = "Vertical"
  android: layout-heigh = "match-parent"
  tools: Context = "Main Activity">
 L Edit Text
    android: id= "@+id/text"
   android:
            layout - width = "motch-parent"
   android: layout - height. "Wrap-lontent"
             layout _ margin Top . " 100dp"
   and roid:
   android:
             wint = c'enter unis
   android:
             gravity= "center"
6 Button
   android: id= "@tid/btn1"
  android: layout - width = "match - parent"
  android: layout height = "wrap-content"
  android: text="Submit"/>
                                      Dirans
```

L Button

android: id = "@ +id / btn 2"

android: layout - midth: "match-parent"

android: layout - height = " wrap content"

android: layout - margin Top=" 400 dp",

android: text="go to activity two"/>

2/linear layout>

entered to the stand of the stand

distribution - do i do como de mon

Manager dottown within the property relation to produce the product biorism

and the following the part of the sections

and the colors of the land of the become primary decoders

the contract of the state of th

Shinan

A cot labor

Name: Shiram Dutt Ruthak Rouno: 1921167 Subject: Mobile Application Development. Cousse: BCA 5B (Ir) berged in Date: 1/10/2021. are works to the test of the t Bil Java Code

puckage com. example implicit-explicit; impost android x. appcompat. app. Applompat Activity; impost android. content. Intent; impost android. net. Usi; import android. Os. Bundle, impost android. view. View; impost undsoid. Widget. Button; impost andsoid widget Edit Fext; public class Main Activity extends App Compat Activity & editText text; Button bt n 2; Button 6+n2; Protected void on Creute (Bundle saved Intunce State) ? Super. on Create (Saved Instance State); Set Content View (R. layout - activity-mein); text = find View Byld (R.id. text); btn2= tind View Byld (R.id. btn2); btn2= tind View Byld (R.id. btn2); btn 2. set on Click Listener (new View. On Click Listener () & 2

```
Public void on Click (View niew) {
                                     string url = text. get Text (). to string ();
                   Univoi = Uni- parse (voi);
                       Intent intent = new Intent (Intent. ACTION-VIEW,
                                          Start Activity (intent);
                           6+n2. set on Wicklistner (new View. On Wick
                                                                                                                                                                                                                                                                                    Listener() {
                          Public void on Click (View view) {
                                          Intent intent=new
                  Intent (Main Activity this, com. example.
                                implicit- explicit. Main Activity 2. class);
          3);
                                              remarkable to the superior of 
                                                                                                       A stall make a the country of the co
                                                            dimension provides and designed of the standards
                                                                                                                        all the state of bly the said by
                                                                                            Control of the parties of the said
```