

works (Java) -> package room. example activity life import and roid x. app wmpat app. App compact Activity. import androvd. oc. Bundle; public dass Main Activity extends App Compact Activity of public static final string statue = Main Activity. class get simple Name Be graseverteten protected void on create / Bundle saved trustance state) of Super on breate I sowed trustance states; set content view (R. Layout. activity main log. al status, "In Method on breate"; " Status," En Melhod on star

PAGE No. super on Resume (); Sogi (status, "In Method on Resum!"). protected void on Paule 02 Super. m pause (): log o (status, " En Method on Pause"). protected void on stop () & super on stop (); log. i (status, " In Method On stop protected void on Destroy 1) super on outroy w. Log. i (status, " The Method Jone Destroy");

code (xml) -> < 7 xml vereion = "1.0" encoding "uff-8"} Landriod. support o constant layout xmlns? android = "http:// whemas. andriod-com (apk (rus/andriod" xmln:s: app = "http://schemax android.

com/apt/rs-auto"

xmlns: toob > "http x:// schemas android and riod 2 Cayout - width = "mortch - parint" android: Grout - height = "match - punnt tools: containt " example. com. activity lifecycle Main Activity <Text Vveu androidi layout_width > "wrap - content" android: lagout-height = "wrap-content" app: leyout_constraint Bottom to Bottom of 2" parent" layout - constraint left appiloyout - constraint Right - to Right of parent" : Loyout - constraint top - to typ of = basent " fandroid support constraint constraint

