

1) Create Genufy database

2) Create a Cricket Schema

```
3) CREATE TABLE CricketPlayers (  
    PlayerID INT PRIMARY KEY,  
    PlayerName VARCHAR(50),  
    Country VARCHAR(30),  
    Role VARCHAR(20),    -- Batsman / Bowler / All-rounder / Wicketkeeper  
    Matches INT,  
    Runs INT,  
    Wickets INT,  
    BattingAverage DECIMAL(5,2),  
    BowlingAverage DECIMAL(5,2)  
);
```

4) apply below insert queries

```
INSERT INTO CricketPlayers VALUES  
(1, 'Virat Kohli', 'India', 'Batsman', 275, 13000, 4, 57.3, NULL),  
(2, 'Rohit Sharma', 'India', 'Batsman', 250, 10500, 8, 49.4, NULL),  
(3, 'Jasprit Bumrah', 'India', 'Bowler', 140, 350, 200, 12.4, 21.5),  
(4, 'MS Dhoni', 'India', 'Wicketkeeper', 350, 10700, 1, 50.6, NULL),  
(5, 'Ben Stokes', 'England', 'All-rounder', 165, 6000, 150, 38.7, 29.5),  
(6, 'Joe Root', 'England', 'Batsman', 180, 9500, 20, 50.1, NULL),  
(7, 'James Anderson', 'England', 'Bowler', 180, 1000, 650, 9.8, 26.4),  
(8, 'Kane Williamson', 'New Zealand', 'Batsman', 160, 8000, 30, 52.2, NULL),  
(9, 'Trent Boult', 'New Zealand', 'Bowler', 150, 500, 300, 8.2, 27.0),  
(10, 'Babar Azam', 'Pakistan', 'Batsman', 120, 6000, 5, 56.5, NULL),  
(11, 'Shaheen Afridi', 'Pakistan', 'Bowler', 75, 250, 150, 7.4, 24.1),  
(12, 'David Warner', 'Australia', 'Batsman', 190, 6500, 15, 45.8, NULL),  
(13, 'Pat Cummins', 'Australia', 'Bowler', 120, 700, 250, 9.1, 23.7),  
(14, 'Steve Smith', 'Australia', 'Batsman', 155, 7800, 30, 54.7, NULL),  
(15, 'Glenn Maxwell', 'Australia', 'All-rounder', 140, 3500, 50, 36.2, 32.0),  
(16, 'Shakib Al Hasan', 'Bangladesh', 'All-rounder', 220, 7000, 250, 38.3, 30.5),  
(17, 'Tamim Iqbal', 'Bangladesh', 'Batsman', 230, 7800, 3, 36.8, NULL),  
(18, 'Rashid Khan', 'Afghanistan', 'Bowler', 90, 450, 180, 12.8, 18.9),  
(19, 'Chris Gayle', 'West Indies', 'Batsman', 300, 10400, 20, 38.1, NULL),  
(20, 'Andre Russell', 'West Indies', 'All-rounder', 150, 3200, 120, 30.5, 27.8);
```

5) Write a query in snowflake to send sql script files

1. Write a query to display all records from the CricketPlayers table.
2. Write a query to display PlayerName, Country, and Role for all players.
3. Write a query to show all players who belong to the country "India".
4. Write a query to list players who have scored more than 6000 runs.
5. Write a query to display all bowlers from the table.
6. Write a query to list all players sorted by Runs in descending order.
7. Write a query to show the top 3 batsmen with the highest BattingAverage.
8. Write a query to find all players who have taken at least 100 wickets.
9. Write a query to count how many players are from each country.
10. Write a query to list players whose Country is either "India" or "Pakistan".
11. Write a query to display players whose BattingAverage is between 40 and 55.
12. Write a query to show all players who have played more than 150 matches.
13. Write a query to calculate the average number of runs scored by bowlers.
14. Write a query to group players by Role and count how many players are in each role.
15. Write a query to list all players whose names start with the letter 'R'.
16. Write a query to show the player with the maximum number of wickets.
17. Write a query to show the player with the minimum BowlingAverage.

18. Write a query to find all players who have NULL in the BowlingAverage column.
19. Write a query to add a new column named StrikeRate to the table.
20. Write a query to update the number of matches for a specific player.
21. Write a query to delete a player record based on PlayerID.
22. Write a query to display the total runs scored by all players from "Australia".
23. Write a query to list players who have both more than 3000 runs AND more than 50 wickets.
24. Write a query to display players in ascending order of PlayerName.
25. Write a query to show the top 5 players with the highest number of matches played.

6) Verify the query statistics and document your observation in the same canvass