

MODULE 1 – LOGIN & CONNECTION COMMANDS

1. Write the SnowSQL command to log in using account + username.
2. Write the command to log in and automatically select a role.
3. Write the command to log in and use a default warehouse.
4. Write the command to log in and set a default database & schema.
5. Write the command to log in using a private key instead of a password.
6. Write the command to check the version of SnowSQL.
7. Write a SnowSQL command that logs in and runs a single SQL query.
8. Write a command that logs in and saves the session output to a file.

MODULE 2 – CONNECTION PROFILES

9. Write the configuration for a connection profile named "dev_conn".
10. Write the SnowSQL command to use a profile named "test_conn".
11. Create a connection profile with warehouse, database, and schema included.
12. Create a profile with default role specified.

MODULE 3 – RUNNING SQL QUERIES

13. Run an inline SQL query using SnowSQL.
14. Run multiple SQL statements using a single SnowSQL command.
15. Execute a SQL file named create_tables.sql using SnowSQL.
16. Run a SQL file using a connection profile.
17. Run a query and suppress all output formatting.

=====ROSHINI=====

MODULE 14 – OS COMMANDS INSIDE SNOWSQL

83. Use !system ls inside SnowSQL.
84. Use !system pwd.
85. Change directory inside SnowSQL shell.
86. List files in the current directory.

MODULE 15 – EXPORTING DATA (UNLOAD)

87. Export data from a table to a stage.
88. Export only one column to CSV.
89. Export JSON data using JSON format.
90. Export with OVERWRITE=TRUE.
91. Export query results into multiple CSV files (partitioned).
92. Download exported data via GET.

---SHILPHA---

MODULE 4 – OUTPUT FORMATTING COMMANDS

18. Write a SnowSQL command to save query output into CSV.
19. Save query output into JSON format.
20. Disable header in output.
21. Change field delimiter to "|".
22. Set NULL values to appear as the string "EMPTY".
23. Write a SnowSQL command to produce output in "friendly=false" mode.
24. Save output to a file called results.txt.
25. Format the output as tab-separated.

MODULE 5 – PUT & GET COMMANDS

26. Upload a file called orders.csv to an internal stage @raw_stage.
27. Upload all CSV files from /data/files/ folder.
28. Upload files but disable auto compression.
29. List all files in stage @mystage.
30. Download all files from stage @logs to a local folder.
31. Write a PUT command with parallel upload disabled.
32. Write a GET command that downloads only .json.gz files using a PATTERN.

MODULE 6 – COPY INTO (LOADING DATA)

33. Load CSV data from a stage into a table using COPY INTO.
34. Load JSON file into a VARIANT table using COPY INTO.

35. Load XML data using COPY INTO (file format XML).
36. Load only files matching a regex pattern ".*2024.*".
37. Write a COPY command that skips the first 2 header lines.
38. Write a COPY command that ignores missing columns.
39. Write a COPY command that loads files only from a subfolder of a stage.
40. Write a COPY command that validates the file but does not load it.
41. Reload a file even if Snowflake thinks it's already loaded (FORCE=TRUE).

MODULE 7 – LISTING & REMOVING STAGE FILES

42. Write a command to list stage files ordered by size.
43. Remove a single file from stage.
44. Remove all .csv files from stage.
45. Remove files larger than 5MB (using PATTERN).

=====

MODULE 8 – VARIABLES IN SNOWSQL

46. Set a variable inside SnowSQL session.
47. Use a SnowSQL variable in a SQL query.
48. Use binding variables (-D var=value) in SnowSQL.
49. Use multiple binding variables in one command.
50. Write a query using a variable for LIMIT.
51. Write a SnowSQL command that overrides a variable in a SQL script.

MODULE 9 – JSON LOADING & QUERYING

52. Write a SnowSQL command to upload JSON files into a stage.
53. Write a COPY command to load JSON into a table.
54. Query a VARIANT column to extract a JSON key.
55. Query an array element inside JSON.
56. Use LATERAL FLATTEN with JSON.
57. Load multiple JSON files using wildcard matching.
58. Validate JSON during load using ON_ERROR.

MODULE 10 – XML LOADING & QUERYING

59. Upload XML files using PUT command.
60. Write COPY INTO to load XML into a VARIANT table.
61. Query XML attribute values.
62. Query nested XML elements.
63. Use FLATTEN with XML repeating nodes.
64. Load XML files that contain multiple nested elements.

MODULE 11 – FILE FORMATS

65. Create a file format for CSV.
66. Create a file format for JSON.
67. Create a file format for XML.
68. Create a file format with custom delimiter.
69. Create a file format for tab-separated data.
70. Create a file format that ignores quotes.
71. Create a file format that skips blank lines.

MODULE 12 – WORKING WITH STAGES

72. Create an internal stage using SnowSQL.
73. Create an external S3 stage.
74. List all file formats.
75. List all stages in a database.
76. Write command to refresh an external stage.

=====Kawin=====

MODULE 13 – AUTOMATION & SCRIPTING

77. Write a shell script that runs a SnowSQL file.
78. Write a Windows batch script using SnowSQL.
79. Write a script that loads CSV files daily.

80. Write a script that logs errors to logfile.txt.
81. Write a script that exports data to local machine.
82. Write a script that uploads → loads → queries → downloads results.

MODULE 16 – ERROR HANDLING

93. Write a SnowSQL command that continues even when errors occur.
94. Write a SnowSQL command that stops on first error.
95. Show an example of ON_ERROR=SKIP_FILE using COPY.
96. Write a command that logs error output to a file.

MODULE 17 – ROLES & SECURITY

97. Write command to switch role from CLI.
98. Write command to view your current role.
99. Write command to grant a role access to a warehouse.
100. Write command to revoke privileges using SnowSQL.

MODULE 18 – ADVANCED PRACTICE

101. Write a SnowSQL command that loads CSV + JSON + XML into 3 tables.
102. Write a command that deletes stage files older than 7 days.
103. Write a script that performs nightly ETL using SnowSQL.
104. Write a SnowSQL command that imports 100 files in parallel.
105. Write a SnowSQL command that masks query output.
106. Write a command that runs SnowSQL with debugging enabled.
107. Write a command that runs SnowSQL but suppresses all errors.
108. Write a command to schedule SnowSQL via cron job.
109. Write a command that unloads data partitioned by a column.
110. Write a command that runs a query and emails the result.