

Component C. Personalized Project Reference.

Procedure:

i.

```
function gettypes(x) {
    var result = x;

for (var i = 0; i < result.length; i++) {

    var selected = result[i];

    for (var j = i+1; j < result.length; j++) {

        if (selected == result[j]) {
            removeItem(result,j);
            j = j-1;
        }
} return result;
}</pre>
```

ii.

```
var alldrinktypes = gettypes(getColumn(\vec{V}"Beverages Nutrition", \vec{V}"Type")) \( \vec{\textstype} \);

onEvent(\vec{V}"drinkfiltersubmit", \vec{V}"click", function() {

var possibledrinks_id = [] \( \vec{\textstype} \);

var chosendrinktype = alldrinktypes[getProperty(\vec{V}"drinktypedropdown", \vec{V}"index")];

var chosendrinksugar = getProperty(\vec{V}"drinksugardropdown", \vec{V}"text");

var chosendrinkcalories = getProperty(\vec{V}"drinkcaloriesslider", \vec{V}"value");

var chosendrinksize = getProperty(\vec{V}"servingsizedropdown", \vec{V}"value");
```

Preview - Not For Use on Exam Day

List:

i.

```
var drinktype = getColumn(▼"Beverages Nutrition", ▼"Type");
      var drinkname = getColumn(▼"Beverages Nutrition",▼"Name");
      var drinkcalories = getColumn(▼"Beverages Nutrition",▼"Calories");
      var drinkcarbs = getColumn(▼"Beverages Nutrition", ▼"Carbohydrate (g)");
      var drinksodium = getColumn(▼"Beverages Nutrition",▼"Sodium (mg)");
      var drinkcaffeine = getColumn(▼"Beverages Nutrition", ▼ "Caffeine (mg)");
      var drinksugarfree = getColumn(▼"Beverages Nutrition", ▼"Sugar Free?")
      var drinkservingweight = getColumn( T "Beverages Nutrition", T "Serving Weight (g)");
      var drinkprotein = getColumn(▼"Beverages Nutrition", ▼"Protein (g)");
      var drinkservingsize = getColumn(▼"Beverages Nutrition", ▼"Serving Description (fl oz)")
                                   var possibledrinks id = [] 🗕 ;
                                  var possibledrinks_name = [] 🖃
for (var i = 0; i < indexes.length);
       chosendrinksugar == drinksugarfree[i] && drinkcalories[i] <= chosendrinkcalories
         chosendrinksize == drinkservingsize[1] 66 chosendrinktype == drinktype[1]
       appendItem(possibledrinks_id , [i+1]);
       appendItem(possibledrinks_name , drinkname[i]);
setProperty(\vert "possibledrinksdropdown", \vert "options", \vert possibledrinks_name);
setFroperty(▼ "possibledrinksdropdown", ▼ "index", possibledrinks name.length);
```

ii.

