Period-free screening and complementary leads: reviewed evidence

Supplement 5. Evidence register, 5 November 2026.

This register covers a mixed harvest: period-free dip and brightening searches plus period-fold-only and near-threshold fold leads. The initial stratified 100 contained 30 cross-method dip, 20 other multi-sector dip, 20 single-sector dip, 10 fold-only, 10 near-threshold fold and 10 brightening targets. The subsequent 150 prioritized dip leads. Dip-detector thresholds apply only to that detector, not uniformly to the inclusive harvest.

The 250 selected reviews comprise 22 confirmed, 33 probable, 48 plausible, 138 rejected screening signals, four non-eclipse variables and five unresolved cases. This register adds no discovery claims. Among the 55 confirmed/probable outcomes, six are known recoveries, 41 have unknown novelty and eight have scoped catalogue nonmatches requiring further claim review.

Physical confidence, source ownership, association with the Gaia orbit and catalogue novelty are distinct assessments. A rejected signal does not rule out all possible binary interpretations. A period below is a reported recurrence, not necessarily an orbital period; blank periods remain unresolved. Report links carry deciding evidence, error meanings and limitations. Alternative reductions of the same exposures are not separate observing occasions, and missing coverage is not a null detection.

The initial stratified 100 reviews informed prioritization of a further 150. The outcome-informed selection and unequal sampling preclude population-rate estimates or independent validation of that ranking. The inclusive harvest had 2,984 leads; 80 historical exclusions left 2,904 eligible targets, and 2,654 remain outside these reviews.

The separate pre-existing catalogue reconciliation changes the counted total from 917 to 913: 17 prior-known identities are removed from the discovery count, 13 already accepted additions are included, and A74 changes from probable to confirmed. The resulting count is 807 confirmed and 106 probable. The new 250 reviews do not increase this count.

Full machine-readable data: review register. Full compact evidence: archive and provenance. Earlier catalogue corrections: baseline reconciliation. The first four supplement volumes preserve dated evidence; their historical labels and totals are superseded by current registers.

Confirmed (22)

TIC 352438536 | H002

Gaia DR3: 6355981883553499776. Catalogue status: UNKNOWN. Reported recurrence (days): 59.03.

Period is a rounded two-complete-event estimate supported by two partial occasions, conditional on N35; no calibrated period error. Other screened shallow dips are not assigned to the same eclipse kind. The WCS/neighbor assessment is bounded and uses approximate G-to-TESS flux.

Next check: Obtain another complete same-kind eclipse and independent photometry for a precision ephemeris.

Full report and deciding evidence

TIC 294257329 | H022

Gaia DR3: 5668499078507408640. Catalogue status: UNKNOWN. Reported recurrence (days): 32.023.

Period and epoch are rounded local trapezoid estimates, not calibrated errors. s62 first event is partial; TESSCut and SAP share photons. Neighbor bound is bandpass and aperture dependent.

Next check: Obtain independent future photometry and a precision ephemeris for publication.

Full report and deciding evidence

TIC 113645244 | H027

Gaia DR3: 6740862492885594624. Catalogue status: UNKNOWN. Reported recurrence (days): 41.94565.

Local triangular-model centers/depths have no calibrated error. Gaia orbital covariance is unavailable; quoted geometry is approximate. Pixel reduction shares photons with SAP, and neighbor flux ratios use approximate G band. The broad s94 feature near 3874.6 is not assigned to this narrow eclipse kind.

Next check: Observe another complete narrow eclipse with resolved photometry and fit a precision clock.

Full report and deciding evidence

TIC 313617927 | H042

Gaia DR3: 2177341612115543424. Catalogue status: UNKNOWN. Reported recurrence (days): 38.5.

The result period 38.5 d is the rounded 38.5098-d separation of two measured same-kind events, not a calibrated long-baseline ephemeris. Gaia P=38.431544 d is separate orbital context. Broad eclipses lie on strong varying baselines; local centers have uncalibrated systematic errors. Pixel and aperture checks share TESS photons.

Next check: Obtain an independent future event and precision timing to characterize the orbit.

Full report and deciding evidence

TIC 123365080 | T003

Gaia DR3: 5019819103956425088. Catalogue status: UNKNOWN. Reported recurrence (days): 48.527672.

The two same-kind deep centers give a conditional five-cycle clock; two shallow events over 53 cycles independently agree. Long-baseline Gaia covariance is linearized.

Next check: Acquire another primary eclipse to sharpen the clock and orbit comparison.

Full report and deciding evidence

TIC 241629469 | T004

Gaia DR3: 6066345094602652288. Catalogue status: UNKNOWN. Reported recurrence (days): 38.115712.

The sector-102 deep event contains a 0.243-d data gap; its center is inferred from surviving ingress and egress. The 0.0005-d period allowance is conservative relative to the formal fit covariance. The shallow sector-65 fit covariance is singular and its center is not precision evidence.

Next check: Obtain one uninterrupted deep eclipse for a cleaner center and period.

Full report and deciding evidence

TIC 281017895 | T005

Gaia DR3: 5236562257756569856. Catalogue status: UNKNOWN. Reported recurrence (days): 28.028754.

Long local baseline trends affect depth and timing; the 0.0005-d period allowance exceeds the formal deep-fit scatter. QLP corrected flux suppresses the event. The TESSCut reduction reproduces it at lower dilution-dependent depth.

Next check: Obtain additional short-cadence eclipses with stable aperture photometry.

Full report and deciding evidence

TIC 46744354 | T006

Gaia DR3: 2996021717990627328. Catalogue status: UNKNOWN. Reported recurrence (days): 43.062062.

Only two observed eclipse centers; the period allowance is driven by half-cadence timing and does not calibrate model systematics.

Next check: Observe a third eclipse to refine the period.

Full report and deciding evidence

TIC 466741366 | T009

Gaia DR3: 5240845680189999104. Catalogue status: UNKNOWN. Reported recurrence (days): 42.568962.

A sector-37 opposite-kind center fit has singular covariance and is excluded. Sector-99 broad variability is not used as a precise eclipse center.

Next check: Observe another clean eclipse in each kind to improve timing and assess depth changes.

Full report and deciding evidence

TIC 323458448 | T012

Gaia DR3: 5196935686865335296. Catalogue status: UNKNOWN. Reported recurrence (days): 46.86672.

The S11 deep event is partial and excluded from the precision fit. QLP corrected variants suppress the broad eclipse; period errors are conditional on selected cycle labels and uncalibrated sector systematics.

Next check: Acquire future raw photometry at both conjunctions to refine depths and the clock.

Full report and deciding evidence

TIC 313142904 | T014

Gaia DR3: 5031237089847596 80. Catalogue status: UNKNOWN. Reported recurrence (days): 49.32737.

Formal timing error uses fit residual/cadence floor and is uncalibrated for pipeline offsets; Gaia orbit conjunction comparison is an edge-on approximation without full covariance propagation.

Next check: Observe another eclipse with higher spatial resolution to strengthen attribution and the ephemeris.

Full report and deciding evidence

TIC 435855781 | T074

Gaia DR3: 2801675306837672704. Catalogue status: KNOWN. Reported recurrence (days): 22.450616.

Previously identified as EA/EB in Thiemann et al. 2021 SuperWASP, with erroneous 1.66-day period; this is a period revision, not a new eclipser.

Next check: Update the known-system ephemeris with further timing and cite the prior EA/EB identification.

Full report and deciding evidence

TIC 33065877 | T075

Gaia DR3: 2910877118083564416. Catalogue status: UNKNOWN. Reported recurrence (days): 30.092022.

Repeated two-kind eclipses are target-centered, reduction-robust and consistent with the Gaia SB2 orbit; catalogue novelty remains unverified.

Next check: Complete the four unavailable VizieR novelty gates before any new-system claim.

Full report and deciding evidence

TIC 398402989 | T086

Gaia DR3: 6360777231720947328. Catalogue status: KNOWN. Reported recurrence (days): 58.731513.

The source is previously identified, so it is a known recovery and cannot enter a new-system count. Gaia conjunction covariance is linearly propagated from the full 15-parameter fit; nonlinear tails and orbital model systematics are not calibrated. The public dossier quotes 2.034% depth, different from the roughly 4.6-6% raw/custom-aperture depth here; the reduction or event-definition cause is untested. The fitted timing uncertainty is conditional.

Next check: Cite the public Chopard v1.2.0 dossier if discussing this known recovery; refine its ephemeris with a full independent reduction if needed.

Full report and deciding evidence

TIC 200743349 | T087

Gaia DR3: 4749907416157959424. Catalogue status: UNKNOWN. Reported recurrence (days): 26.532911.

The Gaia conjunction covariance is linearly propagated from the full 15-parameter fit; nonlinear tails and orbital model systematics are not calibrated. The custom aperture is the same TESS photons, not another observing occasion. A formal timing error is conditional.

Next check: Remeasure the eclipses in another time-series pipeline and complete the unavailable catalogue gates before any novelty claim.

Full report and deciding evidence

TIC 410314066 | T089

Gaia DR3: 6448639343335797888. Catalogue status: UNKNOWN. Reported recurrence (days): 29.74905.

The current TESSCut aperture reuses TESS photons; its depth is not an independent observation. The local TESSCut check covers one representative event, and the period error is conditional on selected cycles and trapezoid fits. Four VizieR novelty gates remain unavailable.

Next check: Acquire an independent pipeline time series and complete the unavailable catalogue gates before any novelty claim.

Full report and deciding evidence

TIC 420645189 | T091

Gaia DR3: 5480752490226077744. Catalogue status: KNOWN. Reported recurrence (days): 48.533875.

Selected-event formal timing error excludes calibration and cycle-model uncertainty. The four VizieR catalogue gates remain unavailable, but an exact published EB identification resolves novelty.

Next check: No new-system claim; retain as a known EB recovery.

Full report and deciding evidence

TIC 356733570 | T096

Gaia DR3: 3301800157985224704. Catalogue status: UNKNOWN. Reported recurrence (days): 34.108492.

The stated period uncertainty is a selected-event scatter-inflated formal value; it does not include all reduction systematics.

Next check: No immediate physical check required in this bounded review; finish unresolved catalogue gates if novelty is needed.

Full report and deciding evidence

TIC 117404582 | T098

Gaia DR3: 445937868709598848. Catalogue status: UNKNOWN. Reported recurrence (days): 34.786.

The 0.002-d allowance covers the difference between two kind-specific pair periods; it is conservative, not calibrated one-sigma precision. KSPSAP suppresses broad dips; TESScut custom aperture confirms a representative event.

Next check: Finish unavailable novelty catalogues before any new-system claim.

Full report and deciding evidence

TIC 29551987 | T099

Gaia DR3: 2531745094843944 96. Catalogue status: UNKNOWN. Reported recurrence (days): 28.791.

The 0.001-d period allowance is conservative, not a calibrated one-sigma error. Broad baseline gaps and slopes affect the sector-73 center; lead-t099-bounds.json records actual timing coverage and the 0.05-d bound.

Next check: Finish unavailable novelty catalogue gates before any new-system claim.

Full report and deciding evidence

TIC 238855958 | F007

Gaia DR3: 6391016653342250240. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 38.193.

S1 timing covariance is singular; reported period is rounded from multiple good later events with no formal uncertainty. Shorter-alias nulls assume similar same-kind ~7-ppt eclipses. Alternative extraction shares TESS photons.

Next check: A later resolved eclipse would tighten the ephemeris.

Full report and deciding evidence

TIC 286094277 | F023

Gaia DR3: 2167586710592820096. Catalogue status: KNOWN. Reported recurrence (days): 27.371657.

Period precision is bounded by sector-dependent raw timing model systematics; no formal period error is adopted. Half/third phase nulls do not exclude a shallow secondary kind. TESSCut is the same TESS photons. This is the already published Tarrants-Mendes TOI-5149 exact-Gaia EB row, not a new discovery.

Next check: Use independent ground-based timing only if a refined ephemeris is needed.

Full report and deciding evidence

Probable (33)

TIC 54494046 | H012

Gaia DR3: 3373132589745512704. Catalogue status: UNKNOWN. Reported recurrence (days): 58.93.

Contact threshold alias diagnostics in partial-contact-aliases.json are not a formal ephemeris; Gaussian descriptive minima and QLP SAP depth in measured-events.json; no secure period error or primary epoch.

Next check: Resolve capable neighbors with multi-aperture/difference-image modeling and measure an additional complete same-kind eclipse.

Full report and deciding evidence

TIC 467963921 | H016

Gaia DR3: 6438459789808462592. Catalogue status: UNKNOWN. Reported recurrence (days): 49.7160.

Descriptive raw Gaussian centers and depths in measured-events.json; no formal timing error.

Next check: Resolve Gaia phase/covariance and test other plausible orbital geometry; retain the measured eclipse period separate from Gaia P.

Full report and deciding evidence

TIC 224631871 | H023

Gaia DR3: 1842411541148621312. Catalogue status: UNKNOWN. Reported recurrence (days): 44.872.

The photometric period is 2.85 marginal Gaia period errors shorter than 45.00439 d, with ~2.9 d absolute phase drift at s14; orbital covariance is unavailable. Gaia neighbors at 13.5 and 19.4 arcsec are flux-capable and close enough to limit attribution despite the centroid favoring target. TESSCut shares photons with SAP; no calibrated period error.

Next check: Deblend the close neighbors with high-resolution or simultaneous pixel photometry and test a new eclipse against both clocks.

Full report and deciding evidence

TIC 372989764 | H032

Gaia DR3: 5923328421736888704. Catalogue status: UNKNOWN. Reported recurrence (days): 28.24465.

Target attribution is unresolved: Gaia DR3 5923328421736889728, G=14.81, lies 6.36 arcsec away, approximate G flux ratio 0.045, and could supply a 30 ppt blended dip with a deep intrinsic eclipse. Difference centroids 0.108 and 0.264 pixel from the target do not deblend at 0.31 pixel separation. Clock and depth are exploratory, without calibrated errors; TESSCut shares photons with QLP. The bulk fold screen attempted P=28.24275 d but did not flag it (z=1.485); this review does not establish why.

Next check: Obtain resolved photometry of both eclipse kinds or a calibrated pixel-level blend fit.

Full report and deciding evidence

TIC 246124257 | H046

Gaia DR3: 5939588377656346112. Catalogue status: UNKNOWN. Reported recurrence (days): 3.419619.

Target attribution is limited by a capable G14.35 neighbor 32.6 arcsec away; the Gaia SB2 orbit is 42.40901 d and does not describe the 3.41962-d photometric clock. The quoted clock is exploratory with no calibrated error; the 6-ppt depth is representative.

Next check: Resolve the target and nearby G14.35 star during a narrow eclipse; then determine whether the 3.42-d and 42.41-d orbits form a hierarchical system.

Full report and deciding evidence

TIC 219739532 | T001

Gaia DR3: 1629287395538414080. Catalogue status: UNKNOWN. Reported recurrence (days): 28.035775.

A Gaia neighbor 2.71 arcsec away could produce the observed loss; the TESS difference centroid cannot resolve it.

Next check: Resolve the target and close Gaia neighbor with high-resolution in-eclipse imaging.

Full report and deciding evidence

TIC 92234103 | T002

Gaia DR3: 5103589108170698752. Catalogue status: UNKNOWN. Reported recurrence (days): 24.620831.

Gaia conjunction differs by about 3.1 linear sigma at the old event and 2.8 sigma at the new event, despite strong photometric recurrence and target-centered pixel flux. The Gaia orbit or source association needs reconciliation.

Next check: Obtain radial velocities and a new eclipse to compare the 24.620831-d photometric clock with the Gaia spectroscopic orbit.

Full report and deciding evidence

TIC 341688154 | T026

Gaia DR3: 1682702323250248704. Catalogue status: UNKNOWN. Reported recurrence (days): 58.157443.

Four same-kind eclipses and a tested clock, but the Gaia neighbor 6.66 arcsec away at G 12.36 could produce the diluted loss. TESScut s48 difference imaging places the deficit on their unresolved blend.

Next check: Resolve target versus the 6.66 arcsec neighbor with high-resolution in-eclipse imaging or spectroscopy.

Full report and deciding evidence

TIC 255912894 | T042

Gaia DR3: 5811265337623194752. Catalogue status: UNKNOWN. Reported recurrence (days): 47.387088.

Capable close Gaia G=14.43 and G=16.19 neighbors are not spatially resolved from the target; source attribution remains uncertain. QLP and TESSCut use the same TESS photons. The four-center formal period error is 0.000130 d; the reported 0.0005 d is a conservative allowance for event shape and pipeline timing, not a calibrated uncertainty.

Next check: Resolve the blended source with higher-resolution time-series photometry or a reliable pixel localization.

Full report and deciding evidence

TIC 102069549 | T073

Gaia DR3: 4933562966514402176. Catalogue status: UNKNOWN. Reported recurrence (days): 24.592168.

Target-centered repeated eclipses; photometric period and Gaia SB2 orbit disagree beyond their formal errors, leaving orbital association unresolved.

Next check: Obtain new eclipse timing and spectroscopy to test the Gaia SB2 association.

Full report and deciding evidence

TIC 325469795 | T076

Gaia DR3: 6350855788547394304. Catalogue status: UNKNOWN. Reported recurrence (days): 26.459431.

Deep same-kind eclipses establish a clock, but Gaia SB2 period and conjunction differ beyond formal errors.

Next check: Obtain spectroscopy and new minima to determine whether the eclipses share the Gaia SB2 orbit.

Full report and deciding evidence

TIC 414805769 | T077

Gaia DR3: 2780911442064038144. Catalogue status: UNKNOWN. Reported recurrence (days): 14.291385.

Deep eclipses repeat at 14.291 d, nearly half Gaia 28.557 d, but twice the measured period and conjunction disagree with the Gaia formal orbit; a harmonic is unproven.

Next check: Obtain independent spectroscopy and resolved imaging to identify the eclipsing orbit.

Full report and deciding evidence

TIC 99725941 | T078

Gaia DR3: 1097717538333601408. Catalogue status: UNKNOWN. Reported recurrence (days): 44.924411.

Two-kind target-centered eclipses recur, but measured period and Gaia SB2 conjunction disagree beyond formal errors.

Next check: Time further eclipses and reconcile the Gaia spectroscopy.

Full report and deciding evidence

TIC 150429807 | T079

Gaia DR3: 5478130253750687872. Catalogue status: UNKNOWN. Reported recurrence (days): 44.383604.

Many target-centered eclipses fix the photometric clock; Gaia SB2 period and conjunction are in tension at formal precision.

Next check: Obtain independent RVs or updated Gaia orbit, preserving the measured eclipse clock.

Full report and deciding evidence

TIC 64829183 | T080

Gaia DR3: 2006904218754946048. Catalogue status: UNKNOWN. Reported recurrence (days): 43.141264.

Repeated target-centered eclipses survive alternate extraction; Gaia SB2 period and conjunction disagree, and early timing is cadence/gap limited.

Next check: Time a complete new eclipse with independent spectroscopy to test the orbit link.

Full report and deciding evidence

TIC 37770031 | T081

Gaia DR3: 2912271058309989376. Catalogue status: UNKNOWN. Reported recurrence (days): 10.518241.

The event source is localized to the target region, but an unresolved companion inside the TESS aperture remains possible. A separate short-period EB or hierarchical system is by-catch; no Gaia-orbit eclipse is established. Conditional timing error omits selection and pipeline systematics.

Next check: Deblend the target and nearby unresolved light, obtain a second pipeline time series, and determine whether the short-period EB belongs to the Gaia SB2 system.

Full report and deciding evidence

TIC 390155697 | T082

Gaia DR3: 6072185425508943744. Catalogue status: UNKNOWN. Reported recurrence (days): 16.203989.

The local pixel check does not exclude an unresolved source or establish a physical link to the Gaia SB2. The Gaia-period association fails even though the short-period eclipse train is real. Conditional timing error omits model and reduction systematics.

Next check: Fit separate eclipse kinds in an independent pipeline and obtain source-resolved photometry or spectroscopy to identify the 16.204-day binary.

Full report and deciding evidence

TIC 271053559 | T083

Gaia DR3: 5523899796082005376. Catalogue status: UNKNOWN. Reported recurrence (days): 24.655219.

The real on-target eclipses repeat within sector 89, yet the same ephemeris failed in earlier covered sectors. A persistent Gaia-orbit eclipse geometry or precession explanation is unproved, leaving a failed stability check and a probable verdict. Prior local investigation is not a published exact-target eclipse match; four current catalogue gates remain unknown. TESS s110/s111 are planned rather than available in the present footprint query.

Next check: Measure the next available sector 110/111 eclipses and compare depth and timing with the sector 89 events; obtain radial velocities of the proposed outer body.

Full report and deciding evidence

TIC 71294892 | T090

Gaia DR3: 1108499486795034368. Catalogue status: UNKNOWN. Reported recurrence (days): 3.2089.

The short-period binary may be an unresolved component or a separate system within the aperture. The precise physical connection to the Gaia SB2 is unproved; the formal fit error understates profile and pipeline systematics.

Next check: Deblend the aperture and compare separate eclipse kinds in an independent pipeline and spectroscopy to identify the 3.209-day system.

Full report and deciding evidence

TIC 95244521 | T100

Gaia DR3: 3038922973781177984. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Photometric recurrence is secure, but the orbital harmonic and physical relationship to the Gaia SB1 remain unresolved. The long-cycle formal timing error is inappropriate; no orbital period or error is adopted.

Next check: Resolve the orbital harmonic and source relation with spectroscopy or higher-resolution light curves.

Full report and deciding evidence

TIC 114244481 | N004

Gaia DR3: 3398869648691924864. Catalogue status: UNKNOWN. Reported recurrence (days): 20.450.

Gaia conjunction and period tension; S72 nonidentifiable timing; crowded aperture depth.

Next check: Independent precise event centers and Gaia-orbit reconciliation.

Full report and deciding evidence

TIC 269900850 | N005

Gaia DR3: 5188361214155595904. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Integer aliases and broad-fit timing unresolved; raw trends/gaps vary depths. Newly available S93 cutout has near-zero target flux (~0.65 units), invalid for a null.

Next check: Get a sensitive intermediate same-kind eclipse; re-extract a usable S93 product if available.

Full report and deciding evidence

TIC 62374377 | N008

Gaia DR3: 6663937601390353792. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Orbital cycle count and Gaia association unresolved; S105 is a raw TESSCut reduction of new photons, not a QLP light curve.

Next check: Targeted fourth occasion or intervening eclipse to resolve integer clock and Gaia relationship.

Full report and deciding evidence

TIC 325817130 | N010

Gaia DR3: 5852028116387049344. Catalogue status: UNKNOWN. Reported recurrence (days): 56.823.

Capable G12.04 neighbor not fully PRF-deblended; corrected columns suppress long raw events. S102 new cutout has no finite target-flux cadences and cannot yield a null.

Next check: PSF deblending and joint two-kind fit for secure ownership and depth.

Full report and deciding evidence

TIC 219345200 | F002

Gaia DR3: 4785405080341786368. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 59.919.

Real repeated eclipses and compatible Gaia geometry; close capable or near-capable neighbor prevents firm source ownership. Period is approximate from representative raw centers, not a calibrated ephemeris error.

Next check: Obtain higher-resolution eclipse photometry or a multi-pixel PSF fit across separate events.

Full report and deciding evidence

TIC 450652458 | F006

Gaia DR3: 6058134762093029632. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 39.44.

Crowding, sloping baselines and uncertain broad-event centers limit source ownership and period precision. No formal error is inferred from provisional trapezoid fits.

Next check: Obtain a clean fully covered next trough with spatial difference imaging and a second extraction.

Full report and deciding evidence

TIC 339023379 | F008

Gaia DR3: 5971649891874353536. Catalogue status: KNOWN. Reported recurrence (days): 50.0.

Partial events and possible morphology changes limit unique photometric cycle proof and prevent a precision period error; the VSX clock is corroboration, not the source of a claimed measured eclipse period.

Next check: Get another complete deep and shallow occasion to refine the photometric clock.

Full report and deciding evidence

TIC 458324895 | F010

Gaia DR3: 6019522147114455936. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Real repeated broad eclipses have unresolved integer aliases; no measured orbital period is adopted. S39/S66 incomplete baselines and same-photon alternative extraction limit depth and source precision.

Next check: Observe a deep eclipse at a discriminating intermediate cycle and repeat target-centered pixels.

Full report and deciding evidence

TIC 236223193 | F014

Gaia DR3: 1869679326451426816. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 35.239.

The target owns the recurring photometric dips, but the Gaia SB2 orbital association and source-specific conjunction geometry are unresolved. Local fit covariances understate long-baseline timing scatter; the approximate period has no defensible formal error yet.

Next check: Obtain source-specific RV/conjunction timing and independent photometry, then reconcile the 35.239 d eclipse clock with the Gaia 35.3747 d SB2 orbit.

Full report and deciding evidence

TIC 28059397 | F017

Gaia DR3: 1880201446555350272. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The partial third occasion supports recurrence but its missing center leaves kind and orbital period conditional; no precise period or epoch is adopted. QLP KSPSAP is absent for S56/S83; fresh TESSCut provides a spatial alternative extraction of the same photons, not another observing occasion.

Next check: Measure a complete next event in an independent pipeline and compare separate eclipse-kind recurrence with source-specific Gaia conjunction timing.

Full report and deciding evidence

TIC 324424395 | F022

Gaia DR3: 6415022359433384576. Catalogue status: KNOWN. Reported recurrence (days): unresolved.

The bounded BLS does not settle nearby long-baseline integer aliases or establish a precision primary timing, so no orbital period or epoch is adopted. Gaia SB1 period 27.751345 d differs from the diagnostic raw clock, and the S39 measured deep event is +0.836 d from the nearest source-specific Gaia conjunction versus 0.189 d linear covariance. Local trapezoids hit bounds or are gap affected. QLP corrected flux suppresses the long eclipses; the TESSCut extraction uses the same photons. ASAS-SN ROT conflicts with the near-identical VSX ESD identification. Pixel centroid is offset by baseline/gap effects and is not precision localization.

Next check: Obtain an independent pipeline or follow-up eclipse timing and reconcile the Gaia SB1 phase; treat as a known VSX EB recovery.

Full report and deciding evidence

TIC 19385783 | F028

Gaia DR3: 3062493586800148992. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 2.065942.

The sector-34 TESSCut difference image is inconclusive for ownership because an unrelated excess biases its centroid. Gaia SB1 P35.0856 d is not the measured dip recurrence and its conjunction is 0.231 phase away at S34; the orbital relationship is unresolved. The physical orbit might be an integer multiple of the observed dip cadence; the reported clock is a photometric recurrence, with no defensible period error.

Next check: Obtain a clean difference image or ground-based resolved photometry and test the Gaia orbit versus a separate short-period binary.

Full report and deciding evidence

TIC 51321183 | F032

Gaia DR3: 5755352452627474176. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): 16.8905.

The photometric clock is a rounded blended-aperture recurrence, not an established orbit of the Gaia target. Fresh WCS pixels have valid target flux but a capable G13.015 neighbor only 0.36 pixel from the target; local drift moves the difference centroid off both positions. Source ownership is unresolved. Gaia SB1 P38.46865 d is incompatible with the observed 16.89-d clock; no source-specific conjunction tie is claimed. Local formal timing errors omit systematics, so no period error is supplied.

Next check: Obtain resolved target and neighbor photometry at another predicted sharp eclipse, then establish source ownership and orbital association.

Full report and deciding evidence

Plausible (48)

TIC 277891015 | H005

Gaia DR3: 6353362709418035200. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Eclipse shape, recurrence, period and source attribution are insecure; 206 other-CCD flags are a common-mode hint only.

Next check: Recover a clean second event with usable pre/post baseline, then test pixel attribution.

Full report and deciding evidence

TIC 268385893 | H006

Gaia DR3: 2085661515089271168. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This disfavors repetition at that assumed Gaia phase, but the single trough is not securely classified; another period or non-eclipse variability remains possible. No event depth or timing precision is claimed.

Next check: Seek another isolated narrow trough and test its period before source attribution.

Full report and deciding evidence

TIC 322217134 | H008

Gaia DR3: 2635952928569503232. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Two-event cycle count remains untested by an independent clean occasion; no established period or precision epoch in result row. Source attribution is supported but lacks full PRF deblend.

Next check: Observe a complete third same-kind event to settle cycle count and timing; deblend if publication depends on attribution.

Full report and deciding evidence

TIC 231694897 | H013

Gaia DR3: 6458496052761193856. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Single insecure event; no period, epoch, or depth fit. Missing-sector receipts and local-background TESSCut measurements in missing-cutout-review.json; s103/s1 unusable.

Next check: Obtain an independent s94 pixel extraction and a new raw observing occasion if the source remains of interest.

Full report and deciding evidence

TIC 323818250 | H019

Gaia DR3: 5203021415006207744. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No measured eclipse period, epoch, or depth. Missing-sector receipts and unusable local-background TESSCut diagnostics in missing-cutout-review.json.

Next check: If additional photometry becomes available, verify the s11 shape through an alternate extraction and target pixel attribution.

Full report and deciding evidence

TIC 299187993 | H021

Gaia DR3: 5865636118916411008. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Recurring eclipse and target attribution remain insecure; the two difference positions do not establish a shared source. No precision period, epoch, or depth assigned.

Next check: Obtain resolved/difference-image photometry for a complete future event and compare the nearby bright star.

Full report and deciding evidence

TIC 454228598 | H039

Gaia DR3: 5873154098409671296. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A single event near sector start could be a real eclipse or startup/systematic. A Gaia G=13.72 source 5.96 arcsec away is flux-capable at approximate G flux ratio 0.053; WCS/aperture evidence does not locate the source. No period, epoch or depth is promoted to a system measurement.

Next check: Obtain a complete repeat with pre- and post-event baseline and resolved photometry.

Full report and deciding evidence

TIC 101107570 | H047

Gaia DR3: 5710279386492436864. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The shallow events are near the raw noise and changing baseline, so the eclipse interpretation is insecure; this is not a physical null on the SB1 star.

Next check: Acquire a continuous high signal-to-noise conjunction light curve and check difference pixels if a coherent event appears.

Full report and deciding evidence

TIC 368903210 | H066

Gaia DR3: 195281133474312704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One insecure shallow event; corrected suppression, pointing association, and weak new-sector coverage cannot decisively attribute or reject it.

Next check: Obtain a stable, source-localized repeat and independent aperture reduction before measuring an ephemeris.

Full report and deciding evidence

TIC 321154190 | H067

Gaia DR3: 6341690981173235968. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Gap, centroid association, and varying baseline prevent a secure eclipse measurement, but do not positively refute every possible event.

Next check: Recover a clean uninterrupted repeat and test its position and alternate aperture against the target WCS.

Full report and deciding evidence

TIC 423569223 | H072

Gaia DR3: 3515053500504454784. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One possible event, no measured same-kind repeat, ambiguous cycle count and source attribution.

Next check: Obtain a continuous future event and difference-pixel localization; then test integer-cycle aliases.

Full report and deciding evidence

TIC 317718737 | H094

Gaia DR3: 2991561068038075904. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Shallow two-occasion dips; timing aliases, source and pixel attribution unresolved.

Next check: Localize the s33/s87 depressions, measure their centers and test integer aliases against newer coverage before assigning an orbital period.

Full report and deciding evidence

TIC 390853987 | H100

Gaia DR3: 466214478035295744. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One isolated candidate dip; screened period contradicted by an observed null; source unverified.

Next check: Localize the s86 deficit with background-controlled difference pixels and capable neighbors, then seek another observing occasion and test integer-cycle aliases.

Full report and deciding evidence

TIC 142761762 | T007

Gaia DR3: 5717517231026236160. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Broad dips ride changing baseline slopes; S34 and S61 have missing ingress or baseline, so centers are not precise. The 18/19/20-cycle interpretations of the long separation all predict the roughly third-spaced partial occasions. A narrow deep event occurs only in S88. New S109 has changing baseline and edge windows, not a decisive alias test.

Next check: Observe an uninterrupted shallow and deep eclipse pair to establish morphology, source and integer cycle count.

Full report and deciding evidence

TIC 37647565 | T008

Gaia DR3: 5647673503647610752. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One broad raw event has a central 1.6-d gap, so its center and depth are not secure. The sector-62 TESSCut is on a zero-pixel detector edge and cannot test the source. New sector 109 is flat only in BTJD 4318.56–4338.74.

Next check: Get a target-centered alternative reduction and another eclipse occasion.

Full report and deciding evidence

TIC 313275336 | T024

Gaia DR3: 1124063932878885888. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s26 ~6 ppt dip near 2033.5 is shallow on a changing baseline; a second nearby screen dip does not establish recurrence. KSPSAP suppresses it, which alone is not a refutation.

Next check: Acquire an independent event or useful later-sector coverage and a pixel-level source check.

Full report and deciding evidence

TIC 219765764 | T025

Gaia DR3: 1632993333840700032. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

s79 has an ingress and flat bottom but egress is in a data gap. Other selected troughs often end at downlink gaps and do not form one Gaia-period clock. s77 and s86 current cutouts have negligible target flux, so neither supplies a recurrence null.

Next check: Obtain a clean same-kind repeat and a higher-resolution source check.

Full report and deciding evidence

TIC 362778566 | T033

Gaia DR3: 4150864344306232960. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s80-to-s91 separation is conditional on five Gaia cycles; n=3/4/5 remain untested. s92 flat core coverage contradicts n=6/9 and disfavors n=8 under the assumed phase, duration and depth; n=8 has only partial core coverage (424 cadences, first offset -0.383 d for a +/-0.6 d core), n=7 falls in a gap, and n=10 is at a sector-start low state. The s80 WCS target has flux, but nearby sources remain a source-attribution limit.

Next check: Capture a fully bracketed repeat in a future sector and resolve the 18.8 arcsec G=14.89 neighbor with event difference imaging or higher-resolution photometry.

Full report and deciding evidence

TIC 237212952 | T036

Gaia DR3: 2263930420533693568. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One sector contains several broad changing-baseline troughs but no supported Gaia-period timing or secure repeat. The quick TESScut has a cropped zero-valued half; its aperture statistic is invalid and cannot act as an independent null or source localization.

Next check: Obtain a fully bracketed same-kind return and a valid spatial difference image with a stable local baseline.

Full report and deciding evidence

TIC 21743048 | T043

Gaia DR3: 1338435641930684672. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Only one insecure event at the selected phase, no measured clock, and an edge cutout with severe baseline drift. The S25 fold null constrains the fold-screen signal only.

Next check: Obtain a stable pixel extraction and another observing occasion at an event-derived prediction.

Full report and deciding evidence

TIC 319604640 | T045

Gaia DR3: 6638959823942182528. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The S67 local feature is not positively ruled out; pixel extraction shares the photons and does not establish a new observing occasion. Other broad dips cannot be promoted to repeats.

Next check: Acquire a repeated, isolated eclipse with clean pre/post baseline and then localize it.

Full report and deciding evidence

TIC 269941080 | T050

Gaia DR3: 6806491242436158592. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

S27 may be a real single event, broad variability or extraction systematics. The cutout shares TESS photons and cannot decide the cause; S92 predicted coverage is absent.

Next check: Obtain an independent observing occasion with complete ingress and egress coverage.

Full report and deciding evidence

TIC 280963520 | T057

Gaia DR3: 5409169159350357248. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Short-period variability, potentially a short-period eclipsing by-catch, has no secure source attribution or established orbital/eclipse kind. A raw s9 TESSCut pixel extraction is dominated by a sawtooth trend and does not validate the QLP depression. It does not establish an eclipse on the 32.95-d Gaia spectroscopic period. New s99 coverage exists, but that official TESSCut 5x5 target footprint has effectively zero flux and is not a sensitive recurrence test.

Next check: Obtain calibrated target-pixel photometry to test 0.37530/0.75060-d aliases and locate the variable source.

Full report and deciding evidence

TIC 405542204 | T059

Gaia DR3: 1353525240727718016. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A long eclipse remains possible. No complete same-kind repeated ingress/egress pair, secure cycle count, source attribution or geometry has been established; the raw pixel extraction shares TESS photons.

Next check: Obtain calibrated target-centered pixel photometry across the s25/s26 boundary and a future predicted interval to establish whether a localized eclipse repeats.

Full report and deciding evidence

TIC 198415716 | T062

Gaia DR3: 1434045294727818880. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The event center, source and repeat period are insecure; the s24 baseline is strongly variable.

Next check: Test a future clean raw notch and locate it in difference pixels before fitting an eclipse period.

Full report and deciding evidence

TIC 220716821 | T063

Gaia DR3: 5355830682067401344. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Morphology is insecure against the brightening baseline; no repeat or source attribution is established.

Next check: Obtain a bracketed repeated raw dip and target-centered difference image.

Full report and deciding evidence

TIC 39019899 | T065

Gaia DR3: 4690111300916173184. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One incompletely bracketed shallow event; center, recurrence and source attribution are unresolved.

Next check: Obtain a fully bracketed raw repeat and target-centered pixel deficit before fitting a period.

Full report and deciding evidence

TIC 255761037 | T067

Gaia DR3: 5501675122732638976. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Low signal-to-noise single feature; source attribution and recurrence are unresolved.

Next check: Require a cleaner repeated raw deficit with a measured center and valid source pixels.

Full report and deciding evidence

TIC 159851783 | T069

Gaia DR3: 4610838952095181952. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Aperture variation is supported; eclipse morphology, timing centers and source attribution are insecure. Broad sector trends can mimic phase agreement.

Next check: Locate s25/s26/s52 deficits with convincing target-versus-background difference pixels and obtain a clean, bracketed repeat.

Full report and deciding evidence

TIC 160179511 | T070

Gaia DR3: 4820577220362873728. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The original notch is shallow and only partially bracketed, with no established same-kind recurrence; s108 extraction cannot test the predicted phase.

Next check: Obtain target-flux-valid photometry at a future conjunction and difference pixels for a securely bracketed dip.

Full report and deciding evidence

TIC 91548233 | T071

Gaia DR3: 887897592669930752. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One shallow selected feature is embedded beside a much larger brightening; no secure repeat or eclipse midpoint.

Next check: Acquire a target-resolved light curve of a future narrow event and establish recurrence.

Full report and deciding evidence

TIC 87869692 | T084

Gaia DR3: 8828722103523015 68. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Only two secure same-kind centers exist; the principal Gaia-near alias and two shorter aliases remain untested by actual coverage. Saturation limits pixel attribution. The footprint lists an unusual s1751 record without a usable cached light curve; it is not counted as a confirming sector.

Next check: Obtain a fully covered same-kind repeat and saturation-aware difference image, then resolve the integer-cycle alias.

Full report and deciding evidence

TIC 287035536 | T088

Gaia DR3: 1241798366670426112. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The two events have very different depths, are at different Gaia phases and are not securely attributed to one source or eclipse kind. There is no measured repeating period. The Gaia-neighbor flux ratio is only an approximate screening bound.

Next check: Use source-resolving difference/PSF photometry for both events and obtain another same-kind eclipse before testing cycle aliases.

Full report and deciding evidence

TIC 212431520 | T092

Gaia DR3: 4230027841458799744. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The first sector-81 event has a bright Gaia neighbor 35.8 arcsec away. Its positive difference moment lies 0.047 pixel from the target and 1.65 pixels from that neighbor, favoring the target without a calibrated PRF fit. No same-kind recurrence or secure clock.

Next check: Obtain another target-resolved event to determine which eclipse kind repeats and its period.

Full report and deciding evidence

TIC 411613581 | T093

Gaia DR3: 6071540355782662400. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The integer cycle count and an eclipse-derived orbital period remain unresolved. The sector-10 partial state cannot time a cycle. QLP KSPSAP suppresses the long event; the independent TESScut aperture recovers it.

Next check: Measure another full deep eclipse or obtain an independent period constraint. The 56.25114-d value remains conditional only.

Full report and deciding evidence

TIC 293344008 | T094

Gaia DR3: 2741255699783938944. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The long gap leaves the orbital period and Gaia orbit association insecure. Tesscut currently lists only sectors 42, 43 and 70; there is no later available sector.

Next check: Measure a third same-kind eclipse or get an independent period constraint.

Full report and deciding evidence

TIC 321441717 | T095

Gaia DR3: 762660606926162432. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The two deep occasions do not uniquely fix the cycle count. The shallow eclipse is 3.47 Gaia linear-sigma from nominal opposite conjunction, so Gaia-orbit association remains insecure. KSPSAP suppresses long dips; TESScut recovers one.

Next check: Measure another deep eclipse to establish the clock and test Gaia association.

Full report and deciding evidence

TIC 29510249 | T097

Gaia DR3: 5331628678768826624. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The sector-89 shallow event is partly gapped and cannot supply a precision midpoint. Sector 62 is an unusable negative-target-pixel cutout, not a null. Orbital period and Gaia association are not established.

Next check: Time an additional fully covered primary to distinguish neighboring cycle counts.

Full report and deciding evidence

TIC 284268629 | N001

Gaia DR3: 1587225372059609472. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Integer aliases untested; second-sector pixel localization and independent pipeline remain limited.

Next check: Acquire a third primary eclipse or archival non-QLP event at a discriminating cycle.

Full report and deciding evidence

TIC 318209162 | N006

Gaia DR3: 1018729069670619520. Catalogue status: KNOWN. Reported recurrence (days): unresolved.

Only two observed primary occasions and neighboring integer aliases untested photometrically. Historical report is reused with provenance, not silently imported as a new verdict.

Next check: Third primary eclipse at a cycle distinguishing N=28/29/30; consult the prior review cited in the full report.

Full report and deciding evidence

TIC 82550215 | N007

Gaia DR3: 1339336932228114944. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No third same-kind occasion or independent period; second-sector pixel test is limited.

Next check: Observe a third primary at a discriminating alias epoch.

Full report and deciding evidence

TIC 85368955 | F003

Gaia DR3: 492733976939952896. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Only one secure deep event, no measured orbital clock, and close source attribution unresolved. Oscillatory minima are not counted as repeat eclipses.

Next check: Obtain another deep event with a resolved WCS/PSF source measurement.

Full report and deciding evidence

TIC 150358763 | F012

Gaia DR3: 5481501665639174784. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Eclipse interpretation, event kind, source and cycle count remain insecure. The S3 sector is available but absent from the cached QLP set.

Next check: Inspect S3 and obtain target-centered pixels at a clean future deep event; compare clock hypotheses only after measured repeat centers.

Full report and deciding evidence

TIC 458457983 | F013

Gaia DR3: 3727849785488193408. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Two sparse events do not fix a cycle count; S50 source attribution and precise centers remain insecure.

Next check: Capture another narrow event with high-cadence target and neighbor photometry, then test adjacent integer aliases.

Full report and deciding evidence

TIC 161826828 | F016

Gaia DR3: 1623396379739607680. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Eclipse kinds, source and aliases are unresolved; S52 is available but uncached. QLP KSPSAP is absent for S85.

Next check: Inspect S52 and obtain clean background-subtracted target/neighbor pixel photometry around the two S85 troughs.

Full report and deciding evidence

TIC 64696566 | F027

Gaia DR3: 5609502995422286592. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

A contact binary or ellipsoidal interpretation remains possible, but spots/pulsation or a multi-period signal is not excluded. The 1.2609-d diagnostic is not an adopted orbital period. No isolated same-kind eclipse timing or Gaia orbital geometry link exists.

Next check: Obtain multicolor/high-cadence photometry or radial velocities to distinguish a contact/ellipsoidal binary from non-eclipse variability.

Full report and deciding evidence

TIC 355789639 | F033

Gaia DR3: 4714307359954109696. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The partial S28 signal may be an eclipse, but its depth and center are not securely measured and source attribution is untested for that event. KSPSAP attenuation on the same photons does not by itself refute it.

Next check: Inspect valid source-centered pixels or another complete deep event and then test integer-cycle aliases.

Full report and deciding evidence

TIC 369760020 | F038

Gaia DR3: 6736265400436021376. Catalogue status: KNOWN. Reported recurrence (days): unresolved.

Only two sparse broad events were measured; the width-bound local fits provide no precision timing error. The Gaia SB1 P41.0497 d resembles one conditional alias but does not prove it or source-specific conjunction geometry. The near-exact VSX identity is known prior evidence, not novelty.

Next check: Measure a third deep occasion or obtain historical light-curve timings with source-resolved pixels, then test adjacent integer cycles and Gaia conjunction.

Full report and deciding evidence

Rejected screening signals (138)

TIC 418125608 | H001

Gaia DR3: 1820196595922849536. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutation applies to the selected dip claim; a different hidden eclipse is not excluded.

Next check: Independent high-resolution light curve of the s81 interval or a new clean conjunction window.

Full report and deciding evidence

TIC 100590643 | H003

Gaia DR3: 2903839139857063680. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This refutes the selected flagged/eclipse interpretation, not every possible unobserved eclipse.

Next check: Check a clean future conjunction with a stable aperture if this variable merits follow-up.

Full report and deciding evidence

TIC 180808330 | H004

Gaia DR3: 4605155439053175296. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The brightening may be real variability, with source and physical mechanism unassigned.

Next check: Investigate the broad variability separately if of interest.

Full report and deciding evidence

TIC 137500638 | H007

Gaia DR3: 1145707750552302080. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The broad brightening may have an astrophysical cause; eclipse refutation is limited to this candidate interpretation.

Next check: Analyze the brightening morphology separately if pursued.

Full report and deciding evidence

TIC 137322497 | H009

Gaia DR3: 5447414567497934O8. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected eclipse interpretation is refuted; alternative variability is not classified.

Next check: Characterize broad variability separately if useful.

Full report and deciding evidence

TIC 52919409 | H010

Gaia DR3: 5583065032167575296. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This refutes the screened eclipse interpretation but does not identify the physical source of variability.

Next check: Compare independent photometry if the non-eclipse variability is investigated.

Full report and deciding evidence

TIC 158965683 | H011

Gaia DR3: 4583348069026129920. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No isolated eclipse center; no physical period or depth reported.

Next check: No secure eclipse ephemeris. If astrophysical variability is of interest, obtain an independently extracted light curve and inspect the broad hump.

Full report and deciding evidence

TIC 396696012 | H014

Gaia DR3: 4779324987198360448. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No eclipse period, epoch, or depth.

Next check: Characterize the shorter-period variability separately if desired; do not infer an eclipse period from these screening windows.

Full report and deciding evidence

TIC 278388101 | H015

Gaia DR3: 4518693040111462400. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No eclipse ephemeris.

Next check: If pursuing the variable, compare custom pixel extraction across the s80 state changes.

Full report and deciding evidence

TIC 303916910 | H017

Gaia DR3: 6437492253937494528. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No eclipse ephemeris.

Next check: No eclipse follow-up warranted from this event alone; reassess if a new independent occasion appears.

Full report and deciding evidence

TIC 71469729 | H018

Gaia DR3: 2998862100122116224. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No eclipse period, epoch, or depth.

Next check: Inspect the irregular variability as a separate source if of interest; seek independent raw events before an eclipse claim.

Full report and deciding evidence

TIC 233082910 | H020

Gaia DR3: 2158639297271985920. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No eclipse ephemeris from this screen.

Next check: Study the short-period oscillation separately if desired; suppress its harmonics before any new long-period eclipse search.

Full report and deciding evidence

TIC 445948155 | H024

Gaia DR3: 3352525134796760448. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutation is of the selected s71 eclipse interpretation; the source of broad variability is not established. Current TESSCut sector inventory adds s44 and an anomalous 1751 entry beyond cached files, neither a needed repeat for this artifact conclusion.

Next check: Study the broad variability with a stable aperture if scientifically useful.

Full report and deciding evidence

TIC 31943345 | H025

Gaia DR3: 4666938921561051648. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse interpretation is refuted by its broad evolving morphology; this does not exclude an unobserved eclipse elsewhere.

Next check: Characterize the non-eclipse variability separately if pursued.

Full report and deciding evidence

TIC 42217912 | H026

Gaia DR3: 5939499145420713984. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected dip is a gap/baseline artifact in this reduction; physical source of broader variation is unassigned. Current sector inventory contains exactly the six cached sectors.

Next check: Use stable independent photometry to study broad variation if desired.

Full report and deciding evidence

TIC 402951606 | H028

Gaia DR3: 2300554981056288128. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutes this selected event as an eclipse; does not prove no other eclipse exists. Current sector inventory also lists s47, absent from cached QLP files, but cannot rescue the positive gap-recovery feature.

Next check: Inspect a stable future conjunction if a separate signal is found.

Full report and deciding evidence

TIC 396798138 | H029

Gaia DR3: 1106726524296515968. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse interpretation is refuted; the broad variability has no assigned mechanism. Current sector inventory lists s53 beyond the cached set, without changing the s40 morphology.

Next check: Study the broad variability in an independent light curve if useful.

Full report and deciding evidence

TIC 295542293 | H030

Gaia DR3: 6436161604349804160. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected eclipse interpretation is refuted by evolving morphology; it does not rule out a separate hidden eclipse or identify the variability mechanism.

Next check: Analyze the multi-day variability separately if pursued.

Full report and deciding evidence

TIC 351338696 | H031

Gaia DR3: 6428584079448787072. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This refutes the selected repeat-eclipse interpretation; common-mode coincidence is diagnostic, not a proof of the exact instrument mechanism. It does not rule out a weaker unrelated eclipse.

Next check: Reinspect with independent photometry only if a distinct repeat emerges.

Full report and deciding evidence

TIC 175078534 | H033

Gaia DR3: 5537085616261157248. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse interpretation is refuted by the full morphology; the source/mechanism of the oscillation is not determined.

Next check: Study the pulsation/rotation-like variability separately if useful.

Full report and deciding evidence

TIC 103030835 | H034

Gaia DR3: 5507906991460394 24. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutation applies to the selected repeated eclipse interpretation, not every possible weaker signal. The sector-25 few-cadence structure has limited timing information.

Next check: Check a future clean conjunction only if a distinct feature is found.

Full report and deciding evidence

TIC 56257053 | H035

Gaia DR3: 5643129015942038144. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected eclipse interpretation is refuted; the broad variability remains unassigned.

Next check: Characterize broad variability using a stable aperture if desired.

Full report and deciding evidence

TIC 102923272 | H036

Gaia DR3: 5365973230135573504. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected eclipse interpretation is refuted; modulation could be astrophysical but is not classified here.

Next check: Analyze the broad modulation separately if useful.

Full report and deciding evidence

TIC 447555213 | H037

Gaia DR3: 5818188270852184320. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutes the selected two-sector eclipse claim; gaps prevent using these features as precise nulls for any other hidden signal.

Next check: Seek a clean future event if a separate eclipse signature appears.

Full report and deciding evidence

TIC 442165860 | H038

Gaia DR3: 6055843590360130560. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected repeat-eclipse interpretation is refuted; broad variability has no assigned physical cause.

Next check: Use stable independent photometry if studying the broader variation.

Full report and deciding evidence

TIC 320328447 | H040

Gaia DR3: 6448392498678232704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected repeat-eclipse interpretation is refuted; this does not prove the target has no unseen eclipse. Current TESSCut inventory also lists sector 104 beyond cached QLP, but that cannot make the two positive features resolved eclipses.

Next check: Inspect new photometry if a distinct isolated event emerges.

Full report and deciding evidence

TIC 312968253 | H041

Gaia DR3: 5901423951092280320. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected s102/s103 dips are discontinuities and changing baselines, not repeatable eclipse profiles. This refutes these flags, not every possible binary signal.

Next check: If useful, inspect a future continuous event with a stable aperture.

Full report and deciding evidence

TIC 154809818 | H043

Gaia DR3: 1147196145699645696. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected shallow dips track irregular oscillatory variability; the Gaia AstroSpectroSB1 orbit has no phase elements in the source packet. Refutation is limited to the screened eclipse interpretation.

Next check: Use higher cadence stable-aperture data if the short-timescale variability itself is of interest.

Full report and deciding evidence

TIC 198182954 | H044

Gaia DR3: 1630158861582964480. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected flags are smooth, evolving short-timescale stellar variability. This does not exclude a separate unrecognized eclipsing system.

Next check: Characterize the oscillation/rotation signal separately if scientifically useful.

Full report and deciding evidence

TIC 289989985 | H045

Gaia DR3: 3522078761330617344. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected events are edge/gap and baseline features; no repeated eclipse clock is established. This does not decide whether the SB1 star is otherwise variable.

Next check: Reobserve a continuous predicted conjunction if the spectroscopic binary merits photometry.

Full report and deciding evidence

TIC 174187654 | H048

Gaia DR3: 5915759933436486528. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected s93/s102/s103 features are dominated by aperture/source contamination and sector discontinuities; the target might still have unrelated variability.

Next check: Use resolved photometry to determine the bright neighboring star's variability if desired.

Full report and deciding evidence

TIC 299397214 | H049

Gaia DR3: 5829797399984779264. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Two selected flags are level changes on broad trends. Neither provides a complete eclipse profile or a two-event timing baseline.

Next check: Inspect a future uninterrupted Gaia conjunction if orbital eclipses remain of interest.

Full report and deciding evidence

TIC 424916690 | H050

Gaia DR3: 6659220868304431488. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected windows are data-break steps and slopes, without repeatable eclipse contacts. This verdict applies to the selected claim only.

Next check: If still needed, observe a continuous predicted conjunction with a stable aperture.

Full report and deciding evidence

TIC 219013137 | H051

Gaia DR3: 1694963767685503872. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected sector-80 feature is refuted; these data do not rule out a weaker separate eclipse.

Next check: Only reconsider on a new resolved repeat with complete ingress and egress.

Full report and deciding evidence

TIC 224279121 | H052

Gaia DR3: 6537661233557980928. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected sector-96 eclipse interpretation is refuted; synchronized behavior does not identify a unique instrument mechanism or the source of the broader modulation.

Next check: Study the modulation with stable independent photometry if useful.

Full report and deciding evidence

TIC 318649725 | H053

Gaia DR3: 6342084743774717312. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A common feature is diagnostic, without identifying a unique instrumental mechanism or excluding an unrelated weaker eclipse.

Next check: Seek a new isolated complete event before timing or source analysis.

Full report and deciding evidence

TIC 70761950 | H054

Gaia DR3: 2309735834427777920. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected features are positive gap and step artifacts, so the eclipse interpretation is refuted.

Next check: Only revisit if a distinct complete repeat appears.

Full report and deciding evidence

TIC 278081787 | H055

Gaia DR3: 5211293208483257088. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutation applies to the selected dip and brightening interpretation; the target could host a weaker unrelated signal.

Next check: Look for a separate complete eclipse in future photometry before assigning a period.

Full report and deciding evidence

TIC 68037692 | H056

Gaia DR3: 3363068356108122 88. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse interpretation is refuted; the non-eclipse variability is not physically classified here.

Next check: Analyze the rapid variability separately if useful.

Full report and deciding evidence

TIC 262548177 | H057

Gaia DR3: 4935773672080920704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse feature is refuted; synchronized behavior does not assign a unique mechanism or exclude an unrelated eclipse.

Next check: Obtain stable independent photometry only if a distinct contact-shaped event emerges.

Full report and deciding evidence

TIC 231261404 | H058

Gaia DR3: 6511402593784634496. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected dip and brightenings are positive step/gap morphology, refuting an eclipse interpretation.

Next check: Reinspect only if a complete isolated repeat is observed.

Full report and deciding evidence

TIC 129543547 | H059

Gaia DR3: 6669670519439832704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected sector-94 eclipse is refuted; a weaker separate eclipse remains possible.

Next check: Require a new isolated complete event before source or timing work.

Full report and deciding evidence

TIC 392924671 | H060

Gaia DR3: 3714017375159903872. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Pixel redistribution, centroid drift and the reduction discrepancy support an instrumental origin of the selected trough; a reduction alone can suppress real signals. TESSCut is not a separate observing occasion.

Next check: Only reconsider on a distinct resolved event in stable photometry.

Full report and deciding evidence

TIC 462740245 | H061

Gaia DR3: 4576730383421277056. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Positive background and centroid co-movement refutes the selected flag, not the existence of a spectroscopic binary.

Next check: If a future uninterrupted eclipse-shaped event appears, extract a stable target aperture and time it.

Full report and deciding evidence

TIC 74262097 | H062

Gaia DR3: 5919102410114315264. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Gap/step morphology refutes the selected flag; untested low-depth variability elsewhere is outside this flag review.

Next check: Require a continuous candidate event with a stable position and local baseline before timing.

Full report and deciding evidence

TIC 62422756 | H063

Gaia DR3: 2459151630621837696. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s97 step refutes this selected eclipse flag. The Gaia SB1 orbit at 25.072237 d remains valid independent context.

Next check: If revisited, localize a new complete event on calibrated pixels.

Full report and deciding evidence

TIC 309827592 | H064

Gaia DR3: 1592504127384202112. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A gap-linked background/position relaxation positively refutes the selected dip interpretation.

Next check: Inspect any future isolated dip after verifying target-centred pixel flux.

Full report and deciding evidence

TIC 38016794 | H065

Gaia DR3: 3199385189639870848. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Repeated detector/aperture resets refute the selected flags; no binary-wide exclusion is inferred.

Next check: Only a stable-aperture event outside the sawtooth pattern would justify renewed eclipse analysis.

Full report and deciding evidence

TIC 35979155 | H068

Gaia DR3: 5417956868583597952. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The observed step and position change positively refute the selected s99 eclipse flag.

Next check: Inspect a complete stable-aperture event if new observations warrant it.

Full report and deciding evidence

TIC 372317693 | H069

Gaia DR3: 6376536394443224576. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Background/centroid excursion and discontinuous baseline positively refute the selected eclipse flags.

Next check: A future continuous dip would require pixel localization and an independent reduction.

Full report and deciding evidence

TIC 354419348 | H070

Gaia DR3: 2281250855409110144. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The original s59 dip is positively contradicted by its rising raw flux and unstable extraction.

Next check: Reassess only a complete target-centred event with positive stable flux and local baseline.

Full report and deciding evidence

TIC 199903432 | H071

Gaia DR3: 1957881393304946816. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Fold minima are on evolving s56 baselines; no credible measured eclipse center or depth.

Next check: Revisit only if an independently observed, stable-baseline dip is found.

Full report and deciding evidence

TIC 393487481 | H073

Gaia DR3: 3868922418731317504. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The aperture varies, but instrumental ramps and real stellar variability are not separated; the 28.79/14.35 d selected fold signal is refuted as evidence for eclipses.

Next check: Characterize variability with independent photometry before revisiting any eclipse hypothesis.

Full report and deciding evidence

TIC 250225622 | H074

Gaia DR3: 6899376193746135040. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Large sector-scale instrumental or extraction trends prevent a physical depth or center from being measured.

Next check: Use a stable independent light curve if a new isolated event appears.

Full report and deciding evidence

TIC 247563559 | H075

Gaia DR3: 3347771190117117184. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s98 baseline is unstable; this refutes the selected fold eclipse interpretation, not every possible shorter-period signal.

Next check: Inspect a future stable-window event if one emerges.

Full report and deciding evidence

TIC 23885936 | H076

Gaia DR3: 6329931051478187776. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s51 step and pipeline-dependent amplitude invalidate a measured eclipse clock.

Next check: Check a new stable-baseline dip if available.

Full report and deciding evidence

TIC 41859748 | H077

Gaia DR3: 4985170846866082176. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Later s105–107 cutouts are exploratory coverage; they are not asserted as sensitivity-calibrated nulls. A different subtle event remains possible.

Next check: Seek a complete, independently timed event with stable background.

Full report and deciding evidence

TIC 295743311 | H078

Gaia DR3: 3033020352992128896. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Aperture scale strongly changes the apparent feature; no measured eclipse center. The two extractions share photons.

Next check: Follow up only a new isolated event with difference-image attribution.

Full report and deciding evidence

TIC 339095955 | H079

Gaia DR3: 4874202090436780 80. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The apparent fold depth is dominated by an evolving baseline and gaps; no photometric period is measured.

Next check: Test any future isolated dip on a continuous baseline.

Full report and deciding evidence

TIC 452298854 | H080

Gaia DR3: 2031745656803228160. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Several apparent fluctuations are weak and source attribution is not established; this verdict addresses the selected fold claim.

Next check: Reassess if future data yield a coherent detached event.

Full report and deciding evidence

TIC 146516744 | H086

Gaia DR3: 2974839282884152704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected target brightening is refuted by off-target positive flux plus concurrent background/position disturbance. The image moment is descriptive, not a fitted PSF position. An unmodeled target flare coincident with contamination cannot be excluded absolutely, and this says nothing about weaker separate binary signals.

Next check: Only revisit with registered source-resolved pixels or an independent target-localized repeat.

Full report and deciding evidence

TIC 154571577 | H091

Gaia DR3: 1692108645225929984. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: A genuine unrelated eclipse elsewhere on this star is outside this selected-fold conclusion.

Full report and deciding evidence

TIC 307119823 | H092

Gaia DR3: 4029944105629175O4. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: A pixel comparison could identify the origin of the sector transitions if the variability itself is pursued.

Full report and deciding evidence

TIC 118207666 | H093

Gaia DR3: 5703377580206903680. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: Investigate broad variability with an independent aperture if it becomes a separate target of interest.

Full report and deciding evidence

TIC 371699871 | H095

Gaia DR3: 1799097581944489856. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: A different period search would be needed to assess unrelated variability.

Full report and deciding evidence

TIC 91794676 | H096

Gaia DR3: 5348137467915602304. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: Pixel or independent aperture data could characterize the long s90 excursion, which is separate from the rejected fold.

Full report and deciding evidence

TIC 336670019 | H097

Gaia DR3: 4538298294501513728. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: Characterize the sector-edge recovery separately if scientifically useful.

Full report and deciding evidence

TIC 341854405 | H098

Gaia DR3: 5291612949507707392. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: A fresh search could test whether any unrelated isolated dip in the long time series warrants follow-up.

Full report and deciding evidence

TIC 470982003 | H099

Gaia DR3: 986467955403305984. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected fold rejected from raw trends/steps and observed contrary windows; unrelated variability not characterized.

Next check: Inspect s47 with independent pixel photometry if its weak depression is pursued.

Full report and deciding evidence

TIC 271782868 | T010

Gaia DR3: 5696078781508847744. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The sector-88 QLP rectangle is contradicted by simultaneous target-centered TESSCut flux; its QLP aperture/background origin is unresolved. Sector-109 cutout has near-zero target flux and supplies no sensitive null.

Next check: Inspect the QLP sector-88 aperture and background pixels to identify the rectangular signal origin.

Full report and deciding evidence

TIC 355493553 | T011

Gaia DR3: 6498084965351789696. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The S96 QLP dip resumes after a 1.3 d gap, but target-centered S96 TESSCut raw pixels show an opposite-sign brightening/recovery. S105 does not cover the next +6 Gaia-cycle center at 4234.5 BTJD; its strong bright spike at 4219 is not an eclipse.

Next check: No eclipse follow-up from the S96 flag; independently investigate the QLP/raw-pixel discrepancy if this star is otherwise of interest.

Full report and deciding evidence

TIC 152577827 | T013

Gaia DR3: 5596083868330026624. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Broad stellar variability can conceal smaller eclipses; this review refutes the screened coherent eclipse interpretation only.

Next check: If the variable star is of interest, model its multi-timescale variability and search residuals independently.

Full report and deciding evidence

TIC 230006509 | T015

Gaia DR3: 2242178369686093568. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The star has broad real variability; small eclipses buried in it are beyond this flagged-candidate claim.

Next check: A separate variability analysis could classify the broad modulation; do not treat these windows as eclipse times.

Full report and deciding evidence

TIC 441540331 | T016

Gaia DR3: 1112204115129867776. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

S19 is close to a sector edge; the QLP feature is contradicted by independent raw-pixel extraction and need not be treated as an eclipse center. Conditional Gaia-period nulls are supportive, not the sole refutation.

Next check: No eclipse follow-up from the S19 flag; test any future independent dip if found.

Full report and deciding evidence

TIC 292150400 | T017

Gaia DR3: 3563811004362456 32. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No claim is made about other variability outside the screened S85 window.

Next check: No eclipse follow-up is warranted from this flagged window; re-screen only if independent data show a dip.

Full report and deciding evidence

TIC 320592245 | T018

Gaia DR3: 6640742231072336128. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

S94 remains broad variable structure; the short S104 QLP trough is not reproduced as a target-centered raw-pixel deficit. No claim excludes a hidden unrelated eclipse.

Next check: Do not use S94/S104 screened times as a binary ephemeris; re-evaluate only a fresh repeatable dip.

Full report and deciding evidence

TIC 220343379 | T019

Gaia DR3: 6467446180491709440. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

New S105 starts 0.16 d before the conditional Gaia repeat, so it does not test a full ingress; the S103 alternate-pixel morphology is the decisive contrary evidence.

Next check: Do not use the flagged troughs as eclipse times; obtain an independent repeat only if later photometry reveals a clean dip.

Full report and deciding evidence

TIC 196915110 | T020

Gaia DR3: 4045266251193435520. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This does not exclude the Gaia spectroscopic binary or unrelated lower-amplitude eclipses.

Next check: Treat strong S93 event as a brightening/processing anomaly; assess separately if scientifically useful.

Full report and deciding evidence

TIC 260625051 | T021

Gaia DR3: 5798924900162485760. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Retained windows are dominated by gross sector trends and discontinuities; no eclipse clock can be measured.

Next check: If an independent future light curve is obtained, search it afresh for isolated events.

Full report and deciding evidence

TIC 250686128 | T022

Gaia DR3: 4552165399580570 88. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One selected window; no independent astrophysical eclipse remains after raw-shape inspection.

Next check: Revisit only if a future light curve shows an isolated return to baseline at a consistent phase.

Full report and deciding evidence

TIC 466271646 | T023

Gaia DR3: 6429348270091433344. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s101 flagged ingress is truncated; repeated sector-edge resets explain similar later shapes.

Next check: A future isolated event away from a data gap would warrant a new review.

Full report and deciding evidence

TIC 288608943 | T027

Gaia DR3: 2296723183033595392. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The largest sector81 dips are on orbital-gap boundaries; no secure isolated eclipse is timed.

Next check: Reassess if an independent, fully observed eclipse-shaped event appears.

Full report and deciding evidence

TIC 289008887 | T028

Gaia DR3: 3029185222067707648. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Strong variable flux is present, but no isolated eclipse clock follows the 33.73 d Gaia orbit.

Next check: Classify the smooth stellar/field variability separately if useful; search future data for isolated eclipses only on new evidence.

Full report and deciding evidence

TIC 147088723 | T029

Gaia DR3: 5363594574160217600. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The raw dips belong to a continuous quasi-periodic wave, with no eclipse-like isolated floor or Gaia-period clock.

Next check: Model the non-eclipse variability if astrophysically interesting.

Full report and deciding evidence

TIC 208247699 | T030

Gaia DR3: 5870898415961768064. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

All retained windows are steep trends or baseline discontinuities; no repeatable eclipse center.

Next check: Reopen only for an isolated new event supported by raw and spatial data.

Full report and deciding evidence

TIC 367739437 | T031

Gaia DR3: 1709445778932665728. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No secure isolated eclipse center or period can be measured from these flags.

Next check: Reopen if a clean isolated same-kind event appears in future data.

Full report and deciding evidence

TIC 466098039 | T032

Gaia DR3: 6428108781184345600. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

All four retained windows are interrupted or broad; none supports a measured center.

Next check: Reassess only with a fully observed isolated return to baseline.

Full report and deciding evidence

TIC 14949343 | T034

Gaia DR3: 2057705882197332224. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

No unique astrophysical deficit or timing center is supported.

Next check: A future clean aperture could test for independent periodic dips.

Full report and deciding evidence

TIC 253889547 | T035

Gaia DR3: 6731175554934054400. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Only one disrupted window exists; no measured eclipse clock.

Next check: Revisit an isolated event away from the spacecraft gap.

Full report and deciding evidence

TIC 309965535 | T037

Gaia DR3: 1125493504154041088. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The local TESSCut background estimate is approximate, so the spatial test alone cannot exclude every physical signal; combined with the coincident gap/step, this selected trough does not support a target eclipse or clock.

Next check: Test any future isolated raw target-aperture event away from a background transition.

Full report and deciding evidence

TIC 318272941 | T038

Gaia DR3: 6343141099571427840. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

One disrupted window only; no reliable eclipse center.

Next check: Seek a clean repeat in a later sector.

Full report and deciding evidence

TIC 280866822 | T039

Gaia DR3: 5206687045036851840. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

There is no measured same-kind return at the 50.14 d Gaia period.

Next check: Reopen if a future sector shows a fully bracketed event.

Full report and deciding evidence

TIC 321979675 | T040

Gaia DR3: 4991198781926275072. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Neither flagged occasion supports a precise center or physical eclipse depth.

Next check: Require an isolated repeat independent of flare or sector boundary.

Full report and deciding evidence

TIC 233152264 | T041

Gaia DR3: 2161325404178384000. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This refutes the selected long-period eclipse interpretation, not the Gaia SB1 orbit or any unsearched lower-amplitude eclipse.

Next check: Search after removing the measured short-period modulation if the star is revisited.

Full report and deciding evidence

TIC 307018189 | T044

Gaia DR3: 3357297530660470528. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The spatial peak is on the bright neighbor wing, not a fitted point-source centroid; the target aperture is contaminated. The conclusion concerns this selected target-associated event.

Next check: Separate the bright field star and target with a fitted pixel response if this sky position is pursued.

Full report and deciding evidence

TIC 251325499 | T046

Gaia DR3: 461150677232719232. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

This refutes the selected dip interpretation, not the presence of any unsearched variability.

Next check: Inspect independent full-baseline photometry only if the source is selected again.

Full report and deciding evidence

TIC 320414796 | T047

Gaia DR3: 3143959530039762560. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The short-timescale variability explains the selected troughs but does not disprove the Gaia binary orbit.

Next check: A residual eclipse search after variability modeling would be needed to test a separate eclipse claim.

Full report and deciding evidence

TIC 142119008 | T048

Gaia DR3: 5581167794789943O4. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

TESSCut outer-pixel background has 15.5% zero pixels, so its background-subtracted curve is invalid and excluded; the raw 3x3 comparison is used. A different unobserved orbit is not excluded.

Next check: Revisit only if an independent observing occasion supplies a coherent dip.

Full report and deciding evidence

TIC 334142514 | T049

Gaia DR3: 5718545274399793792. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected eclipse-shaped flag is refuted by continuous raw wave morphology; the variability mechanism and possible additional signals are not assigned.

Next check: Investigate the variability mechanism separately if scientifically useful.

Full report and deciding evidence

TIC 288157030 | T051

Gaia DR3: 2949877822014915200. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s87 step has no measured eclipse midpoint; its background response makes the selected flag instrumental. Current TESSCut footprint lists new s108/s109 coverage, not analyzed here because the selected feature is positively refuted.

Next check: Review s108/s109 raw target pixels if an independent future eclipse claim arises.

Full report and deciding evidence

TIC 41975422 | T052

Gaia DR3: 5008921603695895552. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

There are no reliable eclipse centers or cycle count from these two interruption-edge descents. Current TESSCut lists s104-s107 in addition to cached sectors; those are not needed to establish the retained s69 feature as instrumental.

Next check: Inspect current-sector target pixels only if an independent eclipse indication appears.

Full report and deciding evidence

TIC 100938468 | T053

Gaia DR3: 5710141908882383744. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The s88 shape is a gap-associated background step, without measured eclipse ingress, center or egress.

Next check: Seek a clean future raw eclipse before any physical-period claim.

Full report and deciding evidence

TIC 198279430 | T054

Gaia DR3: 1634905521999277952. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Bright features can be variable or instrumental; the stated background correlation is positive contrary evidence for these retained eclipse flags, not a proof that the star has no intrinsic variability.

Next check: Revisit only with independently extracted stable-background pixel photometry.

Full report and deciding evidence

TIC 417309915 | T055

Gaia DR3: 1995022621220079104. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The brightening physics is unsettled; the selected dip is a baseline artifact. The pixel extraction is of the same TESS photons and not another observing occasion.

Next check: If the brightenings matter independently, compare calibrated pixel background across spacecraft orbits.

Full report and deciding evidence

TIC 51255152 | T056

Gaia DR3: 5753754832168478976. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The selected s99 deficit is not a localized eclipse; strong variability or extraction instability deserves separate investigation. The TESSCut extraction is of the same photons.

Next check: Use calibrated independent aperture photometry if seeking the origin of the large excursions.

Full report and deciding evidence

TIC 164669150 | T058

Gaia DR3: 2107357456480717056. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Multiple sectors make the gap pattern recur, but they do not supply repeated same-kind eclipses. Background and baseline behavior leave the origin of broad variability open.

Next check: Inspect independent target-pixel photometry only if a stable eclipse ephemeris emerges.

Full report and deciding evidence

TIC 180177949 | T060

Gaia DR3: 6054993358639322624. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The short-period modulation is real but its physical mechanism and relation to the Gaia SB2 are not settled. The selected long-period eclipse flag is refuted, not all possible eclipses.

Next check: Classify the short-period variable separately if of interest.

Full report and deciding evidence

TIC 174306672 | T061

Gaia DR3: 1937604302944104704. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The edge-truncated TESSCut aperture cannot establish whether a much smaller physical signal belongs to either star. The selected 15-24% QLP eclipse interpretation is refuted.

Next check: Only a target-flux-valid, fully captured aperture or independent photometry showing a repeated isolated deficit would reopen the eclipse claim.

Full report and deciding evidence

TIC 196423445 | T064

Gaia DR3: 5647494347671741568. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The new-sector extraction has no local background correction; its very large positive excursions make the qualitative shape robust, but small-amplitude null depth is not calibrated.

Next check: Reopen only for an isolated target-centered raw deficit independent of the broad brightenings.

Full report and deciding evidence

TIC 468294703 | T066

Gaia DR3: 5666465845305552 64. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The gap prevents any precise center for the s86 decline.

Next check: A separate isolated raw dip would be required to reopen the selected eclipse claim.

Full report and deciding evidence

TIC 198238142 | T068

Gaia DR3: 1636006889053061888. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The raw positive excursion could have a separate source or astrophysical cause; it is not an eclipse.

Next check: No eclipse follow-up from this flag; inspect any future independent dip on its own merits.

Full report and deciding evidence

TIC 298307278 | T072

Gaia DR3: 1989111887224781056. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The retained sector-84 feature follows a strong background excursion and disappears in the alternative corrected flux; no eclipse clock.

Next check: Revisit only if a new raw event independent of the background transient appears.

Full report and deciding evidence

TIC 122980411 | T085

Gaia DR3: 3080899205293455232. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The neighboring EB is real; this verdict refutes its assignment to the queued Gaia SB1 target, whose distinct 51.025-day spectroscopic orbit is not disproved. The present single-event moment alone would be insufficient; prior stacked PSF/deblended evidence decides attribution.

Next check: If revisiting the 51.025-day Gaia target orbit, search for a separate target-centered eclipse after modeling HJ 68 B contamination.

Full report and deciding evidence

TIC 370126865 | N002

Gaia DR3: 5101762127868823O4. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Refutes attribution of selected signal to queued target, not its possible independent binarity. Nondetections of target eclipses are not claimed.

Next check: If scientifically useful, review the G11.98 neighbor as a separate target.

Full report and deciding evidence

TIC 238134171 | N003

Gaia DR3: 5503729255267891200. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Selected detector windows refuted as eclipses; this does not prove the star has no binary eclipses elsewhere.

Next check: Use a stable independent light curve if pursuing this variable.

Full report and deciding evidence

TIC 235985439 | N009

Gaia DR3: 2292102279259435776. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The neighbor itself may be a real EB; no verdict on target independent variability.

Next check: Review G12.89 neighbor separately if desired.

Full report and deciding evidence

TIC 202509019 | F001

Gaia DR3: 1615623249143654016. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Refutes attribution of the selected eclipse train to this queued target, not the target's possible independent binarity. Difference-centroid systematics and blended apertures remain.

Next check: Review the neighboring Gaia source as a separate candidate if useful.

Full report and deciding evidence

TIC 234991077 | F004

Gaia DR3: 6490284754986167552. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Refutes these selected QLP windows as demonstrated target eclipses; does not prove absence of binarity or rule out a future resolved event.

Next check: Use a fully covered event in independent coverage before reconsidering eclipse status.

Full report and deciding evidence

TIC 372420428 | F005

Gaia DR3: 6401166623136580224. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Refutes the selected screening features, not all possible binary behavior; some lower-amplitude variation remains.

Next check: Review a future fully covered short dip if one appears.

Full report and deciding evidence

TIC 379192758 | F009

Gaia DR3: 6650247444675679488. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Refutes selected giant eclipse attribution to queued target, not all low-level variability. The neighbor is not promoted without its own review.

Next check: If useful, review the off-target/contaminating source as a separate candidate.

Full report and deciding evidence

TIC 17238861 | F011

Gaia DR3: 796525844234415744. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Selected dips are off target; this does not rule out other eclipses of TIC 17238861.

Next check: Review TIC 17238865 as its own lead if desired; obtain fresh cutouts only if the historical attribution needs remeasurement.

Full report and deciding evidence

TIC 466134845 | F015

Gaia DR3: 6417553057243290112. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Positive gap/step/ramp evidence refutes the selected eclipse flags; no independent secure repeat was isolated. This does not exclude an unrelated binary signal.

Next check: Only revisit if independently reduced time series shows a sharp recurring event away from gap boundaries.

Full report and deciding evidence

TIC 340638289 | F018

Gaia DR3: 5294294658367361280. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The selected windows have positive trend/gap/step evidence, with no secure same-kind raw eclipses; an unrelated signal remains possible. S89 is available but uncached.

Next check: Inspect S89 only if a fresh event away from discontinuities establishes an eclipse interpretation.

Full report and deciding evidence

TIC 374343837 | F019

Gaia DR3: 6423735473686817664. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Positive gap/step/ramp context refutes the selected eclipse flags; this is not a global exclusion of binarity.

Next check: Require a fresh sharp event with stable baselines before any orbital or source follow-up.

Full report and deciding evidence

TIC 253889190 | F020

Gaia DR3: 6731129684683215488. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The two selected windows do not show comparable isolated eclipse profiles or a secure clock. S13 is available but uncached.

Next check: Review S13 only if an independent sharp event warrants reconsideration of this detector flag.

Full report and deciding evidence

TIC 300599020 | F021

Gaia DR3: 5268923187036636160. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

This refutes the flagged signal, not the Gaia SB1 orbit or every possible faint eclipse. Available sectors 3 and 30 are uncached but the detected windows already have positive artifact evidence.

Next check: Inspect a future independently reduced light curve only if a new phase-coherent event appears.

Full report and deciding evidence

TIC 238926302 | F024

Gaia DR3: 5500666290750087552. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Artifact evidence refutes this detection sequence, not the Gaia SB1 star or all possible faint eclipses. Local trapezoid widths often hit the 1.5-d bound and are not physical durations.

Next check: Recheck only after an independent phase-coherent dip occurs away from a gap.

Full report and deciding evidence

TIC 351555241 | F025

Gaia DR3: 6426599941995042304. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The false flagged dips do not rule out a separate low-amplitude EB signal. All local flagged-event fits are bound or singular affected.

Next check: Require a complete eclipse with ingress, core and egress away from a sector gap.

Full report and deciding evidence

TIC 351350853 | F026

Gaia DR3: 6429977160679936768. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

This refutes the retained dip flags, not the SB1 orbit. A raw Gaia-period fold is strongly shaped by sector baselines and does not set a sensitive eclipse upper limit.

Next check: Seek a fully observed, independently timed event away from the shared gaps.

Full report and deciding evidence

TIC 101580125 | F029

Gaia DR3: 6667552039706187776. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

This positive artifact finding addresses the flagged dips only. S105 is currently available but uncached; it is not needed to explain the two artifacts and remains an untested future check.

Next check: Inspect S105 or another independent sector only if a clean eclipse away from the common gaps is identified.

Full report and deciding evidence

TIC 288649491 | F030

Gaia DR3: 3027262760354865408. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

Pixel deblending is approximate, but exact period identity, capable neighbor flux and the spatial difference jointly support off-target ownership. This refutes a target eclipse claim from these dips, not the independent Gaia SB1 orbit. The target-scoped catalogue status remains scoped nonmatch; the nearby EB is known.

Next check: Use resolved aperture or high-resolution photometry if target eclipse status must be tested independently.

Full report and deciding evidence

TIC 382367241 | F031

Gaia DR3: 6434008245186920576. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

This is a verdict on selected bulk flags, not a claim that the star cannot be binary. No secure same-kind raw eclipse centers or orbital period were measured.

Next check: Seek an isolated full eclipse in a sector with valid target-centered pixels before reconsidering the physical claim.

Full report and deciding evidence

TIC 177255132 | F034

Gaia DR3: 5260895790080903936. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The selected flags have positive common or step context. This does not rule out other eclipses in the extensive cached coverage; no secure center or period is adopted.

Next check: Search for an isolated target-centered eclipse before reopening the selected-source claim.

Full report and deciding evidence

TIC 283695353 | F035

Gaia DR3: 5695831872425213440. Catalogue status: KNOWN. Reported recurrence (days): unresolved.

This refutes the selected bulk detections only, not the published VSX classification or all possible variability of this source. Three cached sectors provide no measured secure eclipse clock.

Next check: Check the VSX light curve and obtain a complete resolved event at its listed 57.7-d clock before revising the physical status.

Full report and deciding evidence

TIC 409783649 | F036

Gaia DR3: 6441771553190585984. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

No clean source-specific eclipse center, independent orbital clock or conjunction match was measured. An unrelated binary signal remains possible.

Next check: Find an isolated full raw event with valid WCS source attribution.

Full report and deciding evidence

TIC 200787666 | F037

Gaia DR3: 4737458711148691968. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

This is a bounded refutation of the selected windows as an eclipse sequence; it does not classify all of the star's variability. S31 is available outside the cached set, but no provisional clean event clock makes it a decisive null.

Next check: Characterize the long-timescale variability and revisit only a discrete isolated event; include S31 if a clock emerges.

Full report and deciding evidence

TIC 424881909 | F039

Gaia DR3: 6643831897403697280. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

The selected windows have positive instrumental/baseline context; this does not exclude an unrelated eclipse elsewhere. No measured same-kind clock is supported.

Next check: Require an isolated full target-centered eclipse before assigning a period.

Full report and deciding evidence

TIC 424853769 | F040

Gaia DR3: 6646209522579139968. Catalogue status: SCOPED_NONMATCH. Reported recurrence (days): unresolved.

No clean repeated eclipse or orbital association is established. Other variability of this target remains unclassified.

Next check: Inspect an isolated event with valid WCS target and neighbor photometry.

Full report and deciding evidence

Non-eclipse variables (4)

TIC 95924853 | H081

Gaia DR3: 5922002715631296512. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Short-sector modulation is evident in SAP; physical class and exact source remain unresolved. Corrected-flux suppression and centroid shifts alone do not localize it.

Next check: Independent aperture and difference imaging if the modulation is pursued.

Full report and deciding evidence

TIC 147473756 | H083

Gaia DR3: 1043537002634418432. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Quasi-periodic non-eclipse modulation is clear; its coherence, physical class and aperture source are not established. The 34.337 d Gaia SB2 orbit is context only.

Next check: Source-localized aperture photometry and longer-baseline mode analysis.

Full report and deciding evidence

TIC 52152553 | H085

Gaia DR3: 4687637876494156928. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

Strong non-eclipse variability is present in the aperture; subtype and varying Gaia source remain unresolved. KSPSAP suppression and small centroid offsets are not source proof.

Next check: Difference imaging or stable alternate-aperture photometry to localize the 3.06 d signal.

Full report and deciding evidence

TIC 433693445 | H087

Gaia DR3: 2211707771448719232. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The target-centered excess supports non-eclipse variability consistent with a stellar flare, but same-sector pixels cannot resolve a subpixel blend or prove flare physics. The image moment is descriptive, not a fitted PSF position. KSPSAP uses the same exposures. No orbital timing inference.

Next check: Higher resolution source photometry if the flare source matters.

Full report and deciding evidence

Unresolved (5)

TIC 155173365 | H082

Gaia DR3: 1936432670225676288. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A flare-like positive event is present in SAP, but its source and whether it is stellar are insecure. No eclipse period is measured.

Next check: Inspect pixel-level difference image and nearby light curves for the sector-84 impulse.

Full report and deciding evidence

TIC 43868028 | H084

Gaia DR3: 3208563496094554240. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The sector-5 selected window is a slope false alarm. Sector-98 has an insecure transient: its dipole is consistent with pointing or background structure, yet simple unregistered difference imaging does not exclude concurrent stellar brightening.

Next check: Registered image modeling or independent photometry of the sector-98 transient and recurring sector-scale ramp.

Full report and deciding evidence

TIC 146169279 | H088

Gaia DR3: 5368027530167193856. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The gap hides part of the event, while the background change raises contamination as an alternative. Neither establishes that the pre-gap mound is instrumental. Its source and physical class remain insecure; no repeat period or eclipse interpretation is supported.

Next check: Resolve the sector-90 mound with pixel photometry or an independent well-covered recurrence.

Full report and deciding evidence

TIC 58171740 | H089

Gaia DR3: 1499000322843778 56. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

A real aperture excursion is possible, but its stellar origin and classification are insecure. No eclipse interpretation or period is supported.

Next check: Pixel-level source check for the sector-44 impulse.

Full report and deciding evidence

TIC 73312747 | H090

Gaia DR3: 1083946670591127808. Catalogue status: UNKNOWN. Reported recurrence (days): unresolved.

The two spikes need not be the same phenomenon or source. Neither is an eclipse and the long separation does not yield a measured recurrence period.

Next check: Localize each impulse with image-level photometry before classifying them as stellar flares.

Full report and deciding evidence