

Applicant: Zhejiang Wanmei Toy Co.,Ltd

Applicant Address: Binjiang Industrial Area,Dongcheng Street,Yongjia County, Wenzhou City, Zhejiang Province, China.

The following samples were submitted and identified on behalf of the clients as

Sample Name: Children's Bus Slide Swing Playset

Description: 208*192*116cm

Model: WM21B012

Batch No. : 202105

Sample Quantity: 1set

Requested Age Grading: 3years to 6years

Labeled Age Grading: 3-6years old

Test age: 3years to 6years

CPST Internal Reference No.: C210628102

Sample Received Date: Jun 28, 2021

Test Period: Jun 28, 2021 to Jul 01, 2021

Test Method: Please refer to next pages.

Test Result: Please refer to next pages.



Signed for and on behalf of
Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

WRITTEN BY :

Silvia Chan

Chen Xiao Ting, Silvia
Report writer

REVIEWED BY:

Sunshine Liu

Liu Xiao Fang, Sunshine
Report Reviewer

APPROVED BY:

Will Pan

Pan Jian Ding, Will
Technical Supervisor

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



CONCLUSION :

TESTED SAMPLES

TEST ITEM

RESULT

Children's Bus Slide Swing
Playset

In accordance with Toys (Safety) Regulations 2011 issued by
the UK, to perform the related testing:

1)BS EN 71-1:2014+A1:2018 – Mechanical and Physical
Properties

PASS

2)BS EN 71-2:2020– Flammability

PASS

3)BS EN 71-3:2019+A1:2021 – Migration of certain elements

PASS

2. BS EN 71-8:2018 Safety of toys - Part 8: Activity toys for
domestic use

PASS

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218


Eurones (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Fax: (86-769) 38937859 Http:// www.cpslab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Postcode: 523945

E-mail: service@cpslab.com

Photo of the Submitted Sample




WARNING!

Age Group: 3~6 year old.

Max Weight: 40kgs.

Only for domestic use.

WARNING: The toys shall be used indoor. Not outdoor.



WARNING! Age Group: 3~6 year old.
Max Weight: 40kgs.
Only for domestic use.
WARNING: The toys shall be used indoor. Not outdoor.

WARNING!

Age Group: 3~6 year old.

Max Weight: 40kgs.

Only for domestic use.

WARNING: The toys shall be used indoor. Not outdoor.


Installation Manual

a) Please place our toys on a level surface at least 2 m from any structure or obstruction such as a fence, garage, house, or changing benches, laundry lines or electrical wires.
b) Please install on the instructions to prevent over tightening of the support members when they are used as intended or as a freestanding way.
c) The toys shall be placed level with or under the ground in order to reduce tipping hazards.
d) The swing seat height shall be adjustable due to child's height, the maximum is 1.2m. It is then that needs to check between the swing suspension and the ground. Avoid the swing on the instruction.
e) The toys are for example plastic, wood, metal, etc. They are not to be used on the ground or on any other hard surface. Our toys shall not be exposed to the sun for a long time. No more than 1 week.
f) Modifications made by the consumer to the original activity toy (for example the adding of an accessory) shall be carried out according to the instructions of the manufacturer.

Maintenance

Our toys shall be maintained before playing each time. Please pay attention to the need of carrying out checks and maintenance of the main parts (connections, suspension anchors, etc.) at regular intervals, pointing out that if these checks are not carried out the activity toy could become or otherwise become a hazard.
Please kindly check as the following daily:
a) to check all parts and joints for tightness and tighten when required;
b) to use all plastic moving parts;
c) to check all coverings for holes and sharp edges and replace when required;
d) to check moving parts, chains, ropes and other parts of the structure for evidence of deterioration;
e) to replace defective parts in accordance with the manufacturer's instructions;
to change the value of loading points frequently particularly in hot weather or when noticeably overused.

Detailed Installation Steps



Product Name: Children's Bus Slide Swing
Playset
Description: 208*192*116cm
Model No: W21B012
Material: Plastic
Importer: VISITEC LLC (Registration No.: 20191759455)
Importer address: 9888 W Belleview Ave Ste 2142
Denver, CO 80123
Telephone: +1 57 1400 7350
E-mail: Alan.graham@vish-tec.com
Manufacturer: Zhejiang Warmei Toy Co., Ltd.
Manufacturer address: Binjiang Industrial Area,
Dongcheng Street, Yongjia County, Wenzhou City,
Zhejiang Province, China
Contact: Changchun Zhang
Telephone: +86-577-67262728
E-mail: hobbytree@wm-toy.com
Batch No: 202105
Manufacturer Date: 2021.05
Age range : 3~6 year old.

△ WARNING:
CHOKING HAZARD—Small parts.
Not for children under 3 yrs.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218

Euronex (Dongguan) Consumer Products Testing Service Co., Ltd.

Tel: (86-769) 38937858

Fax: (86-769) 38937859

Http://www.cpslab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Postcode: 523945

E-mail: service@cpslab.com

Test Result(s):

Description of Specimen	No.1	Children's Bus Slide Swing Playset
	No.2	Orange plastic
	No.3	Yellow plastic
	No.4	Stickers
	No.5	White plastic
	No.6	Blue plastic
	No.7	Dark yellow plastic
	No.8	Coating
	No.9	Orange leather ball

1) BS EN 71-1:2014+A1:2018 – Mechanical and Physical Properties

<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
4	General requirement	---
4.1	Material cleanliness (by visual assessment)	Pass
4.2	Assembly	N.A.
4.3	Flexible plastics sheeting	N.A.
4.4	Toy bags	N.A.
4.5	Glass	N.A.
4.6	Expanding materials	N.A.
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	N.A.
4.10	Parts moving against each other	---
4.10.1	Folding and sliding mechanisms	N.A.
4.10.2	Driving mechanisms	N.A.
4.10.3	Hinges	N.A.
4.10.4	Springs	N.A.
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N.A.
4.12	Balloons	N.A.
4.13	Cords of toy kites and other flying toys	N.A.
4.14	Enclosures	---
4.14.1	Toys which a child can enter	N.A.
4.14.2	Masks and helmets	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
4.15	Toys intended to bear the mass of a child	---
4.15.1	Toys propelled by the child or by other means	N.A.
4.15.2	Toy bicycles	N.A.
4.15.3	Rocking horses and similar toys	N.A.
4.15.4	Toys not propelled by a child	Pass
4.15.5	Toy scooters.	N.A.
4.16	Heavy immobile toys	N.A.
4.17	Projectiles	---
4.17.1	General	N.A.
4.17.2	All projectiles	N.A.
4.17.3	Projectile toys with stored energy	N.A.
4.17.4	Certain projectile toys without stored energy	N.A.
4.18	Aquatic toys and inflatable toys	N.A.
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N.A.
4.20	Acoustics	N.A.
4.21	Toys containing a non-electrical heat source	N.A.
4.22	Small balls	N.A.
4.23	Magnets	---
4.23.1	General	N.A.
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	N.A.
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	N.A.
4.24	Yo-yo balls	N.A.
4.25	Toys attached to food	N.A.
4.26	Toy disguise costumes	N.A.
4.27	Flying toys	---
4.27.1	General	N.A.
4.27.2	Rotors and propellers on flying toys	N.A.
4.27.3	Rotors and propellers on remote controlled flying toys	N.A.
5	Toys intended for children under 36 months.	---
5.1	General requirements	N.A.
5.1a	Small part requirement on toys & removable components	N.A.
5.1b	Abuse test (see test method 8)	N.A.
5.1c	Potential hazardous metal points and wires with a cross section of 2mm or less	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
5.1d	Large and bulky toys	N.A.
5.1e	Glued wooden toys and toys with glued-on plastic decals	N.A.
5.1f	The casing of toys intended for children too young to sit up unaided	N.A.
5.1g	Foam toys and toys containing accessible foam	N.A.
5.2	Soft-filled toys and soft-filled parts of a toy	N.A.
5.3	Plastic sheeting	N.A.
5.4	Cords, chains and electrical cables in toys	---
5.4.1	General	N.A.
5.4.2	Cords and chains in toys intended for children under 18 months	N.A.
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	N.A.
5.4.4	Fixed loops, tangled loops and nooses	N.A.
5.4.5	Cords and chains on pull along toys	N.A.
5.4.6	Electrical cable	N.A.
5.4.7	Cross-sectional dimension of certain cords	N.A.
5.4.8	Self-retracting cords	N.A.
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	N.A.
5.5	Liquid-filled toys	N.A.
5.6	Speed limitation of electrically-driven ride-on toys	N.A.
5.7	Glass and porcelain	N.A.
5.8	Shape and size of certain toys	N.A.
5.9	Toys comprising monofilament fibres	N.A.
5.10	Small balls	N.A.
5.11	Play figures	N.A.
5.12	Hemispheric-shaped toys	N.A.
5.13	Suction cups	N.A.
5.14	Straps intended to be worn fully or partially around the neck	N.A.
5.15	Sledge with cords for pulling	N.A.
6	Packaging	N.A.
7	Warnings, markings and instructions for use	---
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex Balloons	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Section	Description	Result
		No.1
7.4	Aquatic toys	N.A.
7.5	Functional Toys	N.A.
7.6	Hazardous sharp functional edges and points	N.A.
7.7	Projectile toys	N.A.
7.8	Imitation protective masks and helmets	N.A.
7.9	Toy kites	N.A.
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	---
7.10.1	Roller skates, inline skates and skateboards	N.A.
7.10.2	Ride-on toys without a braking device	N.A.
7.10.3	Electrically-driven ride-on toys	N.A.
7.10.4	Instructions for use	N.A.
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	N.A.
7.12	Liquid-filled teethingers	N.A.
7.13	Percussion caps specifically designed for use in toys	N.A.
7.14	Acoustics	N.A.
7.15	Toy bicycle	N.A.
7.16	Toys intended to bear the mass of child	N.A.
7.17	Toys comprising monofilament fibres	N.A.
7.18	Toy scooters	N.A.
7.19	Rocking horses and similar toys	N.A.
7.20	Magnetic/electrical experimental sets	N.A.
7.21	Toys with electrical cables exceeding 300 mm in length	N.A.
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N.A.
7.23	Toys intended to be attached to a cradle, cot or perambulator	N.A.
7.24	Sledge with cords for pulling	N.A.
7.25	Flying toys	---
7.25.1	Flying toys	N.A.
7.25.2	Remote controlled flying toys	N.A.
7.26	Improvised projectiles	N.A.
8	Test Methods	---
8.3	Torque Test	N.A.
8.4	Tension Test	N.A.
8.5	Drop Test	N.A.
8.6	Tip over Test	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
8.7	Impact Test	N.A.
8.8	Compression Test	N.A.
8.9	Soaking Test	N.A.
8.13	Flexure Test	N.A.
8.34	Tension test for magnets	N.A.

N.A. = Not Applicable

The sample was resubmitted by client dated on Jun 08, 2021

2)BS EN 71-2:2020 – Flammability

<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
4	Requirements	
4.1	General requirements	Pass
4.2	Toys to be worn on the head	N.A.
4.3	Toys disguise costumes and toys intended to be worn by a child in play	N.A.
4.4	Toys intended to be entered by a child	N.A.
4.5	Soft filled toys	N.A.

N.A. = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3)BS EN 71-3:2019+A1:2021 – Migration of certain elements

Test Method: With reference to BS EN 71-3:2019+A1:2021, analysis was performed by Instruments.

Test Items	Unit	Result							MDL
		Category III							
		No.2	No.3	No.4	No.5	No.6	No.7	No.9	
Soluble Aluminum(Al)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Antimony(Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Arsenic(As)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Barium(Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Boron(B)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Cadmium(Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble trivalent chromium(Cr ³⁺)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.62	0.05
Soluble hexavalent chrome(Cr ⁶⁺)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Cobalt (Co)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Copper (Cu)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble Manganese (Mn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Nickel (Ni)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2
Soluble strontium (Sr)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Tin (Sn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Organotin	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Soluble Zinc (Zn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Conclusion	PASS								

Note:

1. mg/kg =milligram per kilogram = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit
4. The results of No.6 refer to the test report C210518018003-3

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Annex

Soluble Element	Limit (mg/kg)		
	Category I	Category II	Category III
	Dry, brittle, powder-like or pliable toy material	Liquid or sticky toy material	Scraped-off toy material
Soluble Aluminum(Al)	2250	560	28130
Soluble Antimony(Sb)	45	11.3	560
Soluble Arsenic(As)	3.8	0.9	47
Soluble Barium(Ba)	1500	375	18750
Soluble Boron(B)	1200	300	15000
Soluble Cadmium(Cd)	1.3	0.3	17
Soluble trivalent chromium(Cr^{3+})	37.5	9.4	460
Soluble hexavalent chrome (Cr^{6+})	0.02	0.005	0.053
Soluble Cobalt (Co)	10.5	2.6	130
Soluble Copper (Cu)	622.5	156	7700
Soluble Lead (Pb)	2.0	0.5	23
Soluble Manganese (Mn)	1200	300	15000
Soluble Mercury (Hg)	7.5	1.9	94
Soluble Nickel (Ni)	75	18.8	930
Soluble Selenium (Se)	37.5	9.4	460
Soluble strontium (Sr)	4500	1125	56000
Soluble Tin (Sn)	15000	3750	180000
Soluble Organotin	0.9	0.2	12
Soluble Zinc (Zn)	3750	938	46000

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



2.BS EN 71-8:2018 Safety of toys - Part 8: Activity toys for domestic use

Section	Observation	Results
		No.1
4	Requirements	---
4.1	General	---
4.1.1	Assembly	PASS
4.1.2	Static strength	PASS
4.1.3	Maximum height	PASS
4.1.4	Corners and edges	PASS
4.1.5	Protruding parts	PASS
4.1.6	Diameter of ropes and other means of suspension	PASS
4.2	Barriers, handrails and ladders and similar means of access to activity toys	---
4.2.1	Barriers and handrails preventing a child from falling down	N.A.
4.2.2	Ladders and similar means of access to activity toys	PASS
4.3	Entrapment	---
4.3.1	Entrapment of head and neck	PASS
4.3.2	Entrapment of clothing and hair	PASS
4.3.3	Entrapment of feet	PASS
4.3.4	Entrapment of fingers	PASS
4.4	Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws	---
4.4.1	General	PASS
4.4.2	Stability of activity toys with a free height of fall of 600 mm or less	N.A.
4.4.3	Stability of activity toys with a free height of fall of more than 600 mm	PASS
4.5	Slides	---
4.5.1	General	PASS
4.5.2	Stability of slides	PASS
4.5.3	Retaining sides for slides	PASS
4.5.4	Starting, sliding and run-out sections on slides	PASS
4.6	Swings	PASS
4.6.1	Stability of swings and other activity toys with crossbeams	PASS
4.6.2	Static strength of crossbeams, swing devices and suspension connectors	PASS
4.6.3	Swings intended for children under 36 months	N.A.
4.6.4	Minimum clearance between adjacent swing elements, and adjacent structures	N.A.
4.6.5	Lateral stability of swing elements	N.A.
4.6.6	Minimum clearance between swing elements and the ground	PASS
4.6.7	Suspension connectors and swing devices	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Section	Observation	Results
		No.1
4.6.8	Impact, geometry and design of swinglelements	PASS
4.7	See-saws	N.A.
4.7.1	Stability of see-saws	N.A.
4.7.2	Seat/stand height	N.A.
4.7.3	Restraint of motion	N.A.
4.7.4	Pinching and crushing of fingers and toes	N.A.
4.7.5	Hand supports	N.A.
4.8	Carousels and rocking activity toys	N.A.
4.9	Paddling pools	N.A.
4.9.1	Static strength of paddling pools with non-inflatable walls	N.A.
4.9.2	Paddling pools with inflatable walls	N.A.
5	Warnings, markings, and instructions	---
5.1	Warnings and markings	PASS
5.1.1	General	PASS
5.1.2	Paddling pools	N.A.
5.2	Assembly and installation instructions	PASS
5.3	Maintenance	PASS

N.A. = Not Applicable


The sample was resubmitted by client dated on Jun 08, 2021

Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Migration of certain elements Testing Flow Chart



All the results refer to test report C210518018002-3

*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

