Test Report Number: SHAH01559447

Applicant: ZHEJIANG JIAJIA RIDE-ON CO.,LTD
XINCANG INDUSTRIAL ZONE PINGHU CITY,
ZHEJIANG,CHINA.

Date: 28 Apr, 2023

Sample Description:

One (1) group of submitted sample said to be :

Item Name	:	CHILDREN'S CAR.
Item No.	:	JE1008.
Labelled Age Group	:	37-96 months.
Packaging Provided By Applicant	:	Yes(ART WORK).
Goods Exported To	:	USA.
Country Of Origin	:	China

****

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

****

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.

Peter Chen
General Manager

INTERTEK TESTING SERVICES WUXI LTD. 无锡天祥质量技术服务有限公司 检验检测专用章

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number: SHAH01559447

Conclusion:

Tested Sample	Standard	Result
Submitted Sample	U.S. ASTM F963-17 For Physical And Mechanical Tests	Pass
Submitted Sample	U.S. ASTM F963-17 For Flammability Test of Materials Other Than Textile Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for total Lead content in surface coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for total Lead content in non-surface coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for heavy metal elements test on surface coating material	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) for heavy metal elements test on non-surface coating materials	Pass
Tested Components Of Submitted Sample	U.S. CFR title 16(CPSC regulations) Part 1303 total Lead content	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
Tested Components Of Submitted Sample	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
Submitted Sample	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
Submitted Sample	U.S. CFR Title 16 (CPSC Regulations) Mechanical and Physical Tests -1500.48 Sharp Point -1500.49 Sharp Edge -1501 Small Part	Pass
Submitted Sample	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
Tested Components Of Submitted Sample	California Proposition 65 for toys, Consent Judgement No. RG-356892 ---Total Lead Content	Pass

****

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.

Peter Chen
General Manager

INTERTEK TESTING SERVICES WUXI LTD. 无锡天祥质量技术服务有限公司 检验检测专用章

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number: SHAH01559447

Conclusion:

Tested Sample	Standard	Result
Tested Components Of Submitted Sample	California Proposition 65 for Toys, Consent judgment No. BG-350969 - Phthalate content	Pass
Tested Components Of Submitted Sample	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 section 23 and amendments SOR/2016-195 for toxic elements test	Pass
Tested Components Of Submitted Sample	Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	Pass
Tested Components (15),(22) Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass (See comment)
Other Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass
Tested Components Of Submitted Sample	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122 for total lead content test on products with applied stickers, films or surface coating materials	Pass

Comment:

The testing scope of the following standard (Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b)) was not applicable to the submitted sample. However, the test result of the sample met the related requirement as stated in this report.

****

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.

Peter Chen
General Manager

INTERTEK TESTING SERVICES WUXI LTD. 无锡天祥质量技术服务有限公司 检验检测专用章

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing： For 37-96 months

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations：-

Test	FHSA	Parameter
Impact Test	Section 1500.53(b)	4 x 3.0 ft
Tip over Test	Section 1500.53(b)	3 times
Torque Test	Section 1500.53(e)	4 in-lbf
Tension Test	Section 1500.53(f)	15 lbf
Compression Test	Section 1500.53(g)	30 lbf

Section	Testing Items	Assessment
4.1	Material Quality	P
4.5	Sound-Producing Toys	P
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	P
4.8	Projections	P
4.9	Accessible Points	P
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	P
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	P
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	P
4.18	Holes, Clearance, and Accessibility of Mechanisms	P
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NR#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

Section	Testing Items	Assessment
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings	
	- Name of Producer/Distributor	Yes
	- Address	Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable NR = Not Requested

= As applicant's request, The section 4.25, 5.15. 6.5, 6.6,7.2 for Battery-powered Ride-on Toys was not assessed

Date Sample Received：10 Apr, 2023
Testing Period：10 Apr, 2023 to 18 Apr, 2023

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result =Did Not Ignite

Date Sample Received：10 Apr, 2023
Testing Period：10 Apr, 2023 to 18 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

3 Total Lead (Pb) Content for Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in ppm	Limit (ppm)
(13)	<20	90
(19)	<20	90
(20)	<20	90

Remark：ppm = parts per million = mg/kg

Tested Components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

4 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in ppm	Limit (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(14)	<10	100
(15)	<10	100
(16)	33	100
(17)	<10	100
(18)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100

Remark：ppm = parts per million = mg/kg

Tested Components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)			Limit (ppm)
	(13)	(19)	(20)	
Sol. Barium (Ba)	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	25

Remark： Sol. = soluble
ppm = parts per million = mg/kg

Tested components： See component list in the last section of this report.

Date sample received： 10 Apr, 2023
Testing period： 10 Apr, 2023 to 27 Apr, 2023

6 Heavy Metal Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)										Limit (ppm)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

	Result (ppm)										Limit (ppm)
	(11)	(12)	(14)	(15)	(16)	(17)	(18)	(21)	(22)	(23)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	8	9	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark： Sol. = soluble
ppm = parts per million = mg/kg

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

7 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (%)	Limit (%)
(13)	<0.002	0.009
(19)	<0.002	0.009
(20)	<0.002	0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

8 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (ppm)	Limit (ppm)
(13)	<20	90
(19)	<20	90
(20)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark：ppm = Parts per million = mg/kg

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

9 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (ppm)	Limit (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(14)	<10	100
(15)	<10	100
(16)	33	100
(17)	<10	100
(18)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark：ppm = Parts per million = mg/kg

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

10 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%)					Limit (%) (Max.)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

Test item	Result (%)					Limit (%) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

Test item	Result (%)					Limit (%) (Max.)
	(11)	(12)	(13)	(14)	(15)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

Test item	Result (%)					Limit (%) (Max.)
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	0.01	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

Test item	Result (%)			Limit (%) (Max.)
	(21)	(22)	(23)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark：ND = Not Detected
Detection Limit = 0.01%

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Tests Conducted

11 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging：
Manufacturer: Zhejiang JiaJia Ride-on Co.,Ltd.
Industry Park of Xincang,Pinghu,
Zhejiang, China
City,Country: Pinghu, China
Item No.:JE1008
Date Code: April 2023
Batch Number 3307604824/WJ1

Tracking Label Found on the label of the Product：
Manufacturer: Zhejiang JiaJia Ride-on Co.,Ltd.
Industry Park of Xincang,Pinghu,
Zhejiang, China
City,Country: Pinghu, China
Item No.:JE1008
Date Code: April 2023
Batch Number 3307604824/WJ1

Note：The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received：10 Apr, 2023 & 27 Apr, 2023
Testing Period：10 Apr, 2023 To 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Tests Conducted

12 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing： For 37-96 months

	No. of SampleTested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As Received	3	P	P	NA
Impact (1500.53 (b))	1	P	P	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	P	P	NA
Tension (1500.53 (f))	1	P	P	NA
Compression (1500.53 (g))	1	P	P	NA

Remark：P = Pass
NA = Not Applicable

Date Sample Received：10 Apr, 2023
Testing Period：10 Apr, 2023 To 18 Apr, 2023

13 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Did Not Ignite

Date Sample Received：10 Apr, 2023
Testing Period：10 Apr, 2023 To 18 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

14 Total Lead (Pb) content

With reference to us EPA method 3050B,acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (ppm)	Requirement (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<20	90
(14)	<10	100
(15)	<10	100
(16)	33	100
(17)	<10	100
(18)	<10	100
(19)	<20	90
(20)	<20	90
(21)	<10	100
(22)	<10	100
(23)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark：ppm = parts per million = mg/kg

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	Result (%, w/w)					Limit (%, w/w)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	--

	Result (%, w/w)					Limit (%, w/w)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	--

	Result (%, w/w)					Limit (%, w/w)
	(11)	(12)	(13)	(14)	(15)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	--

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

	Result (%, w/w)					Limit (%, w/w)
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	0.01	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	--

	Result (%, w/w)			Limit (%, w/w)
	(21)	(22)	(23)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	--

Remark：The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65.

ND = Not Detected
Detected Limit = 0.01%(w/w)

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Tests Conducted

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(13)	<0.002
(19)	<0.002
(20)	<0.002

Requirement：
The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For 37-96 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Test	Parameter
Drop test	4 x (0.909±0.005) m
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	
	(a) The opening perimeter is less than 14 inches	P
	(b) The opening perimeter is more than 14 inches	P
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	P
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	P
	Thermal hazards	
20	Heated surfaces, parts or substances	P
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number: SHAH01559447

Tests Conducted

No.	Testing Items	Assessment
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

Date sample received: 10 Apr, 2023 & 27 Apr, 2023
Testing period: 10 Apr, 2023 to 27 Apr, 2023

18 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

	Assessment	Requirement
Cellulose Nitrate/Celluloid	Absent	Absent

Date sample received: 10 Apr, 2023
Testing period: 10 Apr, 2023 to 18 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

19 Toxic Elements Analysis

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (mg/kg)			Limit (mg/kg)
	(13)	(19)	(20)	
Tot. Lead (Pb)	<20	<20	<20	90
Tot. Mercury (Hg)	ND	ND	ND	ND
Sol. Cadmium (Cd)	<10	<10	<10	1000
Sol. Antimony (Sb)	<10	<10	<10	1000
Sol. Selenium (Se)	<10	<10	<10	1000
Sol. Arsenic (As)	<10	<10	<10	1000
Sol. Barium (Ba)	<10	<10	<10	1000

Remark：mg/kg = Milligram per kilogram
Tot. = Total
Sol. = Soluble
ND = Not detected (<0.047 mg/kg)

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound	Result (mg/kg)					Limit(mg/kg) (Max.)
	(1)	(2)	(3)	(4)	(5)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

Tested Compound	Result (mg/kg)					Limit(mg/kg) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

Tested Compound	Result (mg/kg)					Limit(mg/kg) (Max.)
	(11)	(12)	(13)	(14)	(15)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

Tested Compound	Result (mg/kg)					Limit(mg/kg) (Max.)
	(16)	(17)	(18)	(19)	(20)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	146	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

Tested Compound	Result (mg/kg)			Limit(mg/kg) (Max.)
	(21)	(22)	(23)	
Di-butyl phthalate (DBP)	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	185	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	1000

Remark： The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg
ND = Not Detected

Tested components： See component list in the last section of this report.

Date sample received： 10 Apr, 2023
Testing period： 10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

21 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (mg/kg)										Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result (mg/kg)										Limit (mg/kg)
	(11)	(12)	(14)	(15)	(16)	(17)	(18)	(21)	(22)	(23)	
Tot. Lead (Pb)	<10	<10	<10	<10	33	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	8	9	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark： mg/kg = Milligram per kilogram
Tot. = Total
Sol. = Soluble

Tested components： See component list in the last section of this report.

Date sample received： 10 Apr, 2023
Testing period： 10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

22 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (mg/kg)	Limit (mg/kg)
(1)	ND	90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5)	ND	90
(6)	ND	90
(7)	ND	90
(8)	ND	90
(9)	ND	90
(10)	ND	90
(11)	ND	90
(12)	ND	90
(13)	ND	90
(14)	ND	90
(15)	ND	90
(16)	33	90
(17)	ND	90
(18)	ND	90
(19)	ND	90
(20)	ND	90
(21)	ND	90
(22)	ND	90
(23)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark：Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating
ND=Not Detected (Less than reporting limit)

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Limit (mg/kg)
(13)	<20	90
(19)	<20	90
(20)	<20	90

Remark：mg/kg = Milligram per kilogram

Tested components：See component list in the last section of this report.

Date sample received：10 Apr, 2023
Testing period：10 Apr, 2023 to 27 Apr, 2023

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

Photo

****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

The Samples Were Submitted By The Client, Only For Reference





****

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com

Test Report Number： SHAH01559447

Tests Conducted

Components List:

(1) Black plastic.(body).
(2) Yellow plastic.(body).
(3) White plastic.(body).
(4) Red plastic.(body).
(5) Pink plastic.(body).
(6) Green plastic.(body).
(7) Blue plastic(body).
(8) Black transparent plastic(front window).
(9) Transparent plastic(front light).
(10) Red transparent plastic(tail light).
(11) Red plastic (button).
(12) Black plastic (button).
(13) Bright silver coating on plastic(steering wheel, exhaust funnel).
(14) Brownish red plastic(seat, instrument panel, door , steering wheel).
(15) Black webbing(safety belt).
(16) Black plastic(wheels).
(17) Dark grey plastic(wheel hub).
(18) Red soft plastic(wire covering).
(19) Black coating on metal(chassis).
(20) White coating (body).
(21) White adhesive plastic film with black, white printing(wheel hub).
(22) White adhesive paper with red, black printing(warning sticker).
(23) Black soft plastic (wire covering).

****

End Of Report

Intertek Testing Services Wuxi Ltd.
无锡天祥质量技术服务有限公司
No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101
Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com