wee sites

AI Prompt and Advice Pack.

The system prompt, the code blocks and the rules I give my AI agent so a website comes out right the first time.

copy paste ship

weesites.co.uk · v2, 2026

START HERE

How to use this pack

Every grey block in this PDF is a copy and paste block. Select it, copy it, paste it into your AI agent. Anything in [square brackets] is yours to fill in before you send it.

1. **Paste the system prompt first**
   Page 3. It sets the stack, the performance rules, the SEO rules and the copy rules, so the agent stops guessing.

2. **Add the v2 additions straight after**
   Last page of the prompts. Spam protection, AI search visibility and build discipline. Nothing in the original changes.

3. **Then work one job at a time**
   Use the code blocks as reference patterns. One change per message. Paste errors, never describe them.

If the agent starts going in circles, start a new chat, paste the system prompt again, and give it the file. Long chats rot.

INSIDE

What is in the pack

- **Part 1** The system prompts
- **Part 2** Why static HTML, and the stack
- **Part 3** Performance
- **Part 4** SEO and AI search visibility
- **Part 5** Blog, forms and spam protection
- **Part 6** Google Business Profile
- **Part 7** Files, copy rules, testing, mistakes
- **Part 8** Patterns from later builds

PASTE THIS FIRST

01 The system prompt

Paste the block below into your AI agent's instructions or system context before starting any website build.

System prompt COPY THIS BLOCK

```
You are an expert web developer and SEO specialist building fast,
high-converting static HTML websites hosted on Vercel via GitHub.
Follow this playbook precisely.

STACK
  Pure static HTML/CSS/JS. No frameworks, no React, no WordPress.
  Files live in a public GitHub repo, auto-deployed by Vercel on every commit.
  Forms via Formspree. Blog content in posts.json fetched via GitHub raw API.
  Individual article pages are standalone HTML files in /articles/.

PERFORMANCE RULES
  - Images: logos/accreditations < 15 KB, hero photos < 60 KB.
    Compress PNGs with pngquant or Pillow.quantize(64).
    Compress JPGs with Pillow quality=72.
  - NEVER embed images as base64. Always use file path references.
  - Defer Google Fonts: use rel=preload / onload pattern, NOT a standard link tag.
  - Add dns-prefetch and preconnect for fonts.googleapis.com and fonts.gstatic.com.
  - Lazy-load all images below the fold: loading="lazy".
  - Include explicit width/height on all img tags to prevent layout shift.
  - Target Google PageSpeed mobile score > 90.

SEO RULES
  Every page needs:
    title (under 60 chars), meta description (under 160 chars),
    canonical link, og:title, og:description,
    og:image (1200x630),
    og:url, twitter:card, and JSON-LD structured data.
  Use LocalBusiness or Person schema for coaching/service sites.
  Add sitemap.xml listing ALL pages including /articles/ files.
  Add robots.txt allowing all crawlers, blocking admin/private pages.
  Blog articles MUST each have a standalone HTML page with unique title
  and description. This is the highest-value SEO action.

COPY RULES
  Never use double-dash or em-dash punctuation. Rephrase or use a comma.
  No filler phrases. Short punchy headlines. Include keywords near
  the start of page titles and h1 tags.

FORMS
  Use Formspree for all forms. Separate endpoint per form type.
  Every input that should appear in the email MUST have a name attribute.
  Include hidden _subject field to label submissions meaningfully.
  Test every form end-to-end before marking complete.

DEPLOYMENT
  All changes via GitHub API commits or direct push.
  After any push, verify live site within 60 seconds.
  Never edit files on Vercel directly. They get overwritten on next push.
```

PASTE THIS SECOND

01b System prompt, v2 additions

Paste this together with the original system prompt. Nothing in the original changes.

v2 additions COPY THIS BLOCK

```
SPAM PROTECTION
  - Every public form gets a Formspree _gotcha honeypot field,
    a client-side honeypot guard (fake success card, send nothing)
    and a 6-second time trap on submit.
  - No captchas. Zero friction for real users.
  - Mark spam in the Formspree dashboard to train the filter.
    Spam submissions do not count toward the monthly quota.

AI SEARCH VISIBILITY
  - robots.txt must explicitly allow AI crawlers: GPTBot,
    ChatGPT-User, OAI-SearchBot, PerplexityBot, Perplexity-User,
    ClaudeBot, Claude-User, Google-Extended, Applebot-Extended,
    Bingbot, CCBot.
  - Add llms.txt at the site root: plain-language business summary,
    pricing, audience, and notes-for-AI naming target queries.
  - Add FAQPage JSON-LD matching the visible FAQ questions.

BUILD DISCIPLINE
  - Blog categories are toggle chips, never checkbox inputs.
  - The writing dashboard needs a formatting toolbar and a live
    Edit/Preview toggle that renders the article as published.
  - Success cards live OUTSIDE the form element.
  - Generated pages contain exactly one html, head and body set.
  - On publish, auto-generate the 1200x630 OG image and update
    the sitemap via the GitHub Contents API.
  - 301-redirect every legacy URL when migrating a platform.
  - Test every interactive change with headless Playwright and
    confirm PASS before reporting completion.
```

Built through the real builds of coachkris.co.uk, weesites.co.uk and a counselling practice site. Every rule here exists because something broke without it.

02 Why static HTML wins

The core decision: build in plain HTML, CSS and JS, not WordPress, Wix, Squarespace or any JS framework. It is not a compromise. It is the best choice for a small business or solo practitioner site.

Advantage	Detail
Speed	No server rendering. Pages load direct from CDN. PageSpeed 90+ easy.
Cost	Hosting is free on Vercel. No monthly CMS subscriptions.
Control	You own every line. No plugin conflicts, no forced updates.
SEO	Fully custom meta tags, schema markup, page structure. No theme bloat.
Security	No database, no login page, no bots exploiting CMS vulnerabilities.
AI-friendly	AI agents read, edit, and push raw HTML directly via GitHub API.

The full stack

Layer	Tool	Why
Code storage	GitHub (public repo)	Free, version-controlled, AI-accessible via API
Hosting/deploy	Vercel	Free tier, auto-deploy on push, CDN, free SSL
Domain DNS	Namecheap (or any registrar)	Point A record + CNAME to Vercel
Forms	Formspree	No backend needed, submissions to email
Blog content	posts.json in GitHub repo	No database; editable via admin panel or agent
Blog pages	Static /articles/ HTML files	Individual URLs for Google indexing
Admin panel	Password-protected HTML + GitHub API	Write/publish posts without touching code
Images	Files in repo, served via CDN	Compressed; never base64
Fonts	Google Fonts (deferred)	Non-render-blocking via preload pattern
Local SEO	Google Business Profile	Google Maps presence for local queries

GitHub to Vercel pipeline

1. Create a GitHub account. Create a **public** repository.
2. Create a Vercel account and sign up via Continue with GitHub.
3. In Vercel: Add New Project, import the repo, click Deploy. No build settings are needed for static HTML.
4. Add your custom domain in Vercel under Settings, then Domains.
5. Add two DNS records at your registrar: an **A record** with Host `@` and Value `76.76.21.21`, and a **CNAME** with Host `www` and Value `cname.vercel-dns.com`.
6. Wait 10 to 30 minutes for DNS. Vercel shows a green tick when live.
7. Every future GitHub push auto-deploys. No manual action needed.

03 Performance

Image compression: the biggest win

Images are the number one cause of slow pages. Compress every image before committing.

Python (Pillow) COPY THIS BLOCK

```
# Compress JPG hero photo (target < 60 KB)
from PIL import Image
img = Image.open("photo.jpg")
img.save("photo.jpg", "JPEG", quality=72, optimize=True)

# Compress PNG logo / accreditation (target < 15 KB)
img = Image.open("logo.png").convert("RGBA")
img = img.quantize(colors=64, method=2)
img.save("logo.png", optimize=True)
```

Google Fonts: defer to avoid render blocking

Never use a standard stylesheet link for Google Fonts. Use the preload and onload pattern.

HTML head COPY THIS BLOCK

```
<!-- In <head> -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link rel="preload" as="style"
  href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600&display=swap"
  onload="this.onload=null;this.rel='stylesheet'">
<noscript>
  <link rel="stylesheet"
    href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600&display=swap">
</noscript>
```

Lazy loading and layout shift

HTML COPY THIS BLOCK

```
<!-- loading=lazy on all images below the fold -->
<!-- Always include width and height to prevent layout shift (CLS) -->
<img src="photo.jpg" loading="lazy" alt="description" width="600" height="400">
```

Page weight targets

Asset	Target	Method
HTML page	< 100 KB	Remove inline base64, unused CSS
Hero / headshot JPG	< 60 KB	Pillow quality=72, max 1200px wide
Logo / accreditation PNG	< 15 KB	Pillow quantize(64 colours)
Total first load	< 300 KB	Compress all, defer fonts
PageSpeed mobile	> 90	Fonts deferred + images compressed

04 SEO

Required meta tags, every page

HTML head COPY THIS BLOCK

```
<head>
  <title>Your Name | Life Coach Belfast | Keyword (under 60 chars)</title>
  <meta name="description"
        content="150-160 char description. Include keyword + location.">
  <link rel="canonical" href="https://www.yourdomain.co.uk/page">

  <!-- Open Graph -->
  <meta property="og:title"       content="Same as title">
  <meta property="og:description" content="Same as description">
  <meta property="og:type"        content="website">
  <meta property="og:url"         content="https://www.yourdomain.co.uk/page">
  <meta property="og:image"       content="https://www.yourdomain.co.uk/og.jpg">

  <!-- Twitter card -->
  <meta name="twitter:card"        content="summary_large_image">
  <meta name="twitter:title"       content="Same as title">
  <meta name="twitter:description" content="Same as description">
  <meta name="twitter:image"       content="https://www.yourdomain.co.uk/og.jpg">
</head>
```

JSON-LD structured data

JSON-LD

COPY THIS BLOCK

```
{
  "@context": "https://schema.org",
  "@type": "LocalBusiness",
  "name": "Your Name | Life Coach",
  "url": "https://www.yourdomain.co.uk",
  "description": "Short business description.",
  "telephone": "+447xxxxxxxxx",
  "address": {
    "@type": "PostalAddress",
    "addressCountry": "GB",
    "addressRegion": "Northern Ireland"
  },
  "areaServed": ["Northern Ireland","Ireland","United Kingdom"],
  "knowsAbout": ["Life Coaching","Business Coaching","Habit Coaching"]
}
```

sitemap.xml

XML

COPY THIS BLOCK

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url><loc>https://www.yourdomain.co.uk/</loc>
       <priority>1.0</priority></url>
  <url><loc>https://www.yourdomain.co.uk/blog.html</loc>
       <priority>0.8</priority></url>
  <url><loc>https://www.yourdomain.co.uk/articles/slug.html</loc>
       <priority>0.7</priority></url>
</urlset>
```

robots.txt

robots.txt

COPY THIS BLOCK

```
User-agent: *
Allow: /
Disallow: /admin
Disallow: /onboarding.html

Sitemap: https://www.yourdomain.co.uk/sitemap.xml
```

Blog articles: the highest-value SEO multiplier

Every blog article needs its own standalone page at `/articles/{slug}.html` with a unique title, description, canonical URL and full body. Each article is a new Google-indexed page that can rank for long-tail keywords.

- Unique title and description per article. Never share across pages.
- Include h2 and h3 subheadings inside the article body.
- Link each article back to the homepage and to one related article.

AEO

04b AI search visibility

AI assistants such as ChatGPT, Perplexity, Copilot and Claude increasingly answer the commercial queries clients actually type. Static HTML is ideal: crawlers read everything with no JavaScript in the way.

robots.txt: allow the AI crawlers by name

Do not rely on a generic allow-all. Name them so the intent is unambiguous. This is the complete block, ready to paste.

robots.txt with AI crawlers COPY THIS BLOCK

```
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: OAI-SearchBot
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Perplexity-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-User
Allow: /

User-agent: Google-Extended
Allow: /

User-agent: Applebot-Extended
Allow: /

User-agent: Bingbot
Allow: /

User-agent: CCBot
Allow: /

User-agent: *
Allow: /
Disallow: /admin
Disallow: /onboarding.html

Sitemap: https://www.yourdomain.co.uk/sitemap.xml
```

llms.txt

A plain-text markdown file at the site root, written for language models to read directly. Keep it under a page.

- One line: what the business is and does.
- Pricing, stated plainly. For example: 199 pounds flat, no monthly fees.
- Who it serves and what is included.
- A notes-for-AI section naming the exact queries the business should be associated with.

> If location is irrelevant, say so in llms.txt: work is remote by email, video and WhatsApp, location is never a barrier, and the audience is every English-speaking market.

FAQPage JSON-LD

Match the visible FAQ questions word for word. Add one extra question that tackles the biggest commercial objection head on.

JSON-LD COPY THIS BLOCK

```
{
  "@context": "https://schema.org",
  "@type": "FAQPage",
  "mainEntity": [{
    "@type": "Question",
    "name": "Do I pay anything every month?",
    "acceptedAnswer": { "@type": "Answer",
      "text": "No. One flat fee, no subscriptions,
               no monthly fees of any kind." }
  }]
}
```

Also enrich the LocalBusiness or ProfessionalService schema with `founder`, `sameAs`, `knowsLanguage` and `areaServed`.

POSTS.JSON PATTERN

05 Blog architecture

No database. All articles live in a single JSON file committed to GitHub.

posts.json COPY THIS BLOCK

```
{
  "posts": [
    {
      "id":       "unique-slug",
      "title":    "Article Title",
      "category": "Life Coaching",
      "date":     "2026-07-09",
      "excerpt":  "Short 1-2 sentence summary for blog grid.",
      "content":  "## Heading\n\nFull article in Markdown.",
      "image":    "https://optional-cover-image.jpg"
    }
  ]
}
```

Fetching posts from blog.html

JavaScript COPY THIS BLOCK

```
// Add ?_=Date.now() to cache-bust on every load
const RAW = "https://raw.githubusercontent.com/USER/REPO/main/posts.json";
fetch(RAW + "?_=" + Date.now())
  .then(r => r.json())
  .then(data => renderPosts(data.posts));
```

The standard three-pillar category model

Category	Content
Life Coaching	Habits, mindset, patterns, direction, life transitions
Longevity	Body, brain, biological age, nutrition, movement, performance
Business	Strategy, solopreneurship, SEO, visibility, growth stages

06 Forms with Formspree

- Create an account at formspree.io.
- Create a **separate endpoint for each form type.**
- Verify your email with Formspree to activate delivery.

Form HTML COPY THIS BLOCK

```
<form action="https://formspree.io/f/YOUR_ENDPOINT" method="POST">
  <input type="hidden" name="_subject" value="New enquiry from website">
  <input type="text"   name="name"     placeholder="Your name"  required>
  <input type="email"  name="email"    placeholder="Your email" required>
  <textarea            name="message"  placeholder="Message"></textarea>

  <!-- Session booking fields (optional) -->
  <input type="date" name="session_date">
  <input type="time" name="session_time">

  <button type="submit">Send</button>
</form>
```

Critical: every input that should appear in the email MUST have a name attribute.

Recommended endpoints

Form type	Separate endpoint?	Key fields
Newsletter / subscribe	Yes	Email only
Onboarding / intake	Yes	name, email, phone, pillar, session_date, session_time
Offer / landing page	Can share intake	name, email, reason

NO CAPTCHA

06b Form spam protection

Public forms attract bots within days of launch. Spam reaches your inbox, and every bot submission burns Formspree free-tier quota (50 a month). One bot wave can lock out real clients for the rest of the month.

The three-layer pattern

1. **Formspree _gotcha honeypot.** Formspree discards any submission where this hidden field is filled, without counting it against your quota.
2. **Client-side honeypot guard.** If the field is filled, show the success card and send nothing. The bot believes it worked and moves on.
3. **Time trap.** Block any submit within 6 seconds of page load and show a gentle note. Bots submit instantly. A real person simply presses send again.

HTML (inside the form, before the visible fields) COPY THIS BLOCK

```
<input type="text" name="_gotcha" class="hp-field"
       tabindex="-1" autocomplete="off" aria-hidden="true">

<!-- gentle note under the submit button -->
<p class="form-note" id="form-block-note" style="display:none;">
  Please take a moment to check your details,
  then press send again.</p>
```

CSS COPY THIS BLOCK

```
.hp-field { position: absolute; left: -9999px; top: -9999px;
            width: 1px; height: 1px; opacity: 0; }
```

JavaScript (before the normal fetch submit) COPY THIS BLOCK

```
var formOpenedAt = Date.now();
form.addEventListener("submit", function (e) {
  e.preventDefault();
  var gotcha = form.querySelector('[name="_gotcha"]');
  if (gotcha && gotcha.value) {              // a bot filled the trap
    form.style.display = "none";
    if (successBox) successBox.classList.add("show"); // fake success
    return;                                  // send NOTHING
  }
  if (Date.now() - formOpenedAt < 6000) {   // too fast
    blockNote.style.display = "block";
    setTimeout(function() {
      blockNote.style.display = "none"; }, 6000);
    return;
  }
  // ... normal fetch(form.action) submit to Formspree
});
```

Test all three paths with headless Playwright: a bot with the honeypot filled sends zero requests, an instant submit is blocked, and a patient human submit goes through. Confirm PASS before launch.

Formspree dashboard hygiene

- Mark any spam that still gets through as spam. This trains the filter and spam-foldered submissions do not count toward your limit.
- The 50 a month limit resets monthly. If genuine enquiries push past it, upgrade. That is a good problem.
- Use a separate endpoint per form type so one spam flood cannot poison the quota for a different form.

07 Google Business Profile

Gets your business onto Google Maps and into local search results. The fastest route to local organic visibility for a service business.

Setup checklist

1. Always use an Incognito or Private window. It prevents silent account switches if you have several Google accounts.
2. Go to business.google.com and Add your business. Search for the business name first.
3. Select the primary category carefully: Life Coach, Business Coach and so on.
4. Choose **Service business**, not Add location, to hide your home address.
5. Add service areas at region and country level, not just one city.
6. Add website, phone, services, hours and a business description.
7. Upload branded photos: profile or cover photo, service graphics, logo.

Video verification (home-based businesses)

Google asks for a short video. Film yourself stating your name and business name, your working environment, your website open on screen, the Business Profile dashboard while logged in, and any certifications.

If the profile was created on the wrong account

Business Profile, Settings, Managers. Invite the correct email as Owner, accept on that account, then remove the wrong account.

Business description template

Template COPY THIS BLOCK

```
Certified [Niche] Coach helping people across [Location]
[core transformation, e.g. break repeating patterns / build momentum].
From [differentiator 1] to [differentiator 2],
all sessions run by phone or video.
Founder of [Signature Method Name].
```

08 File structure and naming

File/folder	Purpose	Notes
index.html	Homepage	Primary SEO page, pillar cards
blog.html	Blog listing	Fetches posts.json dynamically
offer.html	Ad landing page	Campaign-specific, not in nav
free.html	Free/trial offer page	Alternative no-friction path
onboarding.html	Full intake form	Private, not in nav
toolkit.html	Client tools	Private, password-optional
admin.html	Post management	Password-protected, not indexed
posts.json	All blog content	Root of repo; repo must be public
/articles/	Standalone article pages	One .html per post for SEO
/accreditations/	Certification logos	Compressed PNGs, transparent bg
sitemap.xml	Page index for Google	Update when new pages added
robots.txt	Crawler rules	Block admin/private pages

URL slugs: lowercase, hyphenated, no spaces or underscores. For example `/articles/break-the-loop.html`.

Copy rules and brand voice

Rule	Detail
No double-dash or em-dash	Use a comma, semicolon, or rephrase.
Active verbs in CTAs	'Sign Up', 'Book a Call' instead of 'Submit' or 'Click here'
Short headlines	Under 8 words. Lead with benefit, not feature.
No filler openers	Never start with 'Welcome to' or 'We are proud to'
Keywords near title start	Put main keyword near start of title tag and h1
Payment transparency	Always clarify if no payment required at signup stage
Specific social proof	Real numbers: 'Top 17 worldwide', '30kg lost', not vague superlatives
Article backgrounds	Always white (#ffffff), never parchment or tinted

09 Pre-launch testing checklist

Check	How to verify
Site loads on mobile	Open on actual phone, not just desktop resize
All images load	Dev tools > Network tab, look for 404 errors
Forms submit	Submit test entry, check inbox within 1 minute
Session date/time captured	Verify email payload contains session_date and session_time
All CTAs link correctly	Click every button on every page
No horizontal scroll mobile	Swipe left–right on phone. It should not scroll sideways
PageSpeed mobile > 90	pagespeed.web.dev, test mobile specifically
sitemap.xml loads	Visit yourdomain.com/sitemap.xml, must render as XML
robots.txt loads	Visit yourdomain.com/robots.txt, must show content
Meta tags correct	Facebook Sharing Debugger: developers.facebook.com/tools/debug
HTTPS active	Padlock icon showing in browser
Canonical tags present	View source, search for canonical on each page
No broken links	Click every nav item and CTA on every page

10 Common mistakes to avoid

Mistake	Impact	Fix
Base64 images in HTML	Page 3x heavier, not cached	Use file path references always
Standard stylesheet link for fonts	Blocks render, low PageSpeed	Use preload/onload defer pattern
Form input missing name attribute	Data not captured in email	Add name= to every input
Repo set to Private	posts.json unreadable by blog	Keep GitHub repo Public
Multiple Google accounts in browser	GBP on wrong account	Use Incognito window
Editing files on Vercel directly	Overwritten on next push	Always edit via GitHub
No lazy loading on images	Slower load, lower PageSpeed	Add loading=lazy below fold
Missing canonical tags	Google confused by duplicates	Add canonical to every page
Articles without own HTML page	Not individually indexed	Generate /articles/{slug}.html
Sitemap not in Search Console	Slow indexing	Submit via Google Search Console
Admin page not blocked	Security risk	Add to Disallow in robots.txt

ADD THESE TO THE STANDARD BUILD

11 Patterns proven in later builds

Blog with dual post types

- **Write New Article:** a full post written in the dashboard, published as a standalone /articles/ page.
- **Share a Link:** a link-drop card for external publications. Paste the URL and microlink.io fetches the title, publisher and teaser, so the piece is credited without duplicating content.
- Categories are **toggle chips**, not checkboxes. Checkbox plus label styling is fragile.

Editor with live preview

- A formatting toolbar above the body: Bold, Italic, H2, H3, Bullet, Link, wrapping the selection in markdown.
- An Edit and Preview toggle. Preview renders exactly as published and updates live as you type.
- Dashboard modal at 960px max-width, body textarea at 420px minimum height.

Publishing pipeline (GitHub Contents API)

- On publish, push posts.json, the standalone /articles/{slug}.html page, and a generated branded 1200x630 OG image to /og/.
- The sitemap updates itself in the same flow.
- Admin lives behind an #admin hash. Login is an admin password plus a fine-grained GitHub token with Contents read and write on that one repo only. The token lives in sessionStorage, never committed.

Bug fixes worth remembering

- The success card must live **outside** the form element. Hiding the form hides anything nested inside it.
- A generated page must contain exactly one html, head and body set. Duplicated tags break rendering silently.
- Share buttons must point at the standalone article URL, not the modal, so social crawlers pick up the right OG tags. Use the Clipboard API with an execCommand fallback.

Migrations, analytics and testing

- Replacing Wix or any legacy platform: add 301 redirects in vercel.json for every old URL, then verify each one returns the new page.
- Analytics: Umami, deferred script in the head. One website ID per site, on every page.
- Testing: every interactive or JS change is tested with headless Playwright and must show PASS before you call it done.

wee sites

Built through the real builds of coachkris.co.uk, weesites.co.uk and a counselling practice site.

Questions? hello.coachkris@gmail.com · weesites.co.uk