Lab 6: Very basics of Using Odoo.


Daniel Camba Lamas

Install the latest Odoo-v9 and create a database.

Lo he hecho desde MacOS por lo que para simplificarme la existencia he utilizado Docker, los pasos (suponiendo Docker instalado) son los siguientes.

- 1. docker pull odoo
- docker run -d -e POSTGRES_USER=odoo -e
 POSTGRES_PASSWORD=odoo --name db postgres:9.4
- 3. docker run -p 8069:8069 --name odoo --link db:db -t odoo

De esta forma ya tendríamos abierta una instancia de *Odoo* totalmente funcional, accedemos a ella desde http://o.o.o.o:8069 y visualizamos un formulario para crear nuestra primera base de datos las cual rellenará con datos de muestra si así lo queremos. **Ésta base de datos se crea con 189 filas**.




Lo cual por detrás hace algo similar a...

```
2016-11-14 17:14:50,894 1 INFO None odoo. service.db: [reste database in .ndoo'.
2016-11-14 17:14:50,894 1 INFO None odoo. service.db: [reste database in .ndoo'.
2016-11-14 17:14:55,892 1 INFO sn. odoo odoo. modules.loading: loading | modules...
2016-11-14 17:14:55,392 1 INFO sn. odoo odoo. modules.loading: loading | modules...
2016-11-14 17:14:55,393 1 INFO sn. odoo odoo. models: Computing parent left and right for table ir ui.menu...
2016-11-14 17:15:10,394 1 INFO sn. odoo odoo. models: Storing computed values of ir.module.module fields menus by module, reports_by_module |
2016-11-14 17:15:10,494 1 INFO sn. odoo odoo. models: Storing computed values of ir.module.module fields menus by module, reports_by_module |
2016-11-14 17:15:10,426 1 INFO sn. odoo odoo. models: Storing computed values of ir.actions.rever fields crum_model_name |
2016-11-14 17:15:10,420 1 INFO sn. odoo odoo. models: Storing computed values of ir.actions.report.xml fields report_file |
2016-11-14 17:15:10,420 1 INFO sn. odoo odoo. models: Storing computed values of ir.actions.report.xml fields report_file |
2016-11-14 17:15:10,430 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields global |
2016-11-14 17:15:10,430 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields global |
2016-11-14 17:15:10,430 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields global |
2016-11-14 17:15:10,431 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields global |
2016-11-14 17:15:10,431 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields momerial_company_name, commercial_partner_id, display_name |
2016-11-14 17:15:10,431 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields momerial_company_name, commercial_partner_id, display_name |
2016-11-14 17:15:10,431 1 INFO sn. odoo odoo.models: Storing computed values of ir.rule fields momerial_company_name, commercial_partner_id, display_name |
2016-11-14 17:15:10,431 1 INFO sn. odoo odoo.models: Storing comput
```


Para generar la susodicha base de datos, que se parece a...

```
2. Shell
$ psql sn_odoo
psql (9.4.10)
Type "help" for help.
sn_odoo=# \d
                                          List of relations
 Schema |
                                                                                                  | Owne
            base_import_import
base_import_import_id_seq
 public |
                                                                                      table
                                                                                                     odoo
 public
                                                                                       sequence
                                                                                                     odoo
 public |
             base_import_tests_models_char
                                                                                       table
                                                                                                     odoo
             base_import_tests_models_char_id_seq
base_import_tests_models_char_noreadonly
 public
                                                                                      sequence
                                                                                                     odoo
 public |
                                                                                       table
                                                                                                     odoc
             base_import_tests_models_char_noreadonly_id_seq
base_import_tests_models_char_readonly
 public
                                                                                      sequence
                                                                                                     odoo
 public
                                                                                       table
                                                                                                     odoo
             base_import_tests_models_char_readonly_id_seq
base_import_tests_models_char_required
 public
                                                                                       sequence
                                                                                                     odoo
 public
                                                                                       table
 public
             base_import_tests_models_char_required_id_seq
                                                                                       sequence
                                                                                                     odoo
             base_import_tests_models_char_states
base_import_tests_models_char_states_id_seq
 public
                                                                                       table
                                                                                                     odoo
 public
                                                                                       sequence
                                                                                                     odoo
             base_import_tests_models_char_stillreadonly
base_import_tests_models_char_stillreadonly_id_seq
 public
                                                                                       table
                                                                                                     odoo
 public
                                                                                       sequence
                                                                                                     odoo
             base_import_tests_models_m2o
 public
                                                                                       table
                                                                                                     odoo
            base_import_tests_models_m2o_id_seq
base_import_tests_models_m2o_related
base_import_tests_models_preview_id_seq
base_language_export
 public
                                                                                      sequence
                                                                                                     odoo
 public
                                                                      public | base_import_tests_
 public
                                                                                       sequence
                                                                                                     odoo
 public
                                                                                       table
                                                                                                     odoa
             base_language_export_id_seq
 public
                                                                                       sequence
                                                                                                     odoo
             base_language_import
base_language_import_id_seq
 public
                                                                                       table
 public
                                                                                       sequence
                                                                                                     odoo
             base_language_install
base_language_install_id_seq
 public
                                                                                       table
                                                                                                     odoo
 public
                                                                                       sequence
                                                                                                     odoo
             base_module_configuration
 public
                                                                                       table
                                                                                                     odoo
 public
             base_module_configuration_id_seq
                                                                                       sequence
                                                                                                     odoo
 public
             base_module_update
                                                                                       table
                                                                                                     odoo
 public
             base_module_update_id_seq
                                                                                       sequence
                                                                                                     odoo
 public
                                                                                       table
             base_module_upgrade
                                                                                                     odoo
 public |
             base_module_upgrade_id_seq
                                                                                       sequence
```


Para finalmente visualizar en el navgador lo siguiente...



Create a Company (invent a name) that you will use throughout this lab.



View Products (auto added).



View Clients (auto added).

