


2일차

2019년 9월 4일 수요일 오전 10:03

교수님에게 우리의 깃허브 주소를 교수님 레포지토리에 저장해보자



```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2
$ git clone https://github.com/SoHyeonPark9714/daelim_2019_2.git
```

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2
$ git clone https://github.com/SoHyeonPark9714/daelim_2019_2.git
Cloning into 'daelim_2019_2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
```

그러면 이렇게 된다.

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2
$ cd daelim_2019_2

user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ code index.md
```

이렇게 입력하면 된다.

교수님의 레퍼지토리에 index.md 에

```
* 박소현(201840213)
저장소: https://github.com/SoHyeonPark9714/php_201840213
```

입력하고 저장한다.

그리고 깃으로 돌아가서

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.md

no changes added to commit (use "git add" and/or "git commit -a")
```

붉은색으로 수정된 파일이 나오게 된다.

그러면 다시 수정된 파일을 깃허브에 올려줘야 한다.

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git add index.md
```

커밋을 해주자

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.md
```

그리고 다시 보면 초록색으로 바뀌게 된다.

그러면 이제 커밋을 다시 해보자

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git commit -m "report 201840213"

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'user@MOBILEJ0509-27.(none)')

user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git config user.email "at971004rt@gmail.com"
```

위애가 이렇게 나온 이유는 커밋하는 사람이 누구냐고 물어보는것이기 때문에 저장 하는사람이 누군지 알려줘야한다.

지금 필자가 쓰고있는 컴퓨터는 본인의 컴퓨터가 아니기 때문에 일일이 지정해줘야 한다.

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git config user.name "SoHyeonPark"
```

깃 워킹트리 스테이징에 대해 알아본다.

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git commit -m "report 201840213"
[master fe888ca] report 201840213
1 file changed, 2 insertions(+), 2 deletions(-)
```

```
user@MOBILEJ0509-27 MINGW64 /d/daelim_2019_2/daelim_2019_2 (master)
$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 348 bytes | 348.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/SoHyeonPark9714/daelim_2019_2.git
   c1lab8a..fe888ca master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

깃허브로 다시 업로드 해줬다.

컴포저 라고 하는 것을 사용해보자

```
user@MOBILEJ0509-27 MINGW64 /d/jiny
$ composer

Composer version 1.9.0 2019-08-02 20:55:32

Usage:
  command [options] [arguments]


Options:
  -h, --help                Display this help message
  -q, --quiet                Do not output any message
  -V, --version              Display this application version
                          --ansi                Force ANSI output
                          --no-ansi             Disable ANSI output
  -n, --no-interaction      Do not ask any interactive question
  --profile                  Display timing and memory usage information
  --no-plugins               Whether to disable plugins.
  -d, --working-dir=WORKING-DIR If specified, use the given directory as working directory.
  --no-cache                Prevent use of the cache
  -vv|vv|vvv, --verbose     Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug
```

```
user@MOBILEJ0509-27 MINGW64 /d/jiny
$ composer global require jiny/installer
Changed current directory to C:/Users/user/AppData/Roaming/Composer
Using version ^0.1.0 for jiny/installer
./composer.json has been created
Loading composer repositories with package information
Updating dependencies (including require-dev)
Package operations: 14 installs, 0 updates, 0 removals
 - Installing symfony/process (v4.3.4): Downloading (100%)
 - Installing symfony/polyfill-ctype (v1.12.0): Downloading (100%)
 - Installing symfony/filesystem (v4.3.4): Downloading (100%)
 - Installing psr/container (1.0.0): Downloading (100%)
 - Installing symfony/service-contracts (v1.1.6): Downloading (100%)
 - Installing symfony/polyfill-php73 (v1.12.0): Downloading (100%)
 - Installing symfony/polyfill-mbstring (v1.12.0): Downloading (100%)
```

```
user@MOBILEJ0509-27 MINGW64 /d/jiny
$ jiny new myweb
Crafting application...
Download version file = 0.2.2.zip
```

```
user@MOBILEJ0509-27 MINGW64 /d/jiny
$ cd myweb

user@MOBILEJ0509-27 MINGW64 /d/jiny/myweb
$ php -S localhost:8080
PHP 7.2.21 Development Server started at Wed Sep  4 11:29:33 2019
Listening on http://localhost:8080
Document root is D:\jiny\myweb
Press Ctrl-C to quit.
[Wed Sep  4 11:29:41 2019] ::1:62253 [200]: /
[Wed Sep  4 11:29:41 2019] ::1:62254 [200]: /public/assets/carouse].css
```




```


PS D:\phpstudy> php -S localhost:8888
PHP 7.2.21 Development Server started at Wed Sep  4 11:43:45 2019
Listening on http://localhost:8888
Document root is D:\phpstudy
Press Ctrl-C to quit.
[Wed Sep  4 11:44:07 2019] ::1:62535 [404]: / - No such file or directory
[Wed Sep  4 11:45:32 2019] ::1:62559 [200]: /phpinfo.php
[Wed Sep  4 11:45:58 2019] ::1:62563 [200]: /phpinfo.php
[Wed Sep  4 11:45:58 2019] ::1:62564 [404]: /favicon.ico - No such file or directory

```

Php 서버를 키고
밑에처럼 입력하면




PHP Version 7.2.21




System	Windows NT MOBILEX509-27 10.0 build 14393 (Windows 10) AMD64
Build Date	Jul 30 2019 13:04:12
Compiler	MSVC15 (Visual C++ 2017)
Architecture	x64
Configure Command	cmd /c "noloco configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\wdeps_aux\oracle\w64\instantclient_12_1\sdk\shared" "--with-oci8-12c=c:\php-snap-build\wdeps_aux\oracle\w64\instantclient_12_1\sdk\shared" "--enable-object-out-dir=.\obj" "--enable-com-dotnet=shared" "--without-analyzer" "--with-pgo"
Server API	Built-in HTTP server
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\Windows
Loaded Configuration File	C:\php\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20170718
PHP Extension	20170718
Zend Extension	320170718
Zend Extension Build	API320170718,TS,VC15
PHP Extension Build	API20170718,TS,VC15
Debug Build	no
Thread Safety	enabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	php, file, glob, data, http, ftp, zip, compress.zlib, https, ftps, phar
Registered Stream Socket Transports	tcp, udp, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2
Registered Stream Filters	convert.conv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, zlib.*




This program makes use of the Zend Scripting Language Engine:

Zend Engine v3.2.0, Copyright (c) 1998-2018 Zend Technologies




현재 설치한 php 에 대한 정보가 나오게 된다.









이런식으로 page.php와 page.html을 만들어 준다.




이렇게 하면 page.html에서 작업한것이 나온다.




```
index • phpinfo.php • page.html • page.php •
phpstudy > page.php
1 <?php
2 $body = file_get_contents("page.html");
3 $name = $_GET['name'];
4 $body = str_replace("{daelim}",$name,$body);
5 echo $body;
6
```



URI에 붙일때 마다 옆에 쓰인다.



이렇게 하면 이렇게 읽힌다.



Public 이라는 폴더를 만들고 index.php와 .htaccess 를 이동하고 원하는 파일을 읽어 오면 이렇게 된다



```
phpinfo.php x page.html (deleted) page.php (deleted) .htaccess
phpstudy > public > index.php
1 <?php
2
3 $body = file_get_contents("../theme/index.html");
4 echo $body;
5
```

- [Start Bootstrap](#)
- [Home \(current\)](#)
 - [About](#)
 - [Services](#)
 - [Contact](#)

A Warm Welcome!

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ipsa, ipsam, eligendi, in quo sunt possimus non incidunt odit vero aliquid similique quaerat nam nobis illo aspernatur vitae fugiat numquam repellat.

[Call to action!](#)





이렇게 나오는데 지금 css가 연동이 되지 않아서 이런 현상이 일어나게 된다.

그래서 public 이라는 폴더 안에 vender폴더와 css 폴더를 public 폴더로 옮긴다.
그다음 theme폴더에 있는 indexhtml의 경로를 변경 해준다.

```
<link href="/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">


<!-- Custom styles for this template -->
<link href="/css/heroic-features.css" rel="stylesheet">
```

그렇게 하면



작업을 위해

맨 위 부분을 다른곳으로 보내버리고 이렇게 만들자



우리는 hello.html을 다른 곳으로 보내고 거기서 불러오게끔 작업을 한 것 이다.
 index.php에 hello.html 에서 아까 복사한 부분을 사용하겠다는 php 명령을 넣어준것 이다.
 그리고 URI 창에 입력을 해줄때 aaa/hello를 입력하면 이렇게 나오게 된다.

