Summary Report, v3: Aggregation Views from the Literature, Every Combination, and Parameters with Standard Errors

2026

1 Setup

1.1 Shared setup (identical across versions)

- **Suite.** 31 datasets: 11 entity matching (EM), 6 schema matching (SM), 11 table question answering and understanding (TQA), 3 financial documents (FIN). Official test or dev splits only; 150 items per dataset by seeded stratified sampling, 100 flagged for answering (OfficeQA Pro V2: 90; Alaska schema: 93); 3,083 answered items per model. Entity-matching pools are 50/50 match / non-match (Papadakis–Christen keeps its real 1.8 % ratio); schema matching is one question per source column with a candidate list; BIRD is graded on the executed result of the gold SQL.
- **Answers.** Eleven models (Claude Opus 5, Claude Sonnet 5, GPT-5.5, GPT-5.4-mini, Gemini 3.1 Pro, Gemini 3.8 Flash, Grok 4, DeepSeek-chat, DeepSeek-R1, gpt-oss-120b, Llama 3.3 70B); one prompt per item ending in `FINAL ANSWER: <answer>`; temperature 0 where accepted (Claude 5 and GPT-5.5 ran at provider defaults, recorded per row); output budget 700 tokens with mechanical re-asks at 2,500, 8,000, 16,000 and 32,000 for replies cut off before a final line (the budget is counted in each provider's own tokens and, for reasoning models, includes the chain of thought, so it is a termination test rather than an equal text allowance; 55 DeepSeek-R1 answers never terminate at 32,000 and are scored as given); every answer cached with tokens, cost and finish reason. The same cache feeds every version, so leaderboards are directly comparable.
- **Scoring primitives.** Extraction of the final line, Unicode / case / punctuation normalisation, number parsing with sign, percent and scale words, alias lists per gold (best alias wins), list golds, a hedge flag. Native metric per dataset: numeric tolerance (1 %) for numeric golds, exact match for text and boolean, ROUGE-L for free-form.
- **Coverage rule.** A model is in the study only if it covered ≥ 90 % of the suite; a dataset counts only items every model answered and only with ≥ 20 such items.
- **Leaderboard machinery.** Bradley–Terry strengths from item-level pairwise wins (MLE, ridge 0.01, SE from the observed information) as the headline pooling; Borda, Kemeny (with cost), Copeland, mean-z, reciprocal-rank fusion and family-balanced z as checks; 1,000 item bootstraps of the Borda and Bradley–Terry ranks; Friedman with Iman–Davenport, Nemenyi CD, Holm-corrected pairwise Wilcoxon across datasets; paired permutation and Wilcoxon per item within datasets (Holm); Kendall's W among datasets; majority-class baselines for boolean sets; post-stratified official-split estimates with a weighted bootstrap and positive-class F1 at the official match ratio; floor / ceiling / self-stability diagnostics per dataset.
- **Sampled designs.** Uniform-lattice, Dirichlet-snapped and Latin-hypercube samples on the weight simplex at step 0.05 (20 seeds each) with centred L_2 discrepancy and nearest-neighbour

distances, compared with the exhaustive optimum where one exists.
- **Reporting.** Each version's `run_all.sh` regenerates its `REPORT.md` from the cached answers; every number in this document is read from those output files.

1.2 What v3 searches

- **Per-answer rule.** None is searched: each dataset keeps its own native metric (numeric tolerance, exact match or ROUGE-L). v3 asks a different question from v2 and v4: not "how should an answer be scored" but "how should per-dataset scores be pooled into one ranking".
- **Eight aggregation views** from the literature, each mapping the models × datasets × items score tensor to one number per model: mean raw score; baseline-normalised mean (Open LLM Leaderboard v2: (raw − random baseline)/(1 − baseline), clipped at 0); mean z across datasets; mean win rate (HELM: fraction of other models beaten per dataset); Borda; Kemeny score; Bradley–Terry strength from item-level pairwise wins (Chatbot Arena); Rasch ability from a one-parameter IRT fit with items as difficulties (tinyBenchmarks). Views are z-scored across models before mixing.
- **Candidates.** Every non-empty equal-weight subset of the eight views (255, including the eight corners and the uniform mix), plus 100 uniform-lattice and 100 Latin-hypercube mixes at step 0.05: 455 candidates.
- **Objective.** $J = 0.5\,\text{stability} + 0.25\,\text{transitivity} + 0.25\,\text{reference}$: stability = mean Kendall τ between the mixed ranking on item-bootstrap resamples and on the full data; transitivity = τ to the Copeland ranking of the per-dataset scores; reference = τ to the Kemeny consensus of the eight single-view rankings. J measures how reproducible and internally consistent a pooled ranking is, not whether it is right.
- **Parameters saved.** Bradley–Terry strengths with analytic SE (vs reference) and bootstrap SD, Rasch abilities with SE and item difficulties with SE, Kemeny order and cost, Copeland, Borda, the win matrix, and per-bootstrap-draw parameters (100 item resamples). Every combination's member parameters, mixed scores, ranks and rank intervals are stored under `data/combos/`.
- **Honesty.** Split-half: 20 random half-splits of the items; the best candidate on half A (20 inner resamples) is scored on half B and compared with pure Bradley–Terry, the uniform mix and the full-data best on half B.
- **Leaderboards.** Native metric (headline) and exact match, each pooled by Bradley–Terry with the full significance battery; the five best mixes are reported with bootstrap rank intervals.

2 Results

2.1 Single views and their mixes

Every view ranks the same model last and nearly the same three models first; the views differ in the middle (Figure 1). Used alone, the views score between 0.841 (Rasch ability) and 0.900 (mean z); the two fitted-parameter views score 0.843 (Bradley–Terry) and 0.841 (Rasch), below the rank-based views, because fitted parameters move more under item resampling. Mixing helps a little: the uniform mix reaches 0.892 and the best subset (2 views) 0.903 (Figure 3, Table 25). The whole candidate range is 0.830–0.903; the sampled designs land within 0.002 of the best subset (Figure **??**).

Table 1: v3 audit summary.

Single views	J alone from 0.841 (Rasch ability) to 0.900 (mean z); Bradley–Terry alone 0.843, Rasch alone 0.841
Best mix	subset_10010000: mean raw 0.50, mean win rate 0.50; $J = 0.903$ (stability 0.902, transitivity 0.81, reference 1.00); uniform mix $J = 0.892$
Candidates	455 (255 subsets + 100 lattice + 100 LHS); J range 0.830–0.903; best per design: subset 0.903, lattice 0.901, LHS 0.901
Split-half honesty	selected mix J 0.926 on half A, 0.903 on half B (optimism gap 0.023); on half B pure BT 0.866, uniform 0.915, full-data best 0.913
Selected minus pure BT (held out)	+0.037, 95 % CI [−0.050, +0.099]; selected ahead in 86 % of splits; 10 distinct mixes selected in 20 splits
Parameters	BT strengths span -0.166 to +0.057 (bootstrap SD ≈ 0.005); Rasch abilities -1.84 to +0.68 (SE ≈ 0.10); Kemeny cost 414 of 1705
Leaderboard (native, BT)	first Gemini 3.8 Flash, then GPT-5.5, Claude Opus 5; last Llama 3.3 70B; Friedman p = 1.4e-14; Kendall's $W = 0.27$
Leaderboard (exact match, BT)	first Claude Opus 5; τ between the native and exact-match BT rankings 0.82




Figure 1: Each view's z-score (left) and rank (right) per model on native-metric scores.




Figure 2: Objective J of each view used alone.




Figure 3: Objective J of the 255 equal-weight subsets by subset size.




Figure 4: View weights of the fifteen best candidate mixes (label and J on the axis).

Table 2: The fifteen best candidate mixes with their weights and objective terms.

rank	label	n_views	w_mean_raw	w_baseline_norm_mean	w_z_mean	w_mean_win_rate	w_borda	w_kemeny_score	w_bradley_terry	w_irt_ability	stability	transitivity	reference	J
1	subset_10010000	2	0.500	0.000	0.000	0.500	0.000	0.000	0.000	0.000	0.902	0.807	1.000	0.903
2	subset_10001000	2	0.500	0.000	0.000	0.000	0.500	0.000	0.000	0.000	0.902	0.807	1.000	0.903
3	subset_10110000	3	0.333	0.000	0.333	0.333	0.000	0.000	0.000	0.000	0.901	0.807	1.000	0.902
4	subset_10101000	3	0.333	0.000	0.333	0.000	0.333	0.000	0.000	0.000	0.901	0.807	1.000	0.902
5	subset_10111010	5	0.200	0.000	0.200	0.200	0.200	0.000	0.200	0.000	0.900	0.807	1.000	0.902
6	subset_11111000	5	0.200	0.200	0.200	0.200	0.200	0.000	0.000	0.000	0.900	0.807	1.000	0.902
7	lhs_060	6	0.150	0.000	0.050	0.500	0.050	0.000	0.200	0.050	0.899	0.807	1.000	0.901
8	lattice_069	7	0.350	0.000	0.100	0.050	0.300	0.050	0.100	0.050	0.897	0.807	1.000	0.901
9	subset_00111010	4	0.000	0.000	0.250	0.250	0.250	0.000	0.250	0.000	0.897	0.807	1.000	0.900
10	lhs_032	6	0.150	0.200	0.150	0.150	0.300	0.000	0.050	0.000	0.896	0.807	1.000	0.900
11	lhs_063	6	0.050	0.150	0.300	0.000	0.350	0.050	0.000	0.100	0.896	0.807	1.000	0.900
12	subset_00100000	1	0.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	0.896	0.844	0.964	0.900
13	subset_00110010	3	0.000	0.000	0.333	0.333	0.000	0.000	0.333	0.000	0.896	0.807	1.000	0.900
14	subset_00101010	3	0.000	0.000	0.333	0.000	0.333	0.000	0.333	0.000	0.896	0.807	1.000	0.900
15	subset_10111001	5	0.200	0.000	0.200	0.200	0.200	0.000	0.000	0.200	0.895	0.807	1.000	0.899

2.2 Honest selection

The split-half test (Figure 5) is the honesty check for the choice of mix. The mix selected on half A loses 0.023 of J on half B, and 20 splits select 10 different mixes. On the held-out half the selected mix beats pure Bradley–Terry by +0.037 with an interval that includes zero, and the plain uniform mix (0.915) does as well as the selected one (0.903). Mixing views is therefore defensible but not demonstrably better than the uniform mix; pure Bradley–Terry is the least reproducible single rule on this suite.




Figure 5: Split-half honesty check: the mix selected on half A scored on both halves, against pure Bradley–Terry, the uniform mix and the full-data best on half B.

Table 3: Split-half summary.

quantity	value
splits	50
inner_resamples	20
J_A_selected_mean	0.926
J_B_selected_mean	0.903
optimism_gap	0.023
J_B_pure_bt_mean	0.866
J_B_uniform_mean	0.915
J_B_full_best_mean	0.913
selected_minus_pure_bt	"mean": 0.03703620168379031, "ci95": [-0.050471041851720196, 0.09879493326676232], "share_selected_ahead": 0.86

2.3 Parameters with standard errors

Table 18 and Figure 6 give the fitted Bradley–Terry strengths and Rasch abilities. The analytic standard errors assume the model is right; the bootstrap SDs (Figure 7) do not, and with ten models they are the ones to quote. Rasch item difficulties are poorly determined (mean SE 7.3,

Figure **??**): with ten responses per item the one-parameter model cannot pin individual items down, which is why the Rasch view is the least stable.

Table 4: Fitted parameters with standard errors (native metric). Kemeny cost 414 of 1705.

model	BT strength	BT SE vs ref	BT bootstrap SD	Rasch ability	Rasch SE	Rasch bootstrap SD	Copeland	Kemeny position
Gemini 3.8 Flash	0.057	0.015	0.005	0.679	0.104	0.076	7.500	3
GPT-5.5	0.054	0.015	0.005	0.625	0.103	0.074	8.500	2
Claude Opus 5	0.040	0.000	0.005	0.604	0.103	0.083	9.500	1
Gemini 3.1 Pro	0.034	0.015	0.005	0.317	0.100	0.067	4.000	7
DeepSeek-R1	0.027	0.015	0.005	0.307	0.099	0.069	4.500	4
Grok 4	0.025	0.015	0.005	0.277	0.099	0.067	5.500	6
Claude Sonnet 5	0.008	0.015	0.005	0.076	0.097	0.069	5.500	5
DeepSeek-chat	-0.004	0.015	0.005	-0.223	0.094	0.068	1.500	9
GPT-5.4-mini	-0.017	0.015	0.005	-0.152	0.094	0.066	2.500	8
gpt-oss-120b	-0.059	0.015	0.006	-0.674	0.090	0.070	0.500	10
Llama 3.3 70B	-0.166	0.015	0.007	-1.835	0.085	0.083	-0.500	11




Figure 6: Fitted Bradley–Terry strengths and Rasch abilities with their uncertainty.




Figure 7: Bootstrap distributions of the Bradley–Terry strengths and Rasch abilities (100 item resamples).

2.4 Leaderboard

Under the native metric pooled by Bradley–Terry, Gemini 3.8 Flash is first ($P(\text{first}) = 0.64$) with GPT-5.5 and Claude Opus 5 next; Borda puts GPT-5.5 first. Exact match puts Claude Opus 5 first. The ends are fixed under every rule and pooling method; Friedman rejects equal models (p = 1.4e-14) while datasets agree only moderately ($W = 0.27$).

Table 5: Leaderboard under the headline rule (native metric).

rank	model	BT strength	SE	Borda rank	Borda 95%	P(first) BT	mean score
1	Gemini 3.8 Flash	0.057	0.015	3	[1, 5]	0.640	0.793
2	GPT-5.5	0.054	0.015	1	[1, 3]	0.340	0.793
3	Claude Opus 5	0.040	0.000	2	[1, 3]	0.010	0.793
4	Gemini 3.1 Pro	0.034	0.015	6	[4, 7]	0.000	0.782
5	DeepSeek-R1	0.027	0.015	4	[3, 7]	0.000	0.783
6	Grok 4	0.025	0.015	7	[4, 8]	0.000	0.780
7	Claude Sonnet 5	0.008	0.015	5	[4, 7]	0.000	0.776
8	DeepSeek-chat	-0.004	0.015	8	[7, 9]	0.000	0.763
9	GPT-5.4-mini	-0.017	0.015	9	[7, 9]	0.000	0.771
10	gpt-oss-120b	-0.059	0.015	10	[10, 10]	0.000	0.750
11	Llama 3.3 70B	-0.166	0.015	11	[11, 11]	0.000	0.701

Table 6: Bradley–Terry rank (Borda rank in brackets) under each reported rule, Friedman p and Kendall's W among datasets.

rule	Gemini 3.8 Flash	GPT-5.5	Claude Opus 5	Gemini 3.1 Pro	DeepSeek-R1	Grok 4	Claude Sonnet 5	DeepSeek-chat	GPT-5.4-mini	gpt-oss-120b	Llama 3.3 70B	Friedman p	W
native metric	1 (3)	2 (1)	3 (2)	4 (6)	5 (4)	6 (7)	7 (5)	8 (8)	9 (9)	10 (10)	11 (11)	1.4e-14	0.27
exact match	3 (3)	2 (2)	1 (1)	5 (7)	4 (4)	6 (6)	7 (5)	9 (8)	8 (9)	10 (10)	11 (11)	2.7e-15	0.28




Figure 8: Bradley–Terry strengths (± SE vs reference) under every reported rule; models fixed in the headline order.




Figure 9: Bootstrap distribution of each model's rank under the headline rule (native metric).

2.5 Comparability and diagnostics




Figure 10: Critical-difference view of the Friedman test under the headline rule: mean rank per model and the Nemenyi critical difference at $\alpha = .05$.

Table 7: Official-split estimates under the headline rule averaged over the ten models.

dataset	suite__mean	official__estimate	suite__f1__pos	official__precision__pos	official__recall__pos	official__f1__pos	official__positive__share
abt__buy	0.971	0.987	0.969	0.933	0.950	0.940	0.108
alaska__camera	0.945	0.945	0.939	1.000	0.895	0.939	0.500
alaska__schema	0.898	0.898	–	–	–	–	–
amazon__google	0.935	0.932	0.928	0.609	0.941	0.738	0.102
bird	0.129	0.163	–	–	–	–	–
dblp__acm	0.987	0.992	0.986	0.981	0.980	0.978	0.180
dblp__scholar	0.948	0.966	0.947	0.901	0.922	0.909	0.186
fetaqa	0.476	0.476	–	–	–	–	–
fintagging	0.797	0.796	–	–	–	–	–
hitab	0.745	0.761	–	–	–	–	–
machamp	0.887	0.891	0.892	0.649	0.852	0.735	0.175
magneto__gdc	0.911	0.914	–	–	–	–	–
mmtu	0.885	0.842	–	–	–	–	–
officeqa	0.078	0.078	–	–	–	–	–
officeqa__pro__v2	0.091	0.091	–	–	–	–	–
opensanctions__pairs	0.835	0.748	0.790	0.993	0.677	0.795	0.769
papadakis__dn	0.940	0.987	0.831	0.527	0.967	0.662	0.018
realhitbench	0.636	0.634	–	–	–	–	–
smat	0.874	0.871	–	–	–	–	–
suc	0.890	0.885	–	–	–	–	–
tab__fact	0.802	0.792	0.761	0.903	0.674	0.767	0.500
tabis	0.918	0.923	–	–	–	–	–
tablebench	0.808	0.806	–	–	–	–	–
tableeval	0.728	0.736	–	–	–	–	–
tat__qa	0.752	0.708	–	–	–	–	–
tpcdi__cells	0.344	0.375	–	–	–	–	–
valentine	0.981	0.973	–	–	–	–	–
walmart__amazon	0.959	0.974	0.949	0.824	0.931	0.872	0.094
wdc__lspc	0.982	0.984	0.983	0.968	0.978	0.972	0.264
wdc__products	0.978	0.986	0.979	0.982	0.968	0.975	0.280
wikitablequestions	0.800	0.797	–	–	–	–	–




Figure 11: Positive-class F1 on the balanced pool (grey) and at the official match ratio (coloured) per model and matching dataset.




Figure 12: Dataset diagnostics: mean score against spread across models; dotted line marks the ceiling flag.

A All figures

Every figure that can be drawn from the saved outputs; source data in `data/`.




Figure 13: Bradley–Terry strengths (± SE vs reference) under every reported rule; models fixed in the headline order.




Figure 14: Critical-difference view of the Friedman test under the headline rule: mean rank per model and the Nemenyi critical difference at $\alpha = .05$.




Figure 15: All 455 candidate mixes sorted by J, coloured by design.




Figure 16: Kendall τ between the model rankings of each pair of datasets under the headline rule.




Figure 17: Best J found by the enumerated subsets and the two sampled designs of 100 mixes each.




Figure 18: Dataset diagnostics: mean score against spread across models; dotted line marks the ceiling flag.




Figure 19: Objective J of the 255 equal-weight subsets by subset size.




Figure 20: Objective J against each of its three terms (stability, transitivity, reference) for every candidate mix.




Figure 21: Mean score per model and dataset under the headline rule.




Figure 22: Rank per model and dataset under the headline rule.




Figure 23: Positive-class F1 on the balanced pool (grey) and at the official match ratio (coloured) per model and matching dataset.




Figure 24: Suite score against post-stratified official-split estimate for every (dataset, model) pair under the headline rule.




Figure 25: Bootstrap probability of first place under every rule, by pooling method.




Figure 26: Number of datasets (of 31) in which the per-item paired test separates each pair of models under the headline rule (Holm within dataset).




Figure 27: Bootstrap distributions of the Bradley–Terry strengths and Rasch abilities (100 item resamples).




Figure 28: Fitted Bradley–Terry strengths and Rasch abilities with their uncertainty.




Figure 29: Bootstrap distribution of each model's rank under the headline rule (native metric).




Figure 30: Distribution of Rasch item difficulties over the 3,083 items.




Figure 31: Kendall τ between the Bradley–Terry rankings of each pair of rules.




Figure 32: Self-stability of each dataset's model ranking (Kendall τ between bootstrap halves).




Figure 33: How many of the 45 model pairs each dataset separates at the item level under the headline rule (colour = family).




Figure 34: Objective J of each view used alone.




Figure 35: Split-half honesty check: the mix selected on half A scored on both halves, against pure Bradley–Terry, the uniform mix and the full-data best on half B.




Figure 36: View weights of the fifteen best candidate mixes (label and J on the axis).




Figure 37: Each view's z-score (left) and rank (right) per model on native-metric scores.




Figure 38: The eight single views: z-scored value per model.

B All tables

Every saved table, one file each under `tables/`; include any in the main text with `\input`.

Table 8: Best equal-weight subset for each subset size.

n_views	label	J	stability	transitivity	reference
1	subset_00100000	0.900	0.896	0.844	0.964
2	subset_10010000	0.903	0.902	0.807	1.000
3	subset_10110000	0.902	0.901	0.807	1.000
4	subset_00111010	0.900	0.897	0.807	1.000
5	subset_10111010	0.902	0.900	0.807	1.000
6	subset_11011011	0.898	0.911	0.807	0.964
7	subset_11111011	0.898	0.910	0.807	0.964
8	subset_11111111	0.892	0.898	0.807	0.964

Table 9: Sampled designs of 100 mixes: coverage diagnostics.

design	n	K	min_ pairwise_ L1	mean_ nearest_ L1	centred_L2_ discrepancy	mean_distinct_values_per_ weight	share_with_a_zero_ weight
lattice	100	8	0.200	0.401	1.993	11.625	0.930
lhs	100	8	0.100	0.366	2.071	10.500	0.760

Table 10: Dataset diagnostics under the headline rule.

dataset	family	mean_score	spread_ across_models	floor	ceiling	share_ constant_ bootstrap_ rankings	ranking_self_ stability_tau	tau_to_ others_mean	n_items	exclude_ from_ objective
abt_buy	EM	0.971	0.060	no	no	0.000	0.748	0.362	100	no
alaska_camera	EM	0.945	0.190	no	no	0.000	0.924	-0.194	100	no
alaska_schema	SM	0.898	0.215	no	no	0.000	0.706	0.059	93	no
amazon_google	EM	0.935	0.100	no	no	0.000	0.683	0.008	100	no
bird	TQA	0.129	0.160	no	no	0.000	0.821	0.340	100	no
dblp_acm	EM	0.987	0.090	no	no	0.000	0.883	0.330	100	no
dblp_scholar	EM	0.948	0.060	no	no	0.000	0.713	-0.019	100	no
fetaqa	TQA	0.476	0.270	no	no	0.000	0.911	0.259	100	no
fintagging	SM	0.797	0.090	no	no	0.000	0.693	0.348	100	no
hitab	TQA	0.745	0.080	no	no	0.000	0.643	-0.061	100	no
machamp	EM	0.887	0.070	no	no	0.000	0.584	0.398	100	no
magneto_gdc	SM	0.911	0.350	no	no	0.000	0.746	0.251	100	no
mmtu	TQA	0.885	0.120	no	no	0.000	0.735	0.310	100	no
officeqa	FIN	0.078	0.140	no	no	0.000	0.869	0.343	100	no
officeqa_pro_v2	FIN	0.091	0.122	no	no	0.000	0.773	0.317	90	no
opensanctions_pairs	EM	0.835	0.240	no	no	0.000	0.905	0.032	100	no
papadakis_dn	EM	0.940	0.030	no	no	0.002	0.741	0.027	100	no
realhitbench	TQA	0.636	0.180	no	no	0.000	0.819	0.379	100	no
smat	SM	0.874	0.250	no	no	0.000	0.740	0.160	100	no
suc	TQA	0.890	0.310	no	no	0.000	0.865	0.332	100	no
tab_fact	TQA	0.802	0.200	no	no	0.000	0.827	-0.002	100	no
tabis	TQA	0.918	0.210	no	no	0.000	0.836	0.271	100	no
tablebench	TQA	0.808	0.250	no	no	0.000	0.736	0.266	100	no
tableeval	TQA	0.728	0.210	no	no	0.000	0.783	0.161	100	no
tat_qa	FIN	0.752	0.090	no	no	0.000	0.614	0.177	100	no
tpcdi_cells	SM	0.344	0.020	no	no	0.058	0.826	0.335	100	no
valentine	SM	0.981	0.040	no	yes	0.000	0.758	0.285	100	yes
walmart_amazon	EM	0.959	0.060	no	no	0.000	0.761	0.373	100	no
wdc_lspc	EM	0.982	0.040	no	yes	0.004	0.788	0.291	100	yes
wdc_products	EM	0.978	0.020	no	yes	0.006	0.623	0.199	100	yes
wikitablequestions	TQA	0.800	0.170	no	no	0.000	0.732	0.369	100	no

Table 11: Full leaderboard under rule exact match; weights: –.

model	bt_strength	bt_se_vs_ref	rank_bt	bt_rank_lo95	bt_rank_hi95	p_first_bt	rank_borda	borda_rank_lo95	borda_rank_hi95	p_first_borda	rank_kemeny	rank_copeland	rank_mean_z	rank_rrf	rank_family_balanced_z	mean_score
Claude Opus 5	0.044	0.000	1.000	1.000	3.000	0.777	1.000	1.000	2.000	0.826	1.000	1.000	1.000	1.000	1.000	0.768
GPT-5.5	0.035	0.015	2.000	1.000	4.000	0.136	2.000	1.000	4.000	0.156	2.000	2.000	2.000	2.000	2.000	0.764
Gemini 3.8 Flash	0.034	0.015	3.000	1.000	4.000	0.085	3.000	2.000	5.512	0.009	3.000	3.000	3.000	3.000	4.000	0.763
DeepSeek-R1	0.023	0.015	4.000	2.000	7.000	0.002	4.000	2.000	7.000	0.001	4.000	4.000	4.000	4.000	3.000	0.758
Gemini 3.1 Pro	0.018	0.015	5.000	3.000	8.000	0.000	7.000	4.000	8.000	0.000	7.000	7.000	6.000	7.000	6.000	0.755
Grok 4	0.016	0.015	6.000	4.000	8.000	0.000	6.000	4.000	8.000	0.000	6.000	6.000	7.000	6.000	7.000	0.754
Claude Sonnet 5	0.010	0.015	7.000	4.000	8.000	0.000	5.000	3.000	7.000	0.000	5.000	5.000	5.000	5.000	5.000	0.751
GPT-5.4-mini	0.006	0.015	8.000	5.000	8.000	0.000	9.000	7.988	9.000	0.000	8.000	8.000	8.000	9.000	9.000	0.749
DeepSeek-chat	-0.018	0.015	9.000	9.000	10.000	0.000	8.000	7.000	9.000	0.000	9.000	9.000	9.000	8.000	8.000	0.737
gpt-oss-120b	-0.037	0.015	10.000	9.000	10.000	0.000	10.000	10.000	10.000	0.000	10.000	10.000	10.000	10.000	10.000	0.728
Llama 3.3 70B	-0.132	0.015	11.000	11.000	11.000	0.000	11.000	11.000	11.000	0.000	11.000	11.000	11.000	11.000	11.000	0.680

Table 12: Leaderboard under the headline rule (native metric).

rank	model	BT strength	SE	Borda rank	Borda 95%	P(first) BT	mean score
1	Gemini 3.8 Flash	0.057	0.015	3	[1, 5]	0.640	0.793
2	GPT-5.5	0.054	0.015	1	[1, 3]	0.340	0.793
3	Claude Opus 5	0.040	0.000	2	[1, 3]	0.010	0.793
4	Gemini 3.1 Pro	0.034	0.015	6	[4, 7]	0.000	0.782
5	DeepSeek-R1	0.027	0.015	4	[3, 7]	0.000	0.783
6	Grok 4	0.025	0.015	7	[4, 8]	0.000	0.780
7	Claude Sonnet 5	0.008	0.015	5	[4, 7]	0.000	0.776
8	DeepSeek-chat	-0.004	0.015	8	[7, 9]	0.000	0.763
9	GPT-5.4-mini	-0.017	0.015	9	[7, 9]	0.000	0.771
10	gpt-oss-120b	-0.059	0.015	10	[10, 10]	0.000	0.750
11	Llama 3.3 70B	-0.166	0.015	11	[11, 11]	0.000	0.701

Table 13: Full leaderboard under rule native metric; weights: –.

model	bt_strength	bt_se_vs_ref	rank_bt	bt_rank_lo95	bt_rank_hi95	p_first_bt	rank_borda	borda_rank_lo95	borda_rank_hi95	p_first_borda	rank_kemeny	rank_copeland	rank_mean_z	rank_rrf	rank_family_balanced_z	mean_score
Gemini 3.8 Flash	0.057	0.015	1.000	1.000	2.025	0.642	3.000	1.000	5.000	0.027	3.000	3.000	3.000	3.000	3.000	0.793
GPT-5.5	0.054	0.015	2.000	1.000	3.000	0.342	1.000	1.000	3.000	0.524	2.000	2.000	2.000	1.000	2.000	0.793
Claude Opus 5	0.040	0.000	3.000	2.000	5.000	0.010	2.000	1.000	3.000	0.438	1.000	1.000	1.000	2.000	1.000	0.793
Gemini 3.1 Pro	0.034	0.015	4.000	3.000	6.000	0.003	6.000	4.000	7.000	0.000	7.000	7.000	5.000	6.000	6.000	0.782
DeepSeek-R1	0.027	0.015	5.000	3.000	6.025	0.001	4.000	3.000	7.000	0.000	4.000	6.000	4.000	4.000	4.000	0.783
Grok 4	0.025	0.015	6.000	3.000	7.000	0.000	7.000	4.000	8.000	0.000	6.000	4.500	7.000	7.000	7.000	0.780
Claude Sonnet 5	0.008	0.015	7.000	6.000	8.000	0.000	5.000	4.000	7.000	0.000	5.000	4.500	6.000	5.000	5.000	0.776
DeepSeek-chat	-0.004	0.015	8.000	7.000	9.000	0.000	8.000	7.000	9.000	0.000	9.000	9.000	9.000	8.000	9.000	0.763
GPT-5.4-mini	-0.017	0.015	9.000	8.000	9.000	0.000	9.000	7.000	9.000	0.000	8.000	8.000	8.000	9.000	8.000	0.771
gpt-oss-120b	-0.059	0.015	10.000	10.000	10.000	0.000	10.000	10.000	10.000	0.000	10.000	10.000	10.000	10.000	10.000	0.750
Llama 3.3 70B	-0.166	0.015	11.000	11.000	11.000	0.000	11.000	11.000	11.000	0.000	11.000	11.000	11.000	11.000	11.000	0.701

Table 14: Official-split estimates under the headline rule for every dataset and model.

dataset	model	suite_mean	official_ estimate	official_lo95	official_hi95	effective_n	suite_f1_pos	official_f1_ pos	official_f1_ lo95	official_f1_ hi95	official_ positive_ share
abt_buy	Claude Opus 5	1.000	1.000	1.000	1.000	63.075	1.000	1.000	1.000	1.000	0.108
abt_buy	Claude Sonnet 5	0.970	0.993	0.985	1.000	63.075	0.968	0.968	0.925	1.000	0.108
abt_buy	DeepSeek-chat	0.960	0.976	0.933	0.998	63.075	0.958	0.893	0.735	0.990	0.108
abt_buy	DeepSeek-R1	0.970	0.978	0.931	1.000	63.075	0.969	0.904	0.755	1.000	0.108
abt_buy	Gemini 3.1 Pro	0.980	0.996	0.988	1.000	63.075	0.979	0.979	0.945	1.000	0.108
abt_buy	Gemini 3.8 Flash	0.980	0.996	0.988	1.000	63.075	0.979	0.979	0.944	1.000	0.108
abt_buy	GPT-5.4-mini	0.960	0.976	0.937	0.998	63.075	0.958	0.893	0.736	0.991	0.108
abt_buy	GPT-5.5	1.000	1.000	1.000	1.000	63.075	1.000	1.000	1.000	1.000	0.108
abt_buy	gpt-oss-120b	0.940	0.987	0.974	0.996	63.075	0.935	0.935	0.871	0.978	0.108
abt_buy	Grok 4	0.960	0.976	0.935	0.998	63.075	0.958	0.893	0.739	0.990	0.108
abt_buy	Llama 3.3 70B	0.960	0.976	0.937	0.998	63.075	0.958	0.893	0.737	0.990	0.108
alaska_camera	Claude Opus 5	0.820	0.820	0.740	0.890	100.000	0.795	0.795	0.700	0.882	0.500
alaska_camera	Claude Sonnet 5	0.980	0.980	0.950	1.000	100.000	0.981	0.981	0.948	1.000	0.500
alaska_camera	DeepSeek-chat	1.000	1.000	1.000	1.000	100.000	1.000	1.000	1.000	1.000	0.500
alaska_camera	DeepSeek-R1	0.990	0.990	0.970	1.000	100.000	0.990	0.990	0.968	1.000	0.500
alaska_camera	Gemini 3.1 Pro	0.810	0.810	0.730	0.880	100.000	0.782	0.782	0.667	0.869	0.500
alaska_camera	Gemini 3.8 Flash	0.890	0.890	0.830	0.950	100.000	0.884	0.884	0.804	0.945	0.500
alaska_camera	GPT-5.4-mini	0.970	0.970	0.930	1.000	100.000	0.971	0.971	0.932	1.000	0.500
alaska_camera	GPT-5.5	1.000	1.000	1.000	1.000	100.000	1.000	1.000	1.000	1.000	0.500
alaska_camera	gpt-oss-120b	1.000	1.000	1.000	1.000	100.000	1.000	1.000	1.000	1.000	0.500
alaska_camera	Grok 4	0.940	0.940	0.890	0.980	100.000	0.940	0.940	0.889	0.981	0.500
alaska_camera	Llama 3.3 70B	0.990	0.990	0.970	1.000	100.000	0.990	0.990	0.968	1.000	0.500
alaska_schema	Claude Opus 5	0.925	0.925	0.871	0.968	93.000	–	–	–	–	–
alaska_schema	Claude Sonnet 5	0.914	0.914	0.849	0.968	93.000	–	–	–	–	–
alaska_schema	DeepSeek-chat	0.925	0.925	0.871	0.978	93.000	–	–	–	–	–
alaska_schema	DeepSeek-R1	0.935	0.935	0.882	0.978	93.000	–	–	–	–	–
alaska_schema	Gemini 3.1 Pro	0.903	0.903	0.839	0.957	93.000	–	–	–	–	–
alaska_schema	Gemini 3.8 Flash	0.892	0.892	0.828	0.946	93.000	–	–	–	–	–
alaska_schema	GPT-5.4-mini	0.946	0.946	0.903	0.989	93.000	–	–	–	–	–
alaska_schema	GPT-5.5	0.903	0.903	0.839	0.957	93.000	–	–	–	–	–
alaska_schema	gpt-oss-120b	0.903	0.903	0.839	0.957	93.000	–	–	–	–	–
alaska_schema	Grok 4	0.903	0.903	0.839	0.957	93.000	–	–	–	–	–
alaska_schema	Llama 3.3 70B	0.731	0.731	0.634	0.817	93.000	–	–	–	–	–
amazon_google	Claude Opus 5	0.940	0.916	0.839	0.981	67.152	0.936	0.704	0.526	0.919	0.102
amazon_google	Claude Sonnet 5	0.960	0.935	0.868	0.984	67.152	0.957	0.758	0.588	0.935	0.102
amazon_google	DeepSeek-chat	0.960	0.949	0.893	0.998	67.152	0.957	0.796	0.614	0.990	0.102

amazon_google	DeepSeek-R1	0.950	0.932	0.866	0.984	67.152	0.946	0.747	0.579	0.932	0.102
amazon_google	Gemini 3.1 Pro	0.930	0.928	0.862	0.981	67.152	0.923	0.725	0.551	0.914	0.102
amazon_google	Gemini 3.8 Flash	0.930	0.928	0.859	0.981	67.152	0.923	0.725	0.548	0.913	0.102
amazon_google	GPT-5.4-mini	0.930	0.942	0.880	0.990	67.152	0.921	0.762	0.583	0.959	0.102
amazon_google	GPT-5.5	0.940	0.916	0.844	0.982	67.152	0.936	0.704	0.535	0.915	0.102
amazon_google	gpt-oss-120b	0.860	0.926	0.861	0.973	67.152	0.829	0.676	0.507	0.874	0.102
amazon_google	Grok 4	0.940	0.944	0.875	0.992	67.152	0.933	0.773	0.607	0.966	0.102
amazon_google	Llama 3.3 70B	0.950	0.932	0.861	0.982	67.152	0.946	0.747	0.561	0.941	0.102
bird	Claude Opus 5	0.190	0.226	0.133	0.331	74.082	–	–	–	–	–
bird	Claude Sonnet 5	0.160	0.194	0.105	0.289	74.082	–	–	–	–	–
bird	DeepSeek-chat	0.120	0.147	0.067	0.236	74.082	–	–	–	–	–
bird	DeepSeek-R1	0.140	0.188	0.101	0.278	74.082	–	–	–	–	–
bird	Gemini 3.1 Pro	0.150	0.205	0.114	0.298	74.082	–	–	–	–	–
bird	Gemini 3.8 Flash	0.210	0.226	0.131	0.322	74.082	–	–	–	–	–
bird	GPT-5.4-mini	0.130	0.173	0.085	0.264	74.082	–	–	–	–	–
bird	GPT-5.5	0.140	0.164	0.079	0.253	74.082	–	–	–	–	–
bird	gpt-oss-120b	0.050	0.079	0.019	0.148	74.082	–	–	–	–	–
bird	Grok 4	0.080	0.109	0.038	0.191	74.082	–	–	–	–	–
bird	Llama 3.3 70B	0.050	0.079	0.018	0.157	74.082	–	–	–	–	–
dblp_acm	Claude Opus 5	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	Claude Sonnet 5	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	DeepSeek-chat	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	DeepSeek-R1	0.990	0.996	0.988	1.000	72.166	0.990	0.990	0.965	1.000	0.180
dblp_acm	Gemini 3.1 Pro	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	Gemini 3.8 Flash	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	GPT-5.4-mini	0.990	0.996	0.988	1.000	72.166	0.990	0.990	0.965	1.000	0.180
dblp_acm	GPT-5.5	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	gpt-oss-120b	0.910	0.967	0.945	0.987	72.166	0.899	0.899	0.829	0.960	0.180
dblp_acm	Grok 4	1.000	1.000	1.000	1.000	72.166	1.000	1.000	1.000	1.000	0.180
dblp_acm	Llama 3.3 70B	0.970	0.952	0.893	1.000	72.166	0.970	0.882	0.750	1.000	0.180
dblp_scholar	Claude Opus 5	0.950	0.956	0.901	0.996	70.463	0.950	0.888	0.752	0.981	0.186
dblp_scholar	Claude Sonnet 5	0.970	0.976	0.932	1.000	70.463	0.970	0.937	0.835	1.000	0.186
dblp_scholar	DeepSeek-chat	0.960	0.959	0.907	0.997	70.463	0.961	0.898	0.780	0.991	0.186
dblp_scholar	DeepSeek-R1	0.950	0.969	0.931	0.996	70.463	0.949	0.917	0.818	0.987	0.186
dblp_scholar	Gemini 3.1 Pro	0.940	0.965	0.927	0.993	70.463	0.939	0.906	0.812	0.980	0.186
dblp_scholar	Gemini 3.8 Flash	0.930	0.961	0.914	0.990	70.463	0.928	0.895	0.791	0.971	0.186
dblp_scholar	GPT-5.4-mini	0.940	0.965	0.925	0.992	70.463	0.939	0.906	0.799	0.980	0.186
dblp_scholar	GPT-5.5	0.960	0.959	0.905	0.996	70.463	0.961	0.898	0.784	0.991	0.186
dblp_scholar	gpt-oss-120b	0.910	0.967	0.943	0.986	70.463	0.903	0.903	0.829	0.961	0.186
dblp_scholar	Grok 4	0.950	0.969	0.928	0.996	70.463	0.949	0.917	0.812	0.988	0.186
dblp_scholar	Llama 3.3 70B	0.970	0.976	0.936	1.000	70.463	0.970	0.937	0.847	1.000	0.186

fetaqa	Claude Opus 5	0.483	0.483	0.440	0.522	100.000	–	–	–	–	–
fetaqa	Claude Sonnet 5	0.451	0.451	0.409	0.490	100.000	–	–	–	–	–
fetaqa	DeepSeek-chat	0.540	0.540	0.501	0.581	100.000	–	–	–	–	–
fetaqa	DeepSeek-R1	0.504	0.504	0.460	0.552	100.000	–	–	–	–	–
fetaqa	Gemini 3.1 Pro	0.555	0.555	0.519	0.595	100.000	–	–	–	–	–
fetaqa	Gemini 3.8 Flash	0.557	0.557	0.513	0.597	100.000	–	–	–	–	–
fetaqa	GPT-5.4-mini	0.368	0.368	0.332	0.405	100.000	–	–	–	–	–
fetaqa	GPT-5.5	0.552	0.552	0.515	0.596	100.000	–	–	–	–	–
fetaqa	gpt-oss-120b	0.406	0.406	0.375	0.434	100.000	–	–	–	–	–
fetaqa	Grok 4	0.536	0.536	0.498	0.571	100.000	–	–	–	–	–
fetaqa	Llama 3.3 70B	0.287	0.287	0.250	0.326	100.000	–	–	–	–	–
fintagging	Claude Opus 5	0.840	0.880	0.782	0.961	51.769	–	–	–	–	–
fintagging	Claude Sonnet 5	0.820	0.818	0.703	0.922	51.769	–	–	–	–	–
fintagging	DeepSeek-chat	0.750	0.731	0.601	0.845	51.769	–	–	–	–	–
fintagging	DeepSeek-R1	0.790	0.814	0.697	0.910	51.769	–	–	–	–	–
fintagging	Gemini 3.1 Pro	0.800	0.835	0.720	0.930	51.769	–	–	–	–	–
fintagging	Gemini 3.8 Flash	0.820	0.838	0.727	0.924	51.769	–	–	–	–	–
fintagging	GPT-5.4-mini	0.810	0.759	0.637	0.862	51.769	–	–	–	–	–
fintagging	GPT-5.5	0.820	0.838	0.739	0.929	51.769	–	–	–	–	–
fintagging	gpt-oss-120b	0.760	0.732	0.597	0.852	51.769	–	–	–	–	–
fintagging	Grok 4	0.810	0.798	0.687	0.904	51.769	–	–	–	–	–
fintagging	Llama 3.3 70B	0.750	0.711	0.580	0.841	51.769	–	–	–	–	–
hitab	Claude Opus 5	0.760	0.782	0.692	0.857	94.537	–	–	–	–	–
hitab	Claude Sonnet 5	0.740	0.743	0.647	0.828	94.537	–	–	–	–	–
hitab	DeepSeek-chat	0.790	0.812	0.732	0.887	94.537	–	–	–	–	–
hitab	DeepSeek-R1	0.770	0.774	0.693	0.856	94.537	–	–	–	–	–
hitab	Gemini 3.1 Pro	0.750	0.770	0.686	0.852	94.537	–	–	–	–	–
hitab	Gemini 3.8 Flash	0.720	0.745	0.659	0.824	94.537	–	–	–	–	–
hitab	GPT-5.4-mini	0.760	0.772	0.681	0.849	94.537	–	–	–	–	–
hitab	GPT-5.5	0.730	0.751	0.658	0.839	94.537	–	–	–	–	–
hitab	gpt-oss-120b	0.710	0.728	0.640	0.819	94.537	–	–	–	–	–
hitab	Grok 4	0.710	0.723	0.632	0.812	94.537	–	–	–	–	–
hitab	Llama 3.3 70B	0.760	0.777	0.694	0.854	94.537	–	–	–	–	–
machamp	Claude Opus 5	0.900	0.912	0.826	0.970	32.491	0.904	0.774	0.617	0.908	0.175
machamp	Claude Sonnet 5	0.900	0.923	0.852	0.975	32.491	0.902	0.793	0.642	0.924	0.175
machamp	DeepSeek-chat	0.890	0.892	0.801	0.962	32.491	0.897	0.742	0.604	0.895	0.175
machamp	DeepSeek-R1	0.900	0.897	0.808	0.963	32.491	0.906	0.751	0.594	0.895	0.175
machamp	Gemini 3.1 Pro	0.890	0.908	0.832	0.965	32.491	0.893	0.761	0.618	0.898	0.175
machamp	Gemini 3.8 Flash	0.900	0.912	0.836	0.973	32.491	0.904	0.774	0.608	0.920	0.175
machamp	GPT-5.4-mini	0.890	0.893	0.804	0.962	32.491	0.895	0.739	0.568	0.898	0.175

machamp	GPT-5.5	0.900	0.897	0.812	0.964	32.491	0.906	0.751	0.591	0.895	0.175
machamp	gpt-oss-120b	0.830	0.794	0.664	0.913	32.491	0.835	0.558	0.364	0.761	0.175
machamp	Grok 4	0.890	0.896	0.806	0.962	32.491	0.895	0.747	0.594	0.906	0.175
machamp	Llama 3.3 70B	0.870	0.880	0.791	0.947	32.491	0.874	0.698	0.529	0.846	0.175
magneto__gdc	Claude Opus 5	0.960	0.962	0.921	0.992	93.027	–	–	–	–	–
magneto__gdc	Claude Sonnet 5	0.940	0.939	0.883	0.981	93.027	–	–	–	–	–
magneto__gdc	DeepSeek-chat	0.930	0.933	0.875	0.980	93.027	–	–	–	–	–
magneto__gdc	DeepSeek-R1	0.970	0.974	0.943	1.000	93.027	–	–	–	–	–
magneto__gdc	Gemini 3.1 Pro	0.930	0.930	0.874	0.974	93.027	–	–	–	–	–
magneto__gdc	Gemini 3.8 Flash	0.950	0.954	0.911	0.991	93.027	–	–	–	–	–
magneto__gdc	GPT-5.4-mini	0.890	0.894	0.834	0.951	93.027	–	–	–	–	–
magneto__gdc	GPT-5.5	0.960	0.966	0.928	0.992	93.027	–	–	–	–	–
magneto__gdc	gpt-oss-120b	0.950	0.954	0.910	0.985	93.027	–	–	–	–	–
magneto__gdc	Grok 4	0.920	0.924	0.865	0.973	93.027	–	–	–	–	–
magneto__gdc	Llama 3.3 70B	0.620	0.624	0.524	0.718	93.027	–	–	–	–	–
mmtu	Claude Opus 5	0.900	0.858	0.774	0.940	86.538	–	–	–	–	–
mmtu	Claude Sonnet 5	0.900	0.858	0.767	0.941	86.538	–	–	–	–	–
mmtu	DeepSeek-chat	0.890	0.849	0.756	0.933	86.538	–	–	–	–	–
mmtu	DeepSeek-R1	0.860	0.808	0.717	0.896	86.538	–	–	–	–	–
mmtu	Gemini 3.1 Pro	0.920	0.884	0.798	0.955	86.538	–	–	–	–	–
mmtu	Gemini 3.8 Flash	0.900	0.856	0.770	0.932	86.538	–	–	–	–	–
mmtu	GPT-5.4-mini	0.890	0.855	0.770	0.933	86.538	–	–	–	–	–
mmtu	GPT-5.5	0.930	0.892	0.813	0.961	86.538	–	–	–	–	–
mmtu	gpt-oss-120b	0.830	0.771	0.673	0.867	86.538	–	–	–	–	–
mmtu	Grok 4	0.910	0.875	0.799	0.953	86.538	–	–	–	–	–
mmtu	Llama 3.3 70B	0.810	0.757	0.652	0.850	86.538	–	–	–	–	–
officeqa	Claude Opus 5	0.160	0.160	0.090	0.240	100.000	–	–	–	–	–
officeqa	Claude Sonnet 5	0.080	0.080	0.030	0.130	100.000	–	–	–	–	–
officeqa	DeepSeek-chat	0.050	0.050	0.010	0.090	100.000	–	–	–	–	–
officeqa	DeepSeek-R1	0.050	0.050	0.010	0.100	100.000	–	–	–	–	–
officeqa	Gemini 3.1 Pro	0.070	0.070	0.020	0.130	100.000	–	–	–	–	–
officeqa	Gemini 3.8 Flash	0.160	0.160	0.090	0.240	100.000	–	–	–	–	–
officeqa	GPT-5.4-mini	0.020	0.020	0.000	0.050	100.000	–	–	–	–	–
officeqa	GPT-5.5	0.110	0.110	0.050	0.170	100.000	–	–	–	–	–
officeqa	gpt-oss-120b	0.050	0.050	0.010	0.090	100.000	–	–	–	–	–
officeqa	Grok 4	0.090	0.090	0.040	0.150	100.000	–	–	–	–	–
officeqa	Llama 3.3 70B	0.020	0.020	0.000	0.050	100.000	–	–	–	–	–
officeqa__pro__v2	Claude Opus 5	0.178	0.178	0.100	0.267	90.000	–	–	–	–	–
officeqa__pro__v2	Claude Sonnet 5	0.122	0.122	0.056	0.189	90.000	–	–	–	–	–
officeqa__pro__v2	DeepSeek-chat	0.067	0.067	0.022	0.122	90.000	–	–	–	–	–
officeqa__pro__v2	DeepSeek-R1	0.111	0.111	0.056	0.178	90.000	–	–	–	–	–

officeqa_pro_v2	Gemini 3.1 Pro	0.056	0.056	0.011	0.111	90.000	–	–	–	–	–
officeqa_pro_v2	Gemini 3.8 Flash	0.089	0.089	0.033	0.156	90.000	–	–	–	–	–
officeqa_pro_v2	GPT-5.4-mini	0.067	0.067	0.022	0.122	90.000	–	–	–	–	–
officeqa_pro_v2	GPT-5.5	0.144	0.144	0.067	0.222	90.000	–	–	–	–	–
officeqa_pro_v2	gpt-oss-120b	0.056	0.056	0.011	0.111	90.000	–	–	–	–	–
officeqa_pro_v2	Grok 4	0.056	0.056	0.011	0.111	90.000	–	–	–	–	–
officeqa_pro_v2	Llama 3.3 70B	0.056	0.056	0.011	0.111	90.000	–	–	–	–	–
opensanctions_pairs	Claude Opus 5	0.940	0.906	0.831	0.969	76.249	0.935	0.935	0.878	0.979	0.769
opensanctions_pairs	Claude Sonnet 5	0.730	0.587	0.479	0.701	76.249	0.630	0.636	0.500	0.755	0.769
opensanctions_pairs	DeepSeek-chat	0.760	0.635	0.529	0.741	76.249	0.684	0.691	0.543	0.800	0.769
opensanctions_pairs	DeepSeek-R1	0.850	0.765	0.670	0.863	76.249	0.819	0.819	0.714	0.900	0.769
opensanctions_pairs	Gemini 3.1 Pro	0.970	0.964	0.917	1.000	76.249	0.969	0.976	0.943	1.000	0.769
opensanctions_pairs	Gemini 3.8 Flash	0.860	0.780	0.681	0.882	76.249	0.833	0.833	0.732	0.911	0.769
opensanctions_pairs	GPT-5.4-mini	0.900	0.865	0.781	0.940	76.249	0.891	0.905	0.833	0.960	0.769
opensanctions_pairs	GPT-5.5	0.750	0.608	0.503	0.724	76.249	0.658	0.658	0.525	0.778	0.769
opensanctions_pairs	gpt-oss-120b	0.780	0.666	0.561	0.780	76.249	0.718	0.725	0.588	0.815	0.769
opensanctions_pairs	Grok 4	0.850	0.776	0.676	0.868	76.249	0.824	0.830	0.734	0.913	0.769
opensanctions_pairs	Llama 3.3 70B	0.790	0.682	0.567	0.796	76.249	0.734	0.741	0.619	0.845	0.769
papadakis_dn	Claude Opus 5	0.920	0.955	0.894	0.995	32.601	0.789	0.322	0.131	0.814	0.018
papadakis_dn	Claude Sonnet 5	0.950	0.994	0.987	0.999	32.601	0.857	0.786	0.559	0.939	0.018
papadakis_dn	DeepSeek-chat	0.940	0.993	0.986	0.998	32.601	0.833	0.757	0.534	0.923	0.018
papadakis_dn	DeepSeek-R1	0.940	0.993	0.986	0.998	32.601	0.833	0.757	0.527	0.918	0.018
papadakis_dn	Gemini 3.1 Pro	0.930	0.974	0.927	0.997	32.601	0.811	0.452	0.196	0.886	0.018
papadakis_dn	Gemini 3.8 Flash	0.940	0.992	0.984	0.998	32.601	0.824	0.702	0.442	0.893	0.018
papadakis_dn	GPT-5.4-mini	0.950	0.994	0.988	0.999	32.601	0.857	0.786	0.575	0.949	0.018
papadakis_dn	GPT-5.5	0.950	0.994	0.987	0.999	32.601	0.857	0.786	0.564	0.944	0.018
papadakis_dn	gpt-oss-120b	0.930	0.992	0.984	0.998	32.601	0.788	0.682	0.431	0.890	0.018
papadakis_dn	Grok 4	0.950	0.994	0.988	0.999	32.601	0.857	0.786	0.562	0.951	0.018
papadakis_dn	Llama 3.3 70B	0.940	0.975	0.926	0.998	32.601	0.833	0.463	0.185	0.905	0.018
realhitbench	Claude Opus 5	0.700	0.700	0.596	0.782	98.080	–	–	–	–	–
realhitbench	Claude Sonnet 5	0.640	0.640	0.549	0.742	98.080	–	–	–	–	–
realhitbench	DeepSeek-chat	0.620	0.609	0.521	0.711	98.080	–	–	–	–	–
realhitbench	DeepSeek-R1	0.650	0.649	0.547	0.744	98.080	–	–	–	–	–
realhitbench	Gemini 3.1 Pro	0.680	0.677	0.586	0.777	98.080	–	–	–	–	–
realhitbench	Gemini 3.8 Flash	0.710	0.708	0.610	0.800	98.080	–	–	–	–	–
realhitbench	GPT-5.4-mini	0.610	0.606	0.504	0.700	98.080	–	–	–	–	–
realhitbench	GPT-5.5	0.690	0.686	0.594	0.776	98.080	–	–	–	–	–
realhitbench	gpt-oss-120b	0.560	0.558	0.457	0.651	98.080	–	–	–	–	–
realhitbench	Grok 4	0.610	0.606	0.503	0.705	98.080	–	–	–	–	–
realhitbench	Llama 3.3 70B	0.530	0.535	0.439	0.634	98.080	–	–	–	–	–
smat	Claude Opus 5	0.900	0.898	0.833	0.951	98.100	–	–	–	–	–

smat	Claude Sonnet 5	0.910	0.907	0.847	0.959	98.100	–	–	–	–	–
smat	DeepSeek-chat	0.880	0.876	0.800	0.938	98.100	–	–	–	–	–
smat	DeepSeek-R1	0.900	0.898	0.832	0.952	98.100	–	–	–	–	–
smat	Gemini 3.1 Pro	0.830	0.827	0.742	0.899	98.100	–	–	–	–	–
smat	Gemini 3.8 Flash	0.880	0.876	0.802	0.938	98.100	–	–	–	–	–
smat	GPT-5.4-mini	0.930	0.934	0.884	0.980	98.100	–	–	–	–	–
smat	GPT-5.5	0.910	0.908	0.849	0.960	98.100	–	–	–	–	–
smat	gpt-oss-120b	0.880	0.874	0.807	0.937	98.100	–	–	–	–	–
smat	Grok 4	0.910	0.906	0.841	0.959	98.100	–	–	–	–	–
smat	Llama 3.3 70B	0.680	0.675	0.575	0.764	98.100	–	–	–	–	–
suc	Claude Opus 5	0.980	0.981	0.953	1.000	98.920	–	–	–	–	–
suc	Claude Sonnet 5	0.880	0.874	0.806	0.937	98.920	–	–	–	–	–
suc	DeepSeek-chat	0.820	0.817	0.732	0.889	98.920	–	–	–	–	–
suc	DeepSeek-R1	0.920	0.915	0.853	0.965	98.920	–	–	–	–	–
suc	Gemini 3.1 Pro	0.920	0.912	0.850	0.966	98.920	–	–	–	–	–
suc	Gemini 3.8 Flash	0.970	0.971	0.941	1.000	98.920	–	–	–	–	–
suc	GPT-5.4-mini	0.880	0.873	0.799	0.938	98.920	–	–	–	–	–
suc	GPT-5.5	0.920	0.913	0.853	0.967	98.920	–	–	–	–	–
suc	gpt-oss-120b	0.910	0.906	0.841	0.961	98.920	–	–	–	–	–
suc	Grok 4	0.920	0.912	0.856	0.966	98.920	–	–	–	–	–
suc	Llama 3.3 70B	0.670	0.663	0.562	0.755	98.920	–	–	–	–	–
tab_fact	Claude Opus 5	0.660	0.667	0.571	0.762	99.360	0.673	0.696	0.586	0.781	0.500
tab_fact	Claude Sonnet 5	0.740	0.733	0.641	0.820	99.360	0.698	0.710	0.590	0.806	0.500
tab_fact	DeepSeek-chat	0.840	0.826	0.744	0.901	99.360	0.789	0.789	0.677	0.884	0.500
tab_fact	DeepSeek-R1	0.770	0.763	0.672	0.846	99.360	0.729	0.740	0.617	0.836	0.500
tab_fact	Gemini 3.1 Pro	0.830	0.818	0.746	0.901	99.360	0.785	0.788	0.672	0.876	0.500
tab_fact	Gemini 3.8 Flash	0.860	0.848	0.773	0.913	99.360	0.821	0.821	0.720	0.900	0.500
tab_fact	GPT-5.4-mini	0.820	0.808	0.734	0.891	99.360	0.769	0.772	0.654	0.859	0.500
tab_fact	GPT-5.5	0.840	0.829	0.748	0.903	99.360	0.800	0.803	0.700	0.892	0.500
tab_fact	gpt-oss-120b	0.830	0.815	0.739	0.890	99.360	0.773	0.773	0.647	0.868	0.500
tab_fact	Grok 4	0.850	0.839	0.762	0.912	99.360	0.810	0.812	0.707	0.897	0.500
tab_fact	Llama 3.3 70B	0.780	0.769	0.681	0.853	99.360	0.725	0.732	0.615	0.832	0.500
tabis	Claude Opus 5	0.960	0.964	0.915	0.994	77.069	–	–	–	–	–
tabis	Claude Sonnet 5	0.920	0.917	0.846	0.971	77.069	–	–	–	–	–
tabis	DeepSeek-chat	0.770	0.710	0.602	0.807	77.069	–	–	–	–	–
tabis	DeepSeek-R1	0.970	0.982	0.957	1.000	77.069	–	–	–	–	–
tabis	Gemini 3.1 Pro	0.950	0.970	0.940	0.994	77.069	–	–	–	–	–
tabis	Gemini 3.8 Flash	0.950	0.970	0.940	0.994	77.069	–	–	–	–	–
tabis	GPT-5.4-mini	0.900	0.905	0.835	0.962	77.069	–	–	–	–	–
tabis	GPT-5.5	0.960	0.976	0.946	0.994	77.069	–	–	–	–	–

tabis	gpt-oss-120b	0.920	0.951	0.915	0.983	77.069	–	–	–	–	–
tabis	Grok 4	0.980	0.988	0.966	1.000	77.069	–	–	–	–	–
tabis	Llama 3.3 70B	0.820	0.821	0.734	0.901	77.069	–	–	–	–	–
tablebench	Claude Opus 5	0.830	0.831	0.747	0.906	89.187	–	–	–	–	–
tablebench	Claude Sonnet 5	0.870	0.867	0.787	0.933	89.187	–	–	–	–	–
tablebench	DeepSeek-chat	0.810	0.820	0.748	0.892	89.187	–	–	–	–	–
tablebench	DeepSeek-R1	0.780	0.789	0.701	0.863	89.187	–	–	–	–	–
tablebench	Gemini 3.1 Pro	0.840	0.837	0.749	0.911	89.187	–	–	–	–	–
tablebench	Gemini 3.8 Flash	0.840	0.839	0.754	0.908	89.187	–	–	–	–	–
tablebench	GPT-5.4-mini	0.830	0.821	0.735	0.896	89.187	–	–	–	–	–
tablebench	GPT-5.5	0.850	0.849	0.770	0.921	89.187	–	–	–	–	–
tablebench	gpt-oss-120b	0.800	0.788	0.701	0.870	89.187	–	–	–	–	–
tablebench	Grok 4	0.820	0.815	0.723	0.890	89.187	–	–	–	–	–
tablebench	Llama 3.3 70B	0.620	0.610	0.511	0.713	89.187	–	–	–	–	–
tableeval	Claude Opus 5	0.740	0.760	0.659	0.859	69.689	–	–	–	–	–
tableeval	Claude Sonnet 5	0.705	0.745	0.640	0.842	69.689	–	–	–	–	–
tableeval	DeepSeek-chat	0.655	0.668	0.555	0.777	69.689	–	–	–	–	–
tableeval	DeepSeek-R1	0.750	0.738	0.630	0.838	69.689	–	–	–	–	–
tableeval	Gemini 3.1 Pro	0.780	0.784	0.682	0.882	69.689	–	–	–	–	–
tableeval	Gemini 3.8 Flash	0.775	0.791	0.693	0.885	69.689	–	–	–	–	–
tableeval	GPT-5.4-mini	0.730	0.744	0.638	0.839	69.689	–	–	–	–	–
tableeval	GPT-5.5	0.760	0.777	0.673	0.870	69.689	–	–	–	–	–
tableeval	gpt-oss-120b	0.760	0.762	0.658	0.857	69.689	–	–	–	–	–
tableeval	Grok 4	0.780	0.769	0.664	0.869	69.689	–	–	–	–	–
tableeval	Llama 3.3 70B	0.570	0.561	0.434	0.689	69.689	–	–	–	–	–
tat_qa	Claude Opus 5	0.810	0.771	0.665	0.868	60.725	–	–	–	–	–
tat_qa	Claude Sonnet 5	0.750	0.733	0.623	0.836	60.725	–	–	–	–	–
tat_qa	DeepSeek-chat	0.740	0.692	0.568	0.809	60.725	–	–	–	–	–
tat_qa	DeepSeek-R1	0.760	0.721	0.608	0.834	60.725	–	–	–	–	–
tat_qa	Gemini 3.1 Pro	0.750	0.700	0.584	0.812	60.725	–	–	–	–	–
tat_qa	Gemini 3.8 Flash	0.740	0.709	0.586	0.821	60.725	–	–	–	–	–
tat_qa	GPT-5.4-mini	0.770	0.718	0.604	0.824	60.725	–	–	–	–	–
tat_qa	GPT-5.5	0.730	0.708	0.595	0.823	60.725	–	–	–	–	–
tat_qa	gpt-oss-120b	0.730	0.663	0.529	0.781	60.725	–	–	–	–	–
tat_qa	Grok 4	0.770	0.705	0.588	0.820	60.725	–	–	–	–	–
tat_qa	Llama 3.3 70B	0.720	0.662	0.534	0.778	60.725	–	–	–	–	–
tpcdi_cells	Claude Opus 5	0.350	0.380	0.285	0.473	95.091	–	–	–	–	–
tpcdi_cells	Claude Sonnet 5	0.350	0.380	0.282	0.482	95.091	–	–	–	–	–
tpcdi_cells	DeepSeek-chat	0.350	0.380	0.284	0.482	95.091	–	–	–	–	–
tpcdi_cells	DeepSeek-R1	0.350	0.380	0.279	0.478	95.091	–	–	–	–	–
tpcdi_cells	Gemini 3.1 Pro	0.350	0.380	0.277	0.473	95.091	–	–	–	–	–

tpcdi_cells	Gemini 3.8 Flash	0.350	0.380	0.278	0.482	95.091	–	–	–	–	–
tpcdi_cells	GPT-5.4-mini	0.340	0.368	0.273	0.460	95.091	–	–	–	–	–
tpcdi_cells	GPT-5.5	0.350	0.380	0.283	0.480	95.091	–	–	–	–	–
tpcdi_cells	gpt-oss-120b	0.330	0.367	0.265	0.457	95.091	–	–	–	–	–
tpcdi_cells	Grok 4	0.330	0.367	0.272	0.460	95.091	–	–	–	–	–
tpcdi_cells	Llama 3.3 70B	0.330	0.367	0.271	0.469	95.091	–	–	–	–	–
valentine	Claude Opus 5	1.000	1.000	1.000	1.000	81.736	–	–	–	–	–
valentine	Claude Sonnet 5	0.990	0.983	0.945	1.000	81.736	–	–	–	–	–
valentine	DeepSeek-chat	0.970	0.951	0.894	1.000	81.736	–	–	–	–	–
valentine	DeepSeek-R1	0.990	0.986	0.957	1.000	81.736	–	–	–	–	–
valentine	Gemini 3.1 Pro	1.000	1.000	1.000	1.000	81.736	–	–	–	–	–
valentine	Gemini 3.8 Flash	0.970	0.988	0.973	1.000	81.736	–	–	–	–	–
valentine	GPT-5.4-mini	0.980	0.969	0.919	1.000	81.736	–	–	–	–	–
valentine	GPT-5.5	1.000	1.000	1.000	1.000	81.736	–	–	–	–	–
valentine	gpt-oss-120b	0.970	0.955	0.902	1.000	81.736	–	–	–	–	–
valentine	Grok 4	0.960	0.934	0.862	1.000	81.736	–	–	–	–	–
valentine	Llama 3.3 70B	0.960	0.941	0.880	0.990	81.736	–	–	–	–	–
walmart_amazon	Claude Opus 5	0.980	0.982	0.947	1.000	70.807	0.976	0.912	0.770	1.000	0.094
walmart_amazon	Claude Sonnet 5	0.950	0.962	0.914	0.996	70.807	0.938	0.823	0.644	0.977	0.094
walmart_amazon	DeepSeek-chat	0.950	0.962	0.914	0.996	70.807	0.938	0.823	0.661	0.977	0.094
walmart_amazon	DeepSeek-R1	0.960	0.978	0.940	0.998	70.807	0.950	0.887	0.733	0.989	0.094
walmart_amazon	Gemini 3.1 Pro	0.970	0.967	0.920	1.000	70.807	0.964	0.848	0.669	1.000	0.094
walmart_amazon	Gemini 3.8 Flash	0.990	0.998	0.993	1.000	70.807	0.988	0.988	0.955	1.000	0.094
walmart_amazon	GPT-5.4-mini	0.950	0.975	0.941	0.998	70.807	0.937	0.874	0.708	0.978	0.094
walmart_amazon	GPT-5.5	0.970	0.967	0.920	1.000	70.807	0.964	0.848	0.676	1.000	0.094
walmart_amazon	gpt-oss-120b	0.940	0.973	0.936	0.996	70.807	0.923	0.860	0.690	0.974	0.094
walmart_amazon	Grok 4	0.960	0.978	0.943	0.998	70.807	0.950	0.887	0.733	0.989	0.094
walmart_amazon	Llama 3.3 70B	0.930	0.971	0.935	0.994	70.807	0.909	0.847	0.703	0.966	0.094
wdc_lspc	Claude Opus 5	0.990	0.996	0.986	1.000	75.082	0.991	0.992	0.974	1.000	0.264
wdc_lspc	Claude Sonnet 5	0.980	0.992	0.978	1.000	75.082	0.981	0.984	0.957	1.000	0.264
wdc_lspc	DeepSeek-chat	0.960	0.940	0.876	0.995	75.082	0.964	0.895	0.785	0.989	0.264
wdc_lspc	DeepSeek-R1	1.000	1.000	1.000	1.000	75.082	1.000	1.000	1.000	1.000	0.264
wdc_lspc	Gemini 3.1 Pro	0.980	0.992	0.978	1.000	75.082	0.981	0.984	0.959	1.000	0.264
wdc_lspc	Gemini 3.8 Flash	0.980	0.992	0.978	1.000	75.082	0.981	0.984	0.959	1.000	0.264
wdc_lspc	GPT-5.4-mini	0.970	0.986	0.967	1.000	75.082	0.971	0.973	0.937	1.000	0.264
wdc_lspc	GPT-5.5	1.000	1.000	1.000	1.000	75.082	1.000	1.000	1.000	1.000	0.264
wdc_lspc	gpt-oss-120b	0.980	0.990	0.976	1.000	75.082	0.981	0.981	0.951	1.000	0.264
wdc_lspc	Grok 4	1.000	1.000	1.000	1.000	75.082	1.000	1.000	1.000	1.000	0.264
wdc_lspc	Llama 3.3 70B	0.960	0.940	0.875	0.994	75.082	0.964	0.895	0.784	0.990	0.264
wdc_products	Claude Opus 5	0.980	0.990	0.975	1.000	77.046	0.981	0.982	0.953	1.000	0.280
wdc_products	Claude Sonnet 5	0.970	0.986	0.967	1.000	77.046	0.971	0.974	0.938	1.000	0.280

wdc_products	DeepSeek-chat	0.970	0.977	0.941	1.000	77.046	0.972	0.958	0.905	1.000	0.280
wdc_products	DeepSeek-R1	0.980	0.990	0.975	1.000	77.046	0.981	0.982	0.953	1.000	0.280
wdc_products	Gemini 3.1 Pro	0.980	0.990	0.974	1.000	77.046	0.981	0.982	0.953	1.000	0.280
wdc_products	Gemini 3.8 Flash	0.990	0.995	0.984	1.000	77.046	0.991	0.991	0.967	1.000	0.280
wdc_products	GPT-5.4-mini	0.970	0.986	0.965	1.000	77.046	0.971	0.974	0.935	1.000	0.280
wdc_products	GPT-5.5	0.980	0.979	0.939	1.000	77.046	0.981	0.964	0.895	1.000	0.280
wdc_products	gpt-oss-120b	0.980	0.979	0.939	1.000	77.046	0.981	0.964	0.899	1.000	0.280
wdc_products	Grok 4	0.990	0.995	0.983	1.000	77.046	0.991	0.991	0.969	1.000	0.280
wdc_products	Llama 3.3 70B	0.970	0.977	0.942	1.000	77.046	0.972	0.958	0.899	1.000	0.280
wikitablequestions	Claude Opus 5	0.840	0.838	0.761	0.909	97.686	–	–	–	–	–
wikitablequestions	Claude Sonnet 5	0.830	0.829	0.756	0.900	97.686	–	–	–	–	–
wikitablequestions	DeepSeek-chat	0.800	0.798	0.715	0.872	97.686	–	–	–	–	–
wikitablequestions	DeepSeek-R1	0.810	0.808	0.725	0.885	97.686	–	–	–	–	–
wikitablequestions	Gemini 3.1 Pro	0.800	0.798	0.716	0.871	97.686	–	–	–	–	–
wikitablequestions	Gemini 3.8 Flash	0.840	0.839	0.770	0.908	97.686	–	–	–	–	–
wikitablequestions	GPT-5.4-mini	0.810	0.807	0.724	0.878	97.686	–	–	–	–	–
wikitablequestions	GPT-5.5	0.820	0.816	0.738	0.888	97.686	–	–	–	–	–
wikitablequestions	gpt-oss-120b	0.770	0.766	0.677	0.846	97.686	–	–	–	–	–
wikitablequestions	Grok 4	0.810	0.806	0.721	0.879	97.686	–	–	–	–	–
wikitablequestions	Llama 3.3 70B	0.670	0.667	0.575	0.760	97.686	–	–	–	–	–

Table 15: Official-split estimates under the headline rule averaged over the ten models.

dataset	suite_mean	official_ estimate	suite_f1_ pos	official_precision_ pos	official_recall_ pos	official_f1_ pos	official_positive_ share
abt_buy	0.971	0.987	0.969	0.933	0.950	0.940	0.108
alaska_camera	0.945	0.945	0.939	1.000	0.895	0.939	0.500
alaska_schema	0.898	0.898	–	–	–	–	–
amazon_google	0.935	0.932	0.928	0.609	0.941	0.738	0.102
bird	0.129	0.163	–	–	–	–	–
dblp_acm	0.987	0.992	0.986	0.981	0.980	0.978	0.180
dblp_scholar	0.948	0.966	0.947	0.901	0.922	0.909	0.186
fetaqa	0.476	0.476	–	–	–	–	–
fintagging	0.797	0.796	–	–	–	–	–
hitab	0.745	0.761	–	–	–	–	–
machamp	0.887	0.891	0.892	0.649	0.852	0.735	0.175
magneto_gdc	0.911	0.914	–	–	–	–	–
mmtu	0.885	0.842	–	–	–	–	–
officeqa	0.078	0.078	–	–	–	–	–
officeqa_pro_v2	0.091	0.091	–	–	–	–	–
opensanctions_ pairs	0.835	0.748	0.790	0.993	0.677	0.795	0.769
papadakis_dn	0.940	0.987	0.831	0.527	0.967	0.662	0.018
realhitbench	0.636	0.634	–	–	–	–	–
smat	0.874	0.871	–	–	–	–	–
suc	0.890	0.885	–	–	–	–	–
tab_fact	0.802	0.792	0.761	0.903	0.674	0.767	0.500
tabis	0.918	0.923	–	–	–	–	–
tablebench	0.808	0.806	–	–	–	–	–
tableeval	0.728	0.736	–	–	–	–	–
tat_qa	0.752	0.708	–	–	–	–	–
tpcdi_cells	0.344	0.375	–	–	–	–	–
valentine	0.981	0.973	–	–	–	–	–
walmart_amazon	0.959	0.974	0.949	0.824	0.931	0.872	0.094
wdc_lspc	0.982	0.984	0.983	0.968	0.978	0.972	0.264
wdc_products	0.978	0.986	0.979	0.982	0.968	0.975	0.280
wikitablequestions	0.800	0.797	–	–	–	–	–

Table 16: Cross-dataset pairwise tests under rule exact match: Friedman $\chi^2 = 91.5$ ($p = 2.7\text{e-}15$), Iman–Davenport $F = 12.6$, Nemenyi CD = 2.71, Kendall's $W = 0.277$.

a	b	mean rank diff	wins a	wins b	ties	Wilcoxon p	Holm p	Nemenyi	sig .05
Claude Opus 5	Claude Sonnet 5	-1.5000	21	7	3	0.0266	0.7453	no	no
Claude Opus 5	DeepSeek-chat	-3.0161	22	6	3	0.0049	0.1955	yes	no
Claude Opus 5	DeepSeek-R1	-1.2258	15	9	7	0.0873	1.0000	no	no
Claude Opus 5	Gemini 3.1 Pro	-2.0161	21	6	4	0.0133	0.4573	no	no
Claude Opus 5	Gemini 3.8 Flash	-1.0484	19	8	4	0.0550	1.0000	no	no
Claude Opus 5	GPT-5.4-mini	-3.2742	25	5	1	0.0057	0.2158	yes	no
Claude Opus 5	GPT-5.5	-0.3387	13	9	9	0.2972	1.0000	no	no
Claude Opus 5	gpt-oss-120b	-4.7419	26	3	2	0.0004	0.0157	yes	yes
Claude Opus 5	Grok 4	-1.9677	18	9	4	0.0559	1.0000	no	no
Claude Opus 5	Llama 3.3 70B	-5.5323	26	5	0	0.0001	0.0060	yes	yes
Claude Sonnet 5	DeepSeek-chat	-1.5161	19	5	7	0.0153	0.4892	no	no
Claude Sonnet 5	DeepSeek-R1	0.2742	12	14	5	0.3506	1.0000	no	no
Claude Sonnet 5	Gemini 3.1 Pro	-0.5161	14	13	4	0.8598	1.0000	no	no
Claude Sonnet 5	Gemini 3.8 Flash	0.4516	11	13	7	0.3876	1.0000	no	no
Claude Sonnet 5	GPT-5.4-mini	-1.7742	19	7	5	0.1052	1.0000	no	no
Claude Sonnet 5	GPT-5.5	1.1613	7	15	9	0.0397	1.0000	no	no
Claude Sonnet 5	gpt-oss-120b	-3.2419	22	7	2	0.0089	0.3190	yes	no
Claude Sonnet 5	Grok 4	-0.4677	18	9	4	0.4680	1.0000	no	no
Claude Sonnet 5	Llama 3.3 70B	-4.0323	25	4	2	0.0001	0.0045	yes	yes
DeepSeek-chat	DeepSeek-R1	1.7903	8	19	4	0.0202	0.6265	no	no
DeepSeek-chat	Gemini 3.1 Pro	1.0000	10	15	6	0.1854	1.0000	no	no
DeepSeek-chat	Gemini 3.8 Flash	1.9677	6	19	6	0.0131	0.4573	no	no
DeepSeek-chat	GPT-5.4-mini	-0.2581	12	14	5	0.4859	1.0000	no	no
DeepSeek-chat	GPT-5.5	2.6774	6	19	6	0.0052	0.2018	no	no
DeepSeek-chat	gpt-oss-120b	-1.7258	19	9	3	0.0827	1.0000	no	no
DeepSeek-chat	Grok 4	1.0484	12	15	4	0.2936	1.0000	no	no
DeepSeek-chat	Llama 3.3 70B	-2.5161	22	3	6	0.0001	0.0065	no	yes
DeepSeek-R1	Gemini 3.1 Pro	-0.7903	16	12	3	0.6024	1.0000	no	no
DeepSeek-R1	Gemini 3.8 Flash	0.1774	12	15	4	0.4211	1.0000	no	no
DeepSeek-R1	GPT-5.4-mini	-2.0484	20	8	3	0.1157	1.0000	no	no
DeepSeek-R1	GPT-5.5	0.8871	8	16	7	0.1471	1.0000	no	no
DeepSeek-R1	gpt-oss-120b	-3.5161	26	3	2	0.0001	0.0041	yes	yes
DeepSeek-R1	Grok 4	-0.7419	14	10	7	0.3978	1.0000	no	no
DeepSeek-R1	Llama 3.3 70B	-4.3065	26	2	3	0.0000	0.0004	yes	yes
Gemini 3.1 Pro	Gemini 3.8 Flash	0.9677	7	17	7	0.0608	1.0000	no	no
Gemini 3.1 Pro	GPT-5.4-mini	-1.2581	20	8	3	0.0516	1.0000	no	no
Gemini 3.1 Pro	GPT-5.5	1.6774	5	16	10	0.0253	0.7351	no	no
Gemini 3.1 Pro	gpt-oss-120b	-2.7258	21	3	7	0.0008	0.0336	yes	yes
Gemini 3.1 Pro	Grok 4	0.0484	11	14	6	0.9922	1.0000	no	no
Gemini 3.1 Pro	Llama 3.3 70B	-3.5161	27	4	0	0.0001	0.0044	yes	yes
Gemini 3.8 Flash	GPT-5.4-mini	-2.2258	21	8	2	0.0385	1.0000	no	no
Gemini 3.8 Flash	GPT-5.5	0.7097	10	15	6	0.6092	1.0000	no	no
Gemini 3.8 Flash	gpt-oss-120b	-3.6935	24	2	5	0.0001	0.0040	yes	yes
Gemini 3.8 Flash	Grok 4	-0.9194	15	10	6	0.2232	1.0000	no	no
Gemini 3.8 Flash	Llama 3.3 70B	-4.4839	26	4	1	0.0001	0.0045	yes	yes
GPT-5.4-mini	GPT-5.5	2.9355	5	24	2	0.0064	0.2363	yes	no
GPT-5.4-mini	gpt-oss-120b	-1.4677	20	10	1	0.0134	0.4573	no	no
GPT-5.4-mini	Grok 4	1.3065	9	16	6	0.3613	1.0000	no	no
GPT-5.4-mini	Llama 3.3 70B	-2.2581	23	4	4	0.0001	0.0053	no	yes
GPT-5.5	gpt-oss-120b	-4.4032	26	1	4	0.0000	0.0005	yes	yes
GPT-5.5	Grok 4	-1.6290	16	6	9	0.0480	1.0000	no	no
GPT-5.5	Llama 3.3 70B	-5.1935	27	4	0	0.0000	0.0010	yes	yes
gpt-oss-120b	Grok 4	2.7742	3	24	4	0.0002	0.0066	yes	yes
gpt-oss-120b	Llama 3.3 70B	-0.7903	20	8	3	0.0217	0.6516	no	no

Grok 4	Llama 3.3 70B	-3.5645	24	4	3	0.0001	0.0045	yes	yes

Table 17: Cross-dataset pairwise tests under rule native metric: Friedman $\chi^2 = 87.8$ ($p = 1.4\text{e-}14$), Iman–Davenport $F = 11.9$, Nemenyi CD = 2.71, Kendall's $W = 0.269$.

a	b	mean rank diff	wins a	wins b	ties	Wilcoxon p	Holm p	Nemenyi	sig .05
Claude Opus 5	Claude Sonnet 5	-1.2903	20	7	4	0.0253	0.7338	no	no
Claude Opus 5	DeepSeek-chat	-2.7903	21	7	3	0.0117	0.3992	yes	no
Claude Opus 5	DeepSeek-R1	-1.1452	15	11	5	0.1278	1.0000	no	no
Claude Opus 5	Gemini 3.1 Pro	-1.5806	20	7	4	0.0441	1.0000	no	no
Claude Opus 5	Gemini 3.8 Flash	-0.5484	15	10	6	0.3505	1.0000	no	no
Claude Opus 5	GPT-5.4-mini	-2.8065	24	5	2	0.0060	0.2230	yes	no
Claude Opus 5	GPT-5.5	0.1290	12	10	9	0.5684	1.0000	no	no
Claude Opus 5	gpt-oss-120b	-4.4355	26	4	1	0.0005	0.0217	yes	yes
Claude Opus 5	Grok 4	-1.6290	18	10	3	0.0774	1.0000	no	no
Claude Opus 5	Llama 3.3 70B	-5.1935	25	5	1	0.0001	0.0059	yes	yes
Claude Sonnet 5	DeepSeek-chat	-1.5000	20	6	5	0.0332	0.9297	no	no
Claude Sonnet 5	DeepSeek-R1	0.1452	12	15	4	0.3453	1.0000	no	no
Claude Sonnet 5	Gemini 3.1 Pro	-0.2903	14	13	4	0.8753	1.0000	no	no
Claude Sonnet 5	Gemini 3.8 Flash	0.7419	11	14	6	0.2675	1.0000	no	no
Claude Sonnet 5	GPT-5.4-mini	-1.5161	20	7	4	0.0756	1.0000	no	no
Claude Sonnet 5	GPT-5.5	1.4194	8	17	6	0.0089	0.3122	no	no
Claude Sonnet 5	gpt-oss-120b	-3.1452	22	7	2	0.0036	0.1401	yes	no
Claude Sonnet 5	Grok 4	-0.3387	16	12	3	0.8063	1.0000	no	no
Claude Sonnet 5	Llama 3.3 70B	-3.9032	25	4	2	0.0001	0.0041	yes	yes
DeepSeek-chat	DeepSeek-R1	1.6452	9	19	3	0.0337	0.9297	no	no
DeepSeek-chat	Gemini 3.1 Pro	1.2097	9	17	5	0.0809	1.0000	no	no
DeepSeek-chat	Gemini 3.8 Flash	2.2419	5	20	6	0.0083	0.2994	no	no
DeepSeek-chat	GPT-5.4-mini	-0.0161	11	14	6	0.4614	1.0000	no	no
DeepSeek-chat	GPT-5.5	2.9194	5	21	5	0.0009	0.0353	yes	yes
DeepSeek-chat	gpt-oss-120b	-1.6452	19	8	4	0.0651	1.0000	no	no
DeepSeek-chat	Grok 4	1.1613	12	16	3	0.2159	1.0000	no	no
DeepSeek-chat	Llama 3.3 70B	-2.4032	23	3	5	0.0001	0.0050	no	yes
DeepSeek-R1	Gemini 3.1 Pro	-0.4355	14	14	3	0.9686	1.0000	no	no
DeepSeek-R1	Gemini 3.8 Flash	0.5968	12	16	3	0.2314	1.0000	no	no
DeepSeek-R1	GPT-5.4-mini	-1.6613	20	9	2	0.1373	1.0000	no	no
DeepSeek-R1	GPT-5.5	1.2742	7	18	6	0.0486	1.0000	no	no
DeepSeek-R1	gpt-oss-120b	-3.2903	25	4	2	0.0001	0.0034	yes	yes
DeepSeek-R1	Grok 4	-0.4839	12	13	6	0.7906	1.0000	no	no
DeepSeek-R1	Llama 3.3 70B	-4.0484	26	2	3	0.0000	0.0004	yes	yes
Gemini 3.1 Pro	Gemini 3.8 Flash	1.0323	8	16	7	0.0679	1.0000	no	no
Gemini 3.1 Pro	GPT-5.4-mini	-1.2258	19	9	3	0.0677	1.0000	no	no
Gemini 3.1 Pro	GPT-5.5	1.7097	6	18	7	0.0221	0.6838	no	no
Gemini 3.1 Pro	gpt-oss-120b	-2.8548	22	3	6	0.0005	0.0217	yes	yes
Gemini 3.1 Pro	Grok 4	-0.0484	12	13	6	0.9139	1.0000	no	no
Gemini 3.1 Pro	Llama 3.3 70B	-3.6129	25	5	1	0.0001	0.0041	yes	yes
Gemini 3.8 Flash	GPT-5.4-mini	-2.2581	21	9	1	0.0432	1.0000	no	no
Gemini 3.8 Flash	GPT-5.5	0.6774	12	15	4	0.7458	1.0000	no	no
Gemini 3.8 Flash	gpt-oss-120b	-3.8871	25	2	4	0.0000	0.0026	yes	yes
Gemini 3.8 Flash	Grok 4	-1.0806	18	11	2	0.1209	1.0000	no	no
Gemini 3.8 Flash	Llama 3.3 70B	-4.6452	26	4	1	0.0001	0.0041	yes	yes
GPT-5.4-mini	GPT-5.5	2.9355	5	25	1	0.0053	0.2019	yes	no
GPT-5.4-mini	gpt-oss-120b	-1.6290	21	10	0	0.0120	0.3992	no	no
GPT-5.4-mini	Grok 4	1.1774	10	14	7	0.4149	1.0000	no	no
GPT-5.4-mini	Llama 3.3 70B	-2.3871	24	3	4	0.0001	0.0027	no	yes
GPT-5.5	gpt-oss-120b	-4.5645	25	1	5	0.0000	0.0005	yes	yes
GPT-5.5	Grok 4	-1.7581	18	6	7	0.0239	0.7174	no	no
GPT-5.5	Llama 3.3 70B	-5.3226	27	4	0	0.0000	0.0010	yes	yes
gpt-oss-120b	Grok 4	2.8065	3	24	4	0.0001	0.0051	yes	yes
gpt-oss-120b	Llama 3.3 70B	-0.7581	20	8	3	0.0191	0.6103	no	no

Grok 4	Llama 3.3 70B	-3.5645	23	4	4	0.0001	0.0042	yes	yes

Table 18: Fitted parameters with standard errors (native metric). Kemeny cost 414 of 1705.

model	BT strength	BT SE vs ref	BT bootstrap SD	Rasch ability	Rasch SE	Rasch bootstrap SD	Copeland	Kemeny position
Gemini 3.8 Flash	0.057	0.015	0.005	0.679	0.104	0.076	7.500	3
GPT-5.5	0.054	0.015	0.005	0.625	0.103	0.074	8.500	2
Claude Opus 5	0.040	0.000	0.005	0.604	0.103	0.083	9.500	1
Gemini 3.1 Pro	0.034	0.015	0.005	0.317	0.100	0.067	4.000	7
DeepSeek-R1	0.027	0.015	0.005	0.307	0.099	0.069	4.500	4
Grok 4	0.025	0.015	0.005	0.277	0.099	0.067	5.500	6
Claude Sonnet 5	0.008	0.015	0.005	0.076	0.097	0.069	5.500	5
DeepSeek-chat	-0.004	0.015	0.005	-0.223	0.094	0.068	1.500	9
GPT-5.4-mini	-0.017	0.015	0.005	-0.152	0.094	0.066	2.500	8
gpt-oss-120b	-0.059	0.015	0.006	-0.674	0.090	0.070	0.500	10
Llama 3.3 70B	-0.166	0.015	0.007	-1.835	0.085	0.083	-0.500	11

Table 19: Mean score per dataset and model under the headline rule (native metric).

dataset	Gemini 3.8 Flash	GPT-5.5	Claude Opus 5	Gemini 3.1 Pro	DeepSeek-R1	Grok 4	Claude Sonnet 5	DeepSeek-chat	GPT-5.4-mini	gpt-oss-120b	Llama 3.3 70B
abt_buy	0.980	1.000	1.000	0.980	0.970	0.960	0.970	0.960	0.960	0.940	0.960
alaska_camera	0.890	1.000	0.820	0.810	0.990	0.940	0.980	1.000	0.970	1.000	0.990
alaska_schema	0.892	0.903	0.925	0.903	0.935	0.903	0.914	0.925	0.946	0.903	0.731
amazon_google	0.930	0.940	0.940	0.930	0.950	0.940	0.960	0.960	0.930	0.860	0.950
bird	0.210	0.140	0.190	0.150	0.140	0.080	0.160	0.120	0.130	0.050	0.050
dblp_acm	1.000	1.000	1.000	1.000	0.990	1.000	1.000	1.000	0.990	0.910	0.970
dblp_scholar	0.930	0.960	0.950	0.940	0.950	0.950	0.970	0.960	0.940	0.910	0.970
fetaqa	0.557	0.552	0.483	0.555	0.504	0.536	0.451	0.540	0.368	0.406	0.287
fintagging	0.820	0.820	0.840	0.800	0.790	0.810	0.820	0.750	0.810	0.760	0.750
hitab	0.720	0.730	0.760	0.750	0.770	0.710	0.740	0.790	0.760	0.710	0.760
machamp	0.900	0.900	0.900	0.890	0.900	0.890	0.900	0.890	0.890	0.830	0.870
magneto_gdc	0.950	0.960	0.960	0.930	0.970	0.920	0.940	0.930	0.890	0.950	0.620
mmtu	0.900	0.930	0.900	0.920	0.860	0.910	0.900	0.890	0.890	0.830	0.810
officeqa	0.160	0.110	0.160	0.070	0.050	0.090	0.080	0.050	0.020	0.050	0.020
officeqa_pro_v2	0.089	0.144	0.178	0.056	0.111	0.056	0.122	0.067	0.067	0.056	0.056
opensanctions_pairs	0.860	0.750	0.940	0.970	0.850	0.850	0.730	0.760	0.900	0.780	0.790
papadakis_dn	0.940	0.950	0.920	0.930	0.940	0.950	0.950	0.940	0.950	0.930	0.940
realhitbench	0.710	0.690	0.700	0.680	0.650	0.610	0.640	0.620	0.610	0.560	0.530
smat	0.880	0.910	0.900	0.830	0.900	0.910	0.910	0.880	0.930	0.880	0.680
suc	0.970	0.920	0.980	0.920	0.920	0.920	0.880	0.820	0.880	0.910	0.670
tab_fact	0.860	0.840	0.660	0.830	0.770	0.850	0.740	0.840	0.820	0.830	0.780
tabis	0.950	0.960	0.960	0.950	0.970	0.980	0.920	0.770	0.900	0.920	0.820
tablebench	0.840	0.850	0.830	0.840	0.780	0.820	0.870	0.810	0.830	0.800	0.620
tableeval	0.775	0.760	0.740	0.780	0.750	0.780	0.705	0.655	0.730	0.760	0.570
tat_qa	0.740	0.730	0.810	0.750	0.760	0.770	0.750	0.740	0.770	0.730	0.720
tpcdi_cells	0.350	0.350	0.350	0.350	0.350	0.330	0.350	0.350	0.340	0.330	0.330
valentine	0.970	1.000	1.000	1.000	0.990	0.960	0.990	0.970	0.980	0.970	0.960
walmart_amazon	0.990	0.970	0.980	0.970	0.960	0.960	0.950	0.950	0.950	0.940	0.930
wdc_lspc	0.980	1.000	0.990	0.980	1.000	1.000	0.980	0.960	0.970	0.980	0.960
wdc_products	0.990	0.980	0.980	0.980	0.980	0.990	0.970	0.970	0.970	0.980	0.970
wikitablequestions	0.840	0.820	0.840	0.800	0.810	0.810	0.830	0.800	0.810	0.770	0.670

Table 20: Bradley–Terry rank (Borda rank in brackets) under each reported rule, Friedman p and Kendall's W among datasets.

rule	Gemini 3.8 Flash	GPT-5.5	Claude Opus 5	Gemini 3.1 Pro	DeepSeek-R1	Grok 4	Claude Sonnet 5	DeepSeek-chat	GPT-5.4-mini	gpt-oss-120b	Llama 3.3 70B	Friedman p	W
native metric	1 (3)	2 (1)	3 (2)	4 (6)	5 (4)	6 (7)	7 (5)	8 (8)	9 (9)	10 (10)	11 (11)	1.4e-14	0.27
exact match	3 (3)	2 (2)	1 (1)	5 (7)	4 (4)	6 (6)	7 (5)	9 (8)	8 (9)	10 (10)	11 (11)	2.7e-15	0.28

Table 21: Kendall τ between the Bradley–Terry rankings of the rules.

rule	native metric	exact match
native metric	1.000	0.818
exact match	0.818	1.000

Table 22: Objective J of each view alone.

view	J alone
mean raw	0.876
baseline-normalised mean	0.863
mean z	0.900
mean win rate	0.874
Borda	0.874
Kemeny score	0.887
Bradley–Terry	0.843
Rasch ability	0.841

Table 23: Split-half honesty check, every split.

split	selected	J_A_selected	J_B_selected	J_B_pure_bt	J_B_uniform	J_B_full_best
0	subset_00100011	0.951	0.863	0.851	0.889	0.888
1	subset_00010011	0.908	0.918	0.890	0.959	0.958
2	lattice_078	0.898	0.904	0.908	0.892	0.879
3	lhs_039	0.942	0.879	0.885	0.881	0.907
4	subset_10010010	0.917	0.898	0.800	0.903	0.896
5	subset_10100111	0.892	0.928	0.894	0.919	0.922
6	lhs_067	0.925	0.897	0.808	0.905	0.909
7	lhs_074	0.912	0.924	0.860	0.953	0.952
8	subset_10000011	0.924	0.762	0.836	0.902	0.887
9	subset_10110100	0.937	0.936	0.869	0.933	0.931
10	lhs_037	0.912	0.928	0.929	0.925	0.923
11	subset_00111000	0.911	0.928	0.895	0.917	0.931
12	subset_00100111	0.950	0.930	0.890	0.920	0.922
13	subset_10000101	0.940	0.901	0.874	0.923	0.921
14	subset_00110001	0.925	0.888	0.818	0.903	0.903
15	subset_00111011	0.934	0.887	0.864	0.926	0.929
16	lattice_031	0.873	0.937	0.900	0.939	0.940
17	subset_00011101	0.919	0.955	0.905	0.961	0.954
18	lattice_003	0.906	0.931	0.899	0.934	0.935
19	subset_00000110	0.919	0.883	0.865	0.897	0.908
20	lhs_009	0.914	0.922	0.822	0.926	0.924
21	lattice_041	0.929	0.896	0.873	0.920	0.919
22	lhs_068	0.951	0.907	0.822	0.905	0.901
23	subset_00011110	0.917	0.878	0.884	0.911	0.906
24	lattice_008	0.930	0.907	0.844	0.926	0.925
25	lattice_041	0.925	0.908	0.900	0.922	0.912
26	subset_00100100	0.903	0.883	0.816	0.888	0.874
27	subset_11010100	0.938	0.925	0.882	0.911	0.915
28	lattice_085	0.969	0.937	0.892	0.937	0.922
29	lattice_037	0.930	0.935	0.835	0.946	0.940
30	lhs_075	0.930	0.896	0.851	0.911	0.918
31	lattice_001	0.945	0.886	0.895	0.897	0.891
32	lattice_092	0.954	0.850	0.848	0.900	0.885
33	subset_00111011	0.958	0.891	0.801	0.882	0.882
34	subset_00100101	0.935	0.904	0.864	0.922	0.921
35	lhs_037	0.943	0.901	0.865	0.902	0.911
36	subset_00111100	0.897	0.908	0.886	0.940	0.941
37	lhs_039	0.922	0.887	0.836	0.888	0.886
38	subset_10010001	0.939	0.907	0.866	0.893	0.900
39	subset_00010001	0.912	0.815	0.877	0.929	0.922
40	lattice_068	0.919	0.907	0.864	0.913	0.910
41	subset_11100111	0.909	0.916	0.857	0.921	0.926
42	subset_00111011	0.932	0.878	0.858	0.885	0.870
43	lattice_036	0.946	0.893	0.814	0.883	0.884
44	lattice_057	0.939	0.916	0.853	0.920	0.921
45	lattice_065	0.906	0.956	0.927	0.943	0.914
46	subset_10111010	0.950	0.910	0.883	0.918	0.904
47	subset_10000111	0.949	0.902	0.867	0.895	0.888
48	subset_10100101	0.900	0.950	0.878	0.945	0.941
49	subset_00110000	0.912	0.900	0.899	0.901	0.899

Table 24: Split-half summary.

quantity	value
splits	50
inner_resamples	20
J_A_selected_mean	0.926
J_B_selected_mean	0.903
optimism_gap	0.023
J_B_pure_bt_mean	0.866
J_B_uniform_mean	0.915
J_B_full_best_mean	0.913
selected_minus_pure_bt	"mean": 0.03703620168379031, "ci95": [-0.050471041851720196, 0.09879493326676232], "share_selected_ahead": 0.86

Table 25: The fifteen best candidate mixes with their weights and objective terms.

rank	label	n_views	w_mean_raw	w_baseline_norm_mean	w_z_mean	w_mean_win_rate	w_borda	w_kemeny_score	w_bradley_terry	w_irt_ability	stability	transitivity	reference	J
1	subset_10010000	2	0.500	0.000	0.000	0.500	0.000	0.000	0.000	0.000	0.902	0.807	1.000	0.903
2	subset_10001000	2	0.500	0.000	0.000	0.000	0.500	0.000	0.000	0.000	0.902	0.807	1.000	0.903
3	subset_10110000	3	0.333	0.000	0.333	0.333	0.000	0.000	0.000	0.000	0.901	0.807	1.000	0.902
4	subset_10101000	3	0.333	0.000	0.333	0.000	0.333	0.000	0.000	0.000	0.901	0.807	1.000	0.902
5	subset_10111010	5	0.200	0.000	0.200	0.200	0.200	0.000	0.200	0.000	0.900	0.807	1.000	0.902
6	subset_11111000	5	0.200	0.200	0.200	0.200	0.200	0.000	0.000	0.000	0.900	0.807	1.000	0.902
7	lhs_060	6	0.150	0.000	0.050	0.500	0.050	0.000	0.200	0.050	0.899	0.807	1.000	0.901
8	lattice_069	7	0.350	0.000	0.100	0.050	0.300	0.050	0.100	0.050	0.897	0.807	1.000	0.901
9	subset_00111010	4	0.000	0.000	0.250	0.250	0.250	0.000	0.250	0.000	0.897	0.807	1.000	0.900
10	lhs_032	6	0.150	0.200	0.150	0.150	0.300	0.000	0.050	0.000	0.896	0.807	1.000	0.900
11	lhs_063	6	0.050	0.150	0.300	0.000	0.350	0.050	0.000	0.100	0.896	0.807	1.000	0.900
12	subset_00100000	1	0.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	0.896	0.844	0.964	0.900
13	subset_00110010	3	0.000	0.000	0.333	0.333	0.000	0.000	0.333	0.000	0.896	0.807	1.000	0.900
14	subset_00101010	3	0.000	0.000	0.333	0.000	0.333	0.000	0.333	0.000	0.896	0.807	1.000	0.900
15	subset_10111001	5	0.200	0.000	0.200	0.200	0.200	0.000	0.000	0.200	0.895	0.807	1.000	0.899

Table 26: Value of each view per model (exact-match scores).

model	mean raw	baseline-normalised mean	mean z	mean win rate	Borda	Kemeny score	Bradley–Terry	Rasch ability
Gemini 3.8 Flash	0.763	0.738	0.372	0.619	6.194	8.000	0.034	0.116
GPT-5.5	0.764	0.740	0.501	0.690	6.903	9.000	0.035	0.118
Claude Opus 5	0.768	0.738	0.632	0.724	7.242	10.000	0.044	0.152
Gemini 3.1 Pro	0.755	0.729	0.168	0.523	5.226	4.000	0.018	0.056
DeepSeek-R1	0.758	0.732	0.335	0.602	6.016	7.000	0.023	0.075
Grok 4	0.754	0.730	0.123	0.527	5.274	5.000	0.016	0.049
Claude Sonnet 5	0.751	0.721	0.208	0.574	5.742	6.000	0.010	0.028
DeepSeek-chat	0.737	0.710	-0.143	0.423	4.226	2.000	-0.018	-0.068
GPT-5.4-mini	0.749	0.724	-0.096	0.397	3.968	3.000	0.006	0.014
gpt-oss-120b	0.728	0.690	-0.804	0.250	2.500	1.000	-0.037	-0.130
Llama 3.3 70B	0.680	0.649	-1.296	0.171	1.710	0.000	-0.132	-0.411

Table 27: Value of each view per model (native-metric scores).

model	mean raw	baseline-normalised mean	mean z	mean win rate	Borda	Kemeny score	Bradley–Terry	Rasch ability
Gemini 3.8 Flash	0.793	0.768	0.419	0.639	6.387	8.000	0.057	0.163
GPT-5.5	0.793	0.769	0.544	0.706	7.064	9.000	0.054	0.151
Claude Opus 5	0.793	0.763	0.554	0.694	6.936	10.000	0.040	0.146
Gemini 3.1 Pro	0.782	0.756	0.204	0.536	5.355	4.000	0.034	0.079
DeepSeek-R1	0.783	0.757	0.267	0.579	5.790	7.000	0.027	0.077
Grok 4	0.780	0.756	0.146	0.531	5.306	5.000	0.025	0.070
Claude Sonnet 5	0.776	0.747	0.194	0.564	5.645	6.000	0.008	0.022
DeepSeek-chat	0.763	0.736	-0.178	0.414	4.145	2.000	-0.004	-0.052
GPT-5.4-mini	0.771	0.746	-0.045	0.413	4.129	3.000	-0.017	-0.034
gpt-oss-120b	0.750	0.712	-0.811	0.250	2.500	1.000	-0.059	-0.166
Llama 3.3 70B	0.701	0.670	-1.293	0.174	1.742	0.000	-0.166	-0.457