Lab 1

Answer the following 3 questions in a file named StudentID_Firstname_lab1_ans.pdf, where StudentID is your KU ID and Firstname is your given name

1. OOP Review

```
Without using computers, analyze the following code and predict the outcome:
```

```
class Student:
    students = 0 # this is a class attribute
    def __init__(self, name, ta):
        self.name = name # this is an instance attribute
        self.understanding = 0
        Student.students += 1
        print("There are now", Student.students, "students")
        ta.add_student(self)
    def visit_office_hours(self, staff):
        staff.assist(self)
        print("Thanks, " + staff.name)
class Professor:
    def __init__(self, name):
        self.name = name
        self.students = {}
    def add_student(self, student):
        self.students[student.name] = student
    def assist(self, student):
        student.understanding += 1
```

What will the following lines output?

```
>>> snape = Professor("Snape")
>>> harry = Student("Harry", snape)
```

Your answer:

There now 1 students

| >>> harry.visit_office_hours(snape) |
|---|
| Your answer: |
| Thanks, Snape |
| >>>harry.visit_office_hours(Professor("Hagrid")) |
| Your answer: |
| Thanks, Hagrid |
| >>> harry.understanding |
| Your answer: |
| 2 |
| >>> for name in snape.students: |
| >>> print(name) |
| Your answer: |
| Harry |
| >>> x = Student("Hermione", Professor("McGonagall")).name |
| Your answer: |
| There are now 2 students |
| >>> X |
| Your answer: |

Hermione

```
>>> for name in snape.students:
```

```
>>> print(name)
```

Your answer:

Harry

2. Inheritance

Without using computers, analyze the following code and fill in the blanks.

Consider the following Dog and Cat classes:

```
class Dog():
    def __init__(self, name, owner):
        self.is_alive = True
        self.name = name
        self.owner = owner
    def eat(self, thing):
        print(self.name + " ate a " + str(thing) + "!")
    def talk(self):
        print(self.name + " says woof!")
class Cat():
    def __init__(self, name, owner, lives=9):
        self.is_alive = True
        self.name = name
        self.owner = owner
        self.lives = lives
    def eat(self, thing):
        print(self.name + " ate a " + str(thing) + "!")
    def talk(self):
        print(self.name + " says meow!")
```

Notice that because dogs and cats share a lot of similar qualities, there is a lot of repeated code! To avoid redefining attributes and methods for similar classes, we can write a single superclass from which the similar classes inherit. For example, we can write a class called Pet and redefine Dog as a subclass of Pet:

```
class Pet():
     def __init__(self, name, owner):
         self.is_alive = True # It's alive!!!
         self.name = name
         self.owner = owner
     def eat(self, thing):
         print(self.name + " ate a " + str(thing) + "!")
     def talk(self):
         print(self.name)
 class Dog(Pet):
     def talk(self):
         print(self.name + ' says woof!')
class Cat(Pet):
     def __init__(self,name,owner, lives=9):
super().__init__(name, owner)
   self.lives = lives
 def talk(self):
  """ Print out a cat's greeting.
  11 11 11
  print(self.name + ' says meow!')
   def lose life(self):
     """Decrements a cat's life by 1. When lives reaches zero, 'is alive'
   becomes False. If this is called after lives has reached zero, print
   out that the cat has no more lives to lose.
if self.lives > 0:
     self.lives -= 1
     if self.lives == 0:
```

```
self.is_alive = False
    else:
      print('The cat has no more lives to lose.')
>>> Cat('Thomas', 'Tammy').talk()
Thomas says meow!
class NoisyCat(Cat):
 """A Cat that repeats things twice."""
 def talk(self):
  """Talks twice as much as a regular cat."""
  for i in range(2):
      print(self.name + ' says meow!')
>>> NoisyCat('Magic', 'James').talk()
Magic says meow!
Magic says meow!
3. More inheritance
Study the code in the file car.py and predict the outcome of the following code.
>>> deneros_car = Car('Tesla', 'Model S')
>>> deneros_car.model
Your answer:
Model S
>>> deneros_car.gas = 10
>>> deneros_car.drive()
```

| Tesla Model S goes vroom |
|----------------------------|
| >>> deneros_car.drive() |
| Your answer: |
| Cannot drive! |
| >>> deneros_car.fill_gas() |
| Your answer: |
| Gas level: 20 |
| >>> deneros_car.gas |
| Your answer: |
| 20 |
| >>> Car.gas |
| Your answer: |
| |
| 30 |

Your answer:

```
>>> deneros_car = Car('Tesla', 'Model S')
>>> deneros car.wheels = 2
>>> deneros_car.wheels
Your answer:
2
>>> Car.num_wheels
Your answer:
4
>>> deneros_car.drive()
Your answer:
Cannot drive!
>>> Car.drive()
Your answer:
Error
>>> Car.drive(deneros_car)
Your answer:
Tesla Model S goes vroom
Verify your answer by executing the code with car.py. You can do this with Python interactive
mode: python3 -i car.py
>>> deneros_car = Car('Tesla', 'Model S')
>>> deneros car.model
```

Complete the following coding questions. Use the code skeleton provided with this lab.

4. mint.py

Complete the Mint and Coin classes so that the coins created by a mint have the correct year and worth.

- Each Mint instance has a year stamp. The update method sets the year stamp to the current year class attribute of the Mint class.
- The create method takes a subclass of Coin and returns an instance of that class stamped with the mint's year (which may be different from Mint.current_year if it has not been updated.)
- A Coin's worth method returns the cents value of the coin plus one extra cent for each year of age beyond 50. A coin's age can be determined by subtracting the coin's year from the current year class attribute of the Mint class.

The expected outcome is given in the Doctest for Mint class

Submission:

- Create StudentID_Firstname_lab1 folder, where StudentID is your KU ID and Firstname is your given name
- Put the files to submit, StudentID_Firstname_lab1_ans.pdf and mint.py, into this folder
- Zip the folder and submit the zip file to the course's Google Classroom before the due date