Rajalakshmi Engineering College

Name: Soameshwaran D

Email: 240701520@rajalakshmi.edu.in

Roll no: 240701520 Phone: 7358671540

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
 - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d

1 h

3

2

240101520

```
Output: Adding Section: d
Adding Section: h
Enrolled
    Removing Section: h
    Enrolled Sections: d
    Exiting program
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    struct Node {
    char data;
      struct Node* next;
    struct Node* top = NULL;
    // You are using GCC
    void push(char value) {
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      newNode->data = value;
      newNode->next = top;
      top = newNode;
      printf("Adding Section: %c\n", value);
    void pop() {
      if (top == NULL) {
        printf("Stack is empty. Cannot pop.\n");
      } else {
         char removed = top->data;
         struct Node* temp = top;
        top = top->next;
        free(temp);
        printf("Removing Section: %c\n", removed);
void displayStack() {
```

```
240701520
   if (top == NULL) {
     printf("Stack is empty\n");
   } else {
     printf("Enrolled Sections: ");
     struct Node* current = top;
     while (current != NULL) {
       printf("%c", current->data);
       if (current->next != NULL)
          printf(" ");
       current = current->next;
     printf("\n");
int main() {
   int choice:
   char value;
   do {
     scanf("%d", &choice);
     switch (choice) {
       case 1:
          scanf(" %c", &value);
          push(value);
          break;
       case 2:
          pop();
          break;
       case 3:
          displayStack();
          break;
       case 4:
          printf("Exiting program\n");
          break:
       default:
          printf("Invalid choice\n");
   } while (choice != 4);
                                                   240701520
   return 0;
Status: Correct
                                                                        Marks: 10/10
```