

1	Choice
1.1	full example & quick example
1.2	example with answer
1.3	example with script
1.4	adjust style
1.5	inline choice
1.6	multichoice
1.7	more instance
1.8	point calculation
2	Question
2.1	question & problem
2.2	True/False questions
2.3	example with answer
2.4	fillin
3	Material
4	Close
5	answer box
6	Score

1	More Test
---	-----------

1 Choice

1.1 full example & quick example

```
EXAMPLE
\startquestion
  This is the question stem of the selection question.
\startchoice
  \startcitem Choice One \stopcitem
  \startcitem Choice Two \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

\question{This is the question stem of the selection question.
  \choice{Choice One,Choice Two,Choice Three,Choice Four}
}

\start
\startquestion
  This is the question stem of the selection question.
  \startchoice[8]
    \startcitem Choice One \stopcitem
    \startcitem Choice Two \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four \stopcitem
  \stopchoice
\stopquestion
```

1	
1	
2	
3	
4	
5	
6	
7	
7	
8	
8	
9	
9	
11	
13	
14	
15	
16	
19	

```
\question{This is the question stem of the selection question.
  \choice[8]{Choice One,Choice Two,Choice Three,Choice Four}
}

\startplacefigure [location={none,right,2*hang}]
  \externalfigure [][height=5\baselineskip]
\stopplacefigure
\question
{\input knuthmath
\choice[one,vertical]{Choice One,Choice Two,Choice Three,Choice Four}
}
\stop
```

1. (1pts)(answer:default answer)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

2. (1pts)(answer:default answer)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

3. (1pts)(answer:default answer)This is the question stem of the selection question.
☐ Choice One ☐ Choice Two ☐ Choice Three ☐ Choice Four

4. (1pts)(answer:default answer)This is the question stem of the selection question.
☐ Choice One ☐ Choice Two ☐ Choice Three ☐ Choice Four

5. (1pts)(answer:default answer)Many readers will skim over formulas on their first reading of your exposition. Therefore, your sentences should flow smoothly when all but the simplest formulas are replaced by “blah” or some other grunting noise.
A. Choice One
B. Choice Two
C. Choice Three
D. Choice Four

name:

file:

state: unknown

1.2 example with answer

```
EXAMPLE
\startquestion[reference=Q,
  showanswer=true,
  showpoint=true,
  point=4,
  answer=Q]
  This is the question stem of the selection question \fillin{Answer Q}.
\startchoice
  \startcitem Choice One \stopcitem
  \startcitem Choice Two \stopcitem
  \startcitem[*] Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
\stopchoice
\startanswer
  This is a detailed explanation of this topic.
  It should be noted that the answer will be overwritten by the next answer.
  Three answers are set for this question, but only the last answer will be selected in the end.
\stopanswer
\stopquestion

\question[reference=QQ,
  showanswer=true,
  showpoint=true,
  point=4,
  answer=QQ]
```

```
{This is the question stem of the selection question.\fillin{Answer QQ}.\choice{Choice One,Choice Two,Choice Three,{[*]Choice Four}}\startanswerThis is a detailed explanation of this topic.It should be noted that the answer will be overwritten by the next answer.Three answers are set for this question, but only the last answer will be selected in the end.\stopanswer}
```

6. (4pts)(answer:C)This is the question stem of the selection question Q .
A. Choice One B. Choice Two C. **Choice Three** D. Choice Four

(answer:C)(4pts)
This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

7. (4pts)(answer:D)This is the question stem of the selection question. QQ .
A. Choice One B. Choice Two C. Choice Three D. **Choice Four**

(answer:D)(4pts)
This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

1.3 example with script

EXAMPLE

```
\startquestion[reference=Q,showpoint=true,point=4,answer=Q]
This is the question stem of the selection question \fillin{Answer Q}.
\startchoice
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem[*] Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\startanswer[showscript=true,showanswer=false,scriptcontent={\centerline{\lightgray\ss WRITE YOUR ANSWER HERE.}\par\null\vskip2\baselineskip\relax}]
This is a detailed explanation of this topic.
It should be noted that the answer will be overwritten by the next answer.
Three answers are set for this question, but only the last answer will be selected in the end.
\stopanswer
\stopquestion

\question[showpoint=true,point=4,]
{This is the question stem of the selection question.\relax
\choice{Choice One,Choice Two,Choice Three,Choice Four}}
\startanswer[showscript=true,frame=off,scriptcontent=\null\blank[3*line]]

\stopanswer

\question[showpoint=true,point=4,]
{This is the question stem of the selection question.\relax
\choice{Choice One,Choice Two,Choice Three,Choice Four}}
```

8. (4pts)(answer:C)This is the question stem of the selection question Q .
A. Choice One B. Choice Two C. **Choice Three** D. Choice Four

WRITE YOUR ANSWER HERE.

9. (4pts)(answer:default answer)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

10. (4pts)(answer:default answer)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

1.4 adjust style

EXAMPLE

```
\startquestion[style=ss,pointlabel={total , pts},point=2,showpoint=true]
This is the question stem of the selection question.
\startchoice[style=tt,color=red]
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

\startquestion[answerstyle=tt,answercolor=darkred,point=2,pointstyle=tt,pointcolor=darkred,textstyle=ss,textcolor=blue,showpoint=true,showanswer=true]
This is the question stem of the selection question.
\startchoice[answerstyle=\tt,answercolor=green,textstyle=rm,textcolor=darkred,]
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem[*] Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion
```

11. (total 2 pts)(answer:default answer)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four
12. (2pts)(answer:C)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

1.5 inline choice

EXAMPLE

```
\startquestion
This is the question stem of the selection question.\relax
\startinlinechoice
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopinlinechoice
\stopquestion

\question{This is the question stem of the selection question.\relax
\inlinechoice{Choice One,Choice Two,Choice Three,Choice Four}
}

\startquestion[showanswer=true]
This is the question stem of the selection question.\relax\break
\startinlinechoice
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax\break\hfill
\inlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

13. (1pts)(answer:default answer)This is the question stem of the selection question.
(☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
14. (1pts)(answer:default answer)This is the question stem of the selection question.
(☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
15. (1pts)(answer:Choice One)This is the question stem of the selection question.
(☒ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
16. (1pts)(answer:Choice Two)This is the question stem of the selection question.
(☐ Choice One, ☒ Choice Two, ☐ Choice Three, ☐ Choice Four)

EXAMPLE

```
\startquestion
This is the question stem of the selection question.\relax
\startchoice[vertical,text][ ]
\startcitem Choice One \stopcitem
\startcitem[*] Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\choice[vertical,text][ ]{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}

\definechoice[newinlinechoice][inlinechoice=true,correctsymbol=default]
\startquestion
This is the question stem of the selection question.\relax
\startnewinlinechoice
\startcitem Choice One \stopcitem
\startcitem[*] Choice Two \stopcitem
\startcitem Choice Three \stopcitem
```

```
\startcitem Choice Four \stopcitem
\stopnewinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\newinlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

17. (1pts)(answer:B)This is the question stem of the selection question.A. Choice One
B. Choice Two C. Choice Three D. Choice Four
18. (1pts)(answer:B)This is the question stem of the selection question.A. Choice One
B. Choice Two C. Choice Three D. Choice Four
19. (1pts)(answer:Choice Two)This is the question stem of the selection question.A. Choice One
B. Choice Two C. Choice Three D. Choice Four
20. (1pts)(answer:Choice Two)This is the question stem of the selection question.A. Choice One
B. Choice Two C. Choice Three D. Choice Four

1.6 multichoice

EXAMPLE

```
\startquestion[showanswer=true]
This is the question stem of the selection question.\relax
\startchoice
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two\stopcitem
\startcitem[*] Choice Three\stopcitem
\startcitem Choice Four\stopcitem
\stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\choice{[*]Choice One},{[*]Choice Two},Choice Three,Choice Four}
}

\startquestion[showanswer=true]
This is the question stem of the selection question.\relax
\startinlinechoice
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two\stopcitem
\startcitem[*] Choice Three\stopcitem
\startcitem Choice Four\stopcitem
\stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\inlinechoice{Choice One,{[*]Choice Two},Choice Three,{[*]Choice Four}}
}
```

21. (1pts)(answer:A,c)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four
22. (1pts)(answer:A,B)This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four
23. (1pts)(answer:Choice One,Choice Three)This is the question stem of the selection question.
(☒ Choice One, ☐ Choice Two, ☒ Choice Three, ☐ Choice Four)

24. (1pts)(answer:Choice Two,Choice Four)This is the question stem of the selection question. (☐ Choice One, ☒ Choice Two, ☐ Choice Three, ☒ Choice Four)

1.7 more instance

EXAMPLE

```

\definechoice[choiceexample]
\setupchoice
[choiceexample]
[option={text,6,packed,joinedup,nowhite,},
inlinechoice=true,
correctsymbol={\symbol{markcirclecheck}},
inlineleft={!!\nobreak},
inlineright={\nobreak !!},
answerstyle=\ss,
separator={\removeunwantedspaces,\space},]

\startquestion[showanswer=true]
This is the question stem of the selection question.\relax
\startchoiceexample
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two\stopcitem
\startcitem[*] Choice Three\stopcitem
\startcitem Choice Four\stopcitem
\stopchoiceexample
\stopquestion

```

25. (1pts)(answer:Choice One,Choice Three)This is the question stem of the selection question.!!☒ Choice One, ☐ Choice Two, ☒ Choice Three, ☐ Choice Four !!

1.8 point calculation

EXAMPLE

```
\question[point={1.5},showpoint=true]{AXXXA\choice{dummy text,XXX,YYY,ZZZ}}
\question[point={2.2},showpoint=true]{AXXXA\choice{dummy text dummy text,XXX,YYY,ZZZ}}
\question[point={1.8},showpoint=true]{AXXXA\choice{dummy text dummy text dummy text dummy text,XXX,YYY,ZZZ}}
```

26. (1.5pts)(answer:default answer)AXXXA
A. dummy text B. XXX C. YYY D. ZZZ
27. (2.2pts)(answer:default answer)AXXXA
A. dummy text dummy text B. XXX
C. YYY D. ZZZ
28. (1.8pts)(answer:default answer)AXXXA
A. dummy text dummy text dummy text dummy text
B. XXX
C. YYY
D. ZZZ

2 Question

2.1 question & problem

EXAMPLE

```

\startquestion[start=1,option={n,packed,joinedup,nowhite},]
This is the main part of the question.
\stopquestion

\question
{This is the main part of the question.}

\startquestion
This is the main part of the question.
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\stopquestion
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\startquestion
  This is the main part of the question.
  \stopquestion
\stopquestion
\startquestion
This is the main part of the question.
\startproblem
\startpitem This is the first small question.\stoppitem
\startpitem This is the second small question.\stoppitem
\stopproblem
\stopquestion

\question
{This is the main part of the question.
\problem[textstyle=ss]
  {\pitem(This is the first small question.)}
  \pitem(This is the second small question.)}
}
}

```

1. (1pts)(answer:default answer)This is the main part of the question.
2. (1pts)(answer:default answer)This is the main part of the question.
3. (4pts)(answer:default answer)This is the main part of the question.
 - (1) (1pts)(answer:default answer)This is the main part of the question.
 - (1) (1pts)(answer:default answer)This is the main part of the question.
- (2) (3pts)(answer:default answer)This is the main part of the question.
 - (1) (1pts)(answer:default answer)This is the main part of the question.
 - (2) (1pts)(answer:default answer)This is the main part of the question.
 - (3) (1pts)(answer:default answer)This is the main part of the question.
4. (2pts)(answer:.)This is the main part of the question.

- (1) (1pts)(answer:)This is the first small question.
- (2) (1pts)(answer:)This is the second small question.
- 5. (2pts)(answer:)This is the main part of the question.
 - (1) (1pts)(answer:)This is the first small question.
 - (2) (1pts)(answer:)This is the second small question.

2.2 True/False questions

EXAMPLE

```
\startquestion
This is the main part of the question.
\startproblem
\startpitem \fillin{} This is the first small question.\stoppitem
\startpitem \fillin{} This is the second small question.\stoppitem
\stopproblem
\stopquestion

\start
\setupfillin[empty=none,style=\tta]
\startquestion
This is the main part of the question.
\startproblem
\startpitem \fillin{T} This is the first small question.\stoppitem
\startpitem \fillin{F} This is the second small question.\stoppitem
\startpitem This is the first small question.\hfill\fillin{\symbol{markcheck}}\stoppitem
\startpitem This is the second small question.\hfill\fillin{\symbol{markcross}}\stoppitem
\stopproblem
\stopquestion
\stop
```

- 6. (2pts)(answer:)This is the main part of the question.
 - (1) (1pts)(answer:_) This is the first small question.
 - (2) (1pts)(answer:_) This is the second small question.
- 7. (4pts)(answer:T)This is the main part of the question.
 - (1) (1pts)(answer:T) T This is the first small question.
 - (2) (1pts)(answer:F) F This is the second small question.
 - (3) (1pts)(answer:✓)This is the first small question. ✓
 - (4) (1pts)(answer:✗)This is the second small question. ✗

2.3 example with answer

EXAMPLE

```
\setupquestion[showanswer=true,showpoint=true,point=1]
\setupanswer [showanswer=true,showpoint=true]
\startquestion[start=1,option={n,packed,joinedup,nowhite},answer=aaa]
This is the main part of the question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stopquestion

\question[answer=bbb]
{This is the main part of the question.}
\startanswer This is a detailed explanation of this topic.\stopanswer
```

```
\startquestion
This is the main part of the question.
\startproblem
\startpitem[answer=eee]
This is the first small question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stoppitem
\startpitem[answer=fff]
This is the second small question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stoppitem
\stopproblem
\stopquestion

\question
{This is the main part of the question.
\problem[textstyle=ss]
{\pitem[answer=ggg]{This is the first small question.}
\startanswer This is a detailed explanation of this topic.\stopanswer
\pitem[answer=hhh]{This is the second small question.}
\startanswer This is a detailed explanation of this topic.\stopanswer
\pitem[answer=iii]{This is the second small question.}
\startanswer This is a detailed explanation of this topic.\stopanswer
}
}
```

- 1. (1pts)(answer:aaa)This is the main part of the question.

(answer:aaa)(1pts)
This is a detailed explanation of this topic.

- 2. (1pts)(answer:bbb)This is the main part of the question.

(answer:bbb)(1pts)
This is a detailed explanation of this topic.

- 3. (2pts)(answer:eee)This is the main part of the question.
 - (1) (1pts)(answer:eee)This is the first small question.

(answer:eee)(1pts)
This is a detailed explanation of this topic.

- (2) (1pts)(answer:fff)This is the second small question.

(answer:fff)(1pts)
This is a detailed explanation of this topic.

- 4. (3pts)(answer:ggg)This is the main part of the question.
 - (1) (1pts)(answer:ggg)This is the first small question.

(answer:ggg)(1pts)
This is a detailed explanation of this topic.

- (2) (1pts)(answer:hhh)This is the second small question.

(answer:hhh)(1pts)
This is a detailed explanation of this topic.

(3) (1pts)(answer:iii)This is the second small question.

(answer:iii)(1pts)

This is a detailed explanation of this topic.

2.4 fillin

5. Lorem ipsum dolor sit amet,

- (1) Lorem ipsum dolor sit amet, 10
- (2) Lorem ipsum dolor sit amet, 11
- (3) Lorem ipsum dolor sit amet, 12
- (4) Lorem ipsum dolor sit amet, 13
- (5) Lorem ipsum dolor sit amet, _____
- (6) Lorem ipsum dolor sit amet, _____
- (7) Lorem ipsum dolor sit amet, _____
- (8) Lorem ipsum dolor sit amet, _____
- (9) Lorem ipsum dolor sit amet, ccc,will be replace
- (10) Lorem ipsum dolor sit amet, ccc,will be replace
- (11) Lorem ipsum dolor sit amet, ccc,will be replace
- (12) Lorem ipsum dolor sit amet, ccc,will be replace

6. (29pts)(answer:Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2)Lorem ipsum dolor sit amet,

- (1) (5pts)(answer:Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2)Lorem ipsum dolor sit amet, ccc,will be replace Lorem ipsum,the real answer 1
- (2) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(3) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(4) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(5) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(6) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(7) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(8) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(9) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(10) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(11) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(12) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

(13) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, ccc,will be replace

(answer:Lorem ipsum,the real answer)(2pts)

Here is answer.

3 Material

EXAMPLE

```
\setupmaterial[title][style=\ssa]
\setupmaterial[author][style=\tta]
\setupmaterial[source][style=ss]
\setupmaterial[number][numberconversion=I]
\setupmaterial[indicator][numberconversion=A,reset=true]

\startmaterial[title={Knuth 1},author={Mos},source={Yelu}]
\input knuth\relax
\indicator{Some Texts 1}
\indicator{Some Texts 2}
\stopmaterial

\startquestion[start=1,option={n,packed,joinedup,nowhite}]
\indicator{Some Texts 1}
\choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
\indicator{Some Texts 2}
\choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion

\startmaterial[title={Knuth 2},author={Mos},source={Yelu}]
\input knuth\relax\indicator{Some Texts 3}\indicator{Some Texts 4}
\stopmaterial
\startquestion
\indicator{Some Texts 3}
\choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
\indicator{Some Texts 4}
\choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
```

(I)

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 1 (B) Some Texts 2**

1. (1pts)(answer:default answer) **(A) Some Texts 1**

A. Some Texts B. Some Texts C. Some Texts D. Some Texts

2. (1pts)(answer:default answer) **(B) Some Texts 2**

A. Some Texts B. Some Texts C. Some Texts D. Some Texts

(II)

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 3 (B) Some Texts 4**

3. (1pts)(answer:default answer) **(A) Some Texts 3**

A. Some Texts B. Some Texts C. Some Texts D. Some Texts

4. (1pts)(answer:default answer) **(B) Some Texts 4**

A. Some Texts B. Some Texts C. Some Texts D. Some Texts

4 Close

On Oct. 11, hundreds of runners competed in a cross-country race in Minnesota. Melanie Bailey should have 5 the course earlier than she did. Her 6 came because she was carrying a 7 across the finish line.

As reported by a local newspaper, Bailey was more than two-thirds of the way through her 8 when a runner in front of her began crying in pain. She 9 to help her fellow runner, Danielle Lenoue. Bailey took her arm to see if she could walk forward with 10. She couldn't. Bailey then 11 to let Lenoue climb onto her back and carried her all the way to the finish line, then another 300 feet to where Lenoue could get 12 attention.

Once there, Lenoue was 13 and later taken to a hospital, where she learned that she had serious injuries in one of her knees. She would have struggled with extreme 14 to make it to that aid checkpoint without Bailey's help.

As for Bailey, she is more 15 about why her act is considered a big 16. "She was just crying. I couldn't 17 her," Bailey told the reporter. "I feel like I was just doing the right thing."

Although the two young women were strangers before the 18, they've since become friends. Neither won the race, but the 19 of human kindness won the day.


```
some text \score{4}  
some text \score{3}  
\stopanswer
```

(answer:nil)(1pts)

some text	2
some text	4
some text	2	
some text	6	
some text		9
some text	2 : 2
some text	4 : 6
some text	3 : 9

1 More Test

2. (1pts)(answer:1)one nest

(answer:1)(1pts)
explain

(answer:1)(1pts)
explain

3. (6pts)(answer:3)one nest

(A) (3pts)(answer:3)two nest

(I) (1pts)(answer:3)three nest

(answer:3)(1pts)
explain in question

(answer:3)(1pts)
explain out question

(II) (1pts)(answer:4)three nest

(answer:4)(1pts)
explain in question

(answer:4)(1pts)
explain out question

(III) (1pts)(answer:5)three nest

(answer:5)(1pts)
explain in question

(answer:5)(1pts)
explain out question

(2) (3pts)(answer:6)two nest

(I) (1pts)(answer:6)three nest

(answer:6)(1pts)
explain in question

(answer:6)(1pts)
explain out question

(II) (1pts)(answer:7)three nest

(answer:7)(1pts)

explain in question

(answer:7)(1pts)
explain out question

(III) (1pts)(answer:8)three nest

(answer:8)(1pts)
explain in question

(answer:8)(1pts)
explain out question

4. (3pts)(answer:A)new test

(1) (1pts)(answer:A)new test 1

(answer:A)(1pts)
explain

(answer:A)(1pts)
explain

(2) (1pts)(answer:B)new test 2

(answer:B)(1pts)
explain

(answer:B)(1pts)
explain

(3) (1pts)(answer:C)new test 3

(answer:C)(1pts)
explain

(answer:C)(1pts)
explain

5. (1pts)(answer:9)It should be reset back to 1 here.

A. XXX

B. YYY

C. ZZZ

(answer:9)(1pts)
some text

6. (7.5pts)(answer:123)

(1) (1.5pts)(answer:123)some texts

(2) (1.5pts)(answer:123)some texts

(3) (1.5pts)(answer:123)some texts

(4) (1.5pts)(answer:123)some texts

(5) (1.5pts)(answer:123)some texts

7. (45pts)(answer:see example)Explanation of the topic of the composition

(answer:xxx)(45pts)
Reference composition 1

8. (5038pts)(answer:see example)Explanation of the topic of the composition

1. (450pts)(answer:xxnx)Sub Composition Topic Description

(answer:xxnx)(450pts)
Reference composition 2

2. (4588pts)(answer:xxnx)Sub Composition Topic Description

(answer:xxnx)(4588pts)
Reference composition 3