1 Choice

1.1 full example & quick example

— EXAMPLE —

```
\startquestion
  This is the question stem of the selection question.
  \startchoice
    \startcitem Choice One   \stopcitem
    \startcitem Choice Two   \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four  \stopcitem
  \stopchoice
\stopquestion

\question{This is the question stem of the selection question.
   \choice{Choice One,Choice Two,Choice Three,Choice Four}
}
```

1. This is the question stem of the selection question.
   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four
2. This is the question stem of the selection question.
   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

1.2 example with answer

— EXAMPLE —

```
\startquestion[reference=Q,
                showanswer=true,
                showpoint=true,
                point=4,
                answer=Q]
  This is the question stem of the selection question \fillin{Answer Q}.
  \startchoice
    \startcitem    Choice One    \stopcitem
    \startcitem    Choice Two    \stopcitem
    \startcitem[*] Choice Three \stopcitem
    \startcitem    Choice Four  \stopcitem
  \stopchoice
  \startanswer
    This is a detailed explanation of this topic.
    It should be noted that the answer will be overwritten by the next answer.
    Three answers are set for this question, but only the last answer will be selected in the end.
  \stopanswer
\stopquestion

\question[reference=QQ,
          showanswer=true,
          showpoint=true,
          point=4,
          answer=QQ]
  {This is the question stem of the selection question.\fillin{Answer QQ}.
   \choice{Choice One,Choice Two,Choice Three,{[*]Choice Four}}
  \startanswer
    This is a detailed explanation of this topic.
    It should be noted that the answer will be overwritten by the next answer.
    Three answers are set for this question, but only the last answer will be selected in the end.
  \stopanswer}
```

3. (4pts)(answer:C)This is the question stem of the selection question Answer Q .

   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

   > (answer:C)(4pts)
   >
   > This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

4. (4pts)(answer:D)This is the question stem of the selection question. Answer QQ .

   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

   > (answer:D)(4pts)
   >
   > This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

1.3 example with script

——— EXAMPLE ———

```
\startquestion[reference=Q,
                point=4,
                answer=Q]
  This is the question stem of the selection question \fillin{Answer Q}.
  \startchoice
    \startcitem    Choice One    \stopcitem
    \startcitem    Choice Two    \stopcitem
    \startcitem[*] Choice Three \stopcitem
```

```
    \startcitem    Choice Four  \stopcitem
  \stopchoice
  \startanswer[showscript=true,showanswer=false,
              scriptcontent={\centerline{\lightgray\ss WRITE YOUR ANSWER HERE.}\par
                \null\vskip2\baselineskip\relax}]
    This is a detailed explanation of this topic.
    It should be noted that the answer will be overwritten by the next answer.
    Three answers are set for this question, but only the last answer will be selected in the end.
  \stopanswer
\stopquestion

\question{This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
\startanswer[showscript=true,frame=off,scriptcontent=\null\blank[3*line]]

\stopanswer

\question{This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
```

---

5. This is the question stem of the selection question _____.
   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

   WRITE YOUR ANSWER HERE.

6. This is the question stem of the selection question.
   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

7. This is the question stem of the selection question.
   A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four

1.4 adjust style

—— EXAMPLE ——

```
\startquestion[style=ss,pointlabel={total , pts},point=2,showpoint=true]
  This is the question stem of the selection question.
  \startchoice[style=tt,color=red]
    \startcitem Choice One   \stopcitem
    \startcitem Choice Two   \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four  \stopcitem
  \stopchoice
\stopquestion

\startquestion[answerstyle=tt,answercolor=darkred,
               point=2,
               pointstyle=tt, pointcolor=darkred,
               textstyle=ss,textcolor=blue,
               showpoint=true,showanswer=true]
  This is the question stem of the selection question.
  \startchoice[answerstyle=\tt,answercolor=green,textstyle=rm,textcolor=darkred,]
    \startcitem Choice One     \stopcitem
    \startcitem Choice Two     \stopcitem
    \startcitem[*] Choice Three \stopcitem
    \startcitem Choice Four    \stopcitem
  \stopchoice
```

```
\stopquestion
```

8. (total 2 pts)This is the question stem of the selection question.
    A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four
9. (2pts)(answer:C)This is the question stem of the selection question.
    A. Choice One   B. Choice Two   C. Choice Three D. Choice Four

1.5 inline choice

—— EXAMPLE ——

```
\startquestion
  This is the question stem of the selection question.\relax
  \startinlinechoice
    \startcitem Choice One    \stopcitem
    \startcitem Choice Two    \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four   \stopcitem
  \stopinlinechoice
\stopquestion

\question{This is the question stem of the selection question.\relax
    \inlinechoice{Choice One,Choice Two,Choice Three,Choice Four}
}

\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax\break
  \startinlinechoice
    \startcitem[*] Choice One\stopcitem
    \startcitem Choice Two    \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four   \stopcitem
  \stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax\break\hfill
    \inlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

10. This is the question stem of the selection question.   (□ Choice One, □ Choice Two, □ Choice Three, □ Choice Four)
11. This is the question stem of the selection question.   (□ Choice One, □ Choice Two, □ Choice Three, □ Choice Four)
12. (answer:Choice One)This is the question stem of the selection question. (☑ Choice One, □ Choice Two, □ Choice Three, □ Choice Four)
13. (answer:Choice Two)This is the question stem of the selection question. (□ Choice One, ☑ Choice Two, □ Choice Three, □ Choice Four)

—— EXAMPLE ——

```
\definechoice[newinlinechoice][inlinechoice=true,correctsymbol=default]
\startquestion
  This is the question stem of the selection question.\relax
  \startnewinlinechoice
    \startcitem Choice One    \stopcitem
    \startcitem[*] Choice Two    \stopcitem
    \startcitem Choice Three \stopcitem
    \startcitem Choice Four   \stopcitem
  \stopnewinlinechoice
\stopquestion
```

```
\question[showanswer=true]{This is the question stem of the selection question.\relax
   \newinlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

14. This is the question stem of the selection question. A. Choice One B. Choice Two C. Choice Three D. Choice Four

15. (answer:Choice Two)This is the question stem of the selection question. A. Choice One B. Choice Two C. Choice Three D. Choice Four

1.6 multichoice

—— EXAMPLE ——

```
\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax
  \startchoice
    \startcitem[*]   Choice One\stopcitem
    \startcitem      Choice Two\stopcitem
    \startcitem[*] Choice Three\stopcitem
    \startcitem      Choice Four\stopcitem
  \stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
   \choice{{[*]Choice One},{[*]Choice Two},Choice Three,Choice Four}
}

\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax
  \startinlinechoice
    \startcitem[*]   Choice One\stopcitem
    \startcitem      Choice Two\stopcitem
    \startcitem[*] Choice Three\stopcitem
    \startcitem      Choice Four\stopcitem
  \stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
   \inlinechoice{Choice One,{[*]Choice Two},Choice Three,{[*]Choice Four}}
}
```

16. (answer:A,C)This is the question stem of the selection question.
    A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four
17. (answer:A,B)This is the question stem of the selection question.
    A. Choice One   B. Choice Two   C. Choice Three   D. Choice Four
18. (answer:Choice One,Choice Three)This is the question stem of the selection question. (☑ Choice One, □ Choice Two, ☑ Choice Three, □ Choice Four)
19. (answer:Choice Two,Choice Four)This is the question stem of the selection question. (□ Choice One, ☑ Choice Two, □ Choice Three, ☑ Choice Four)

1.7 more instance

—— EXAMPLE ——

```
\definechoice[choiceexample]
\setupchoice
  [choiceexample]
  [option={text,6,packed,joinedup,nowhite,},
   inlinechoice=true,
   correctsymbol={\symbol{markcirclecheck}},
```

```
    inlineleft={!!\nobreak},
    inlineright={\nobreak !!},
    answerstyle=\ss,
    separator={\removeunwantedspaces,\space},]
\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax
  \startchoiceexample
    \startcitem[*]    Choice One\stopcitem
    \startcitem        Choice Two\stopcitem
    \startcitem[*] Choice Three\stopcitem
    \startcitem      Choice Four\stopcitem
  \stopchoiceexample
\stopquestion
```

20. (answer:Choice One,Choice Three)This is the question stem of the selection question. !!☑ Choice One, ◯ Choice Two, ☑ Choice Three, ◯ Choice Four !!

1.8 point calculation

—— EXAMPLE ——

```
\dorecurse{5}{\question[point=1,showpoint=true]{AXXXA\choice{XXX,YYY,ZZZ}}}
```

21. (1pts)AXXXA
   A. XXX   B. YYY   C. ZZZ

22. (1pts)AXXXA
   A. XXX   B. YYY   C. ZZZ

23. (1pts)AXXXA
   A. XXX   B. YYY   C. ZZZ

24. (1pts)AXXXA
   A. XXX   B. YYY   C. ZZZ

25. (1pts)AXXXA
   A. XXX   B. YYY   C. ZZZ

2 Problem

2.1 question & problem

—— EXAMPLE ——

```
\startquestion[start=1,option={n,packed,joinedup,nowhite},]
This is the main part of the question.
\stopquestion

\question
{This is the main part of the question.}

\startproblem[textstyle=ss]
  \startpitem  This is the first small question.\stoppitem
  \startpitem This is the second small question.\stoppitem
\stopproblem

\startquestion
This is the main part of the question.
  \startproblem
  \startpitem  This is the first small question.\stoppitem
  \startpitem This is the second small question.\stoppitem
```

```
    \stopproblem
\stopquestion

\question
{This is the main part of the question.
  \problem[textstyle=ss]
    {\pitem{This is the first small question.}
     \pitem{This is the second small question.}
  }
}
```

1. This is the main part of the question.
2. This is the main part of the question.
(1) This is the first small question.
(2) This is the second small question.
3. This is the main part of the question.
    (1) This is the first small question.
    (2) This is the second small question.
4. This is the main part of the question.
    (1) This is the first small question.
    (2) This is the second small question.

2.2 True/False questions

——— EXAMPLE ———

```
\startquestion
This is the main part of the question.
  \startproblem
  \startpitem  \fillin{} This is the first  small question.\stoppitem
  \startpitem  \fillin{} This is the second small question.\stoppitem
  \stopproblem
\stopquestion

\start
\setupfillin[empty=none,style=\tta]
\startquestion
This is the main part of the question.
  \startproblem
  \startpitem  \fillin{T} This is the first  small question.\stoppitem
  \startpitem  \fillin{F} This is the second small question.\stoppitem
  \startpitem  This is the first  small question.\hfill\fillin{\symbol{markcheck}}\stoppitem
  \startpitem  This is the second small question.\hfill\fillin{\symbol{markcross}}\stoppitem
  \stopproblem
\stopquestion
\stop
```

5. This is the main part of the question.
    (1) _____ This is the first small question.
    (2) _____ This is the second small question.
6. This is the main part of the question.
    (1) __T__ This is the first small question.
    (2) __F__ This is the second small question.
    (3) This is the first small question.   ✓
    (4) This is the second small question.   ✗

2.3 example with answer

───── EXAMPLE ─────

```
\setupquestion[showanswer=true,showpoint=true,point=1]
\setupanswer  [showanswer=true,showpoint=true]
\startquestion[start=1,option={n,packed,joinedup,nowhite},answer=aaa]
This is the main part of the question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stopquestion

\question[answer=bbb]
{This is the main part of the question.}
\startanswer This is a detailed explanation of this topic.\stopanswer

\startproblem[textstyle=ss]
  \startpitem[answer=ccc,point=1]
    This is the first small question.
    \startanswer This is a detailed explanation of this topic.\stopanswer
  \stoppitem
  \startpitem[answer=ddd,point=1]
    This is the second small question.
    \startanswer This is a detailed explanation of this topic.\stopanswer
  \stoppitem
\stopproblem

\startquestion
This is the main part of the question.
  \startproblem
  \startpitem[answer=eee]
    This is the first small question.
    \startanswer This is a detailed explanation of this topic.\stopanswer
  \stoppitem
  \startpitem[answer=fff]
    This is the second small question.
    \startanswer This is a detailed explanation of this topic.\stopanswer
  \stoppitem
  \stopproblem
\stopquestion

\question
{This is the main part of the question.
  \problem[textstyle=ss]
    {\pitem[answer=ggg]{This is the first small question.}
    \startanswer This is a detailed explanation of this topic.\stopanswer
    \pitem[answer=hhh]{This is the second small question.}
    \startanswer This is a detailed explanation of this topic.\stopanswer
    \pitem[answer=iii]{This is the second small question.}
    \startanswer This is a detailed explanation of this topic.\stopanswer
  }
}
```

---

1. (1pts)(answer:aaa)This is the main part of the question.

   > (answer:aaa)(1pts)
   > This is a detailed explanation of this topic.

2. (1pts)(answer:bbb)This is the main part of the question.

   > (answer:bbb)(1pts)
   > This is a detailed explanation of this topic.

(1) This is the first small question.

   > (answer:ccc)(1pts)
   > This is a detailed explanation of this topic.

(2) This is the second small question.

> *(answer:ddd)(1pts)*
> *This is a detailed explanation of this topic.*

3. (2pts)(answer:eee)This is the main part of the question.
   (1) (1pts)(answer:eee)This is the first small question.

> *(answer:eee)(1pts)*
> *This is a detailed explanation of this topic.*

   (2) (1pts)(answer:fff)This is the second small question.

> *(answer:fff)(1pts)*
> *This is a detailed explanation of this topic.*

4. (3pts)(answer:ggg)This is the main part of the question.
   (1) (1pts)(answer:ggg)This is the first small question.

> *(answer:ggg)(1pts)*
> *This is a detailed explanation of this topic.*

   (2) (1pts)(answer:hhh)This is the second small question.

> *(answer:hhh)(1pts)*
> *This is a detailed explanation of this topic.*

   (3) (1pts)(answer:iii)This is the second small question.

> *(answer:iii)(1pts)*
> *This is a detailed explanation of this topic.*

2.4 fillin

5. Lorem ipsum dolor sit amet,
   (1) Lorem ipsum dolor sit amet, _____10_____
   (2) Lorem ipsum dolor sit amet, _11_
   (3) Lorem ipsum dolor sit amet,   _____12_____
   (4) Lorem ipsum dolor sit amet,   _13_
   (5) Lorem ipsum dolor sit amet, _____
   (6) Lorem ipsum dolor sit amet, _____
   (7) Lorem ipsum dolor sit amet,   _____
   (8) Lorem ipsum dolor sit amet,   _____
   (9) Lorem ipsum dolor sit amet, __Lorem ipsum,the real answer__
   (10)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer
   (11)Lorem ipsum dolor sit amet,   __Lorem ipsum,the real answer__
   (12)Lorem ipsum dolor sit amet,   Lorem ipsum,the real answer

6. (29pts)(answer:Lorem ipsum,the real answer 2)Lorem ipsum dolor sit amet,

(1) (5pts)(answer:Lorem ipsum,the real answer 2)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer 1___   ___Lorem ipsum,the real answer 2___

(2) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, _
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(3) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, _
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(4) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, _
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(5) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(6) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(7) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(8) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(9) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,
    ___Lorem ipsum,the real answer___

> *(answer:Lorem ipsum,the real answer)(2pts)*
> *Here is answer.*

(10)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,

<u>Lorem ipsum,the real answer</u>

(answer:Lorem ipsum,the real answer)(2pts)
Here is answer.

(11)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,

<u>Lorem ipsum,the real answer</u>

(answer:Lorem ipsum,the real answer)(2pts)
Here is answer.

(12)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,

<u>Lorem ipsum,the real answer</u>

(answer:Lorem ipsum,the real answer)(2pts)
Here is answer.

(13)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,

<u>Lorem ipsum,the real answer</u>

(answer:Lorem ipsum,the real answer)(2pts)
Here is answer.

3 Material

—— EXAMPLE ——

```
\setupmaterial[title] [style=\ssa]
\setupmaterial[author] [style=\tta]
\setupmaterial[source] [style=ss]
\setupmaterial[number] [numberconversion=I]
\setupmaterial[indicator] [numberconversion=A,reset=true]

\startmaterial[title={Knuth 1},author={Mos},source={Yelu}]
  \input knuth\relax
  \indicator{Some Texts 1}
  \indicator{Some Texts 2}
\stopmaterial

\startquestion[start=1,option={n,packed,joinedup,nowhite}]
  \indicator{Some Texts 1}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
  \indicator{Some Texts 2}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion

\startmaterial[title={Knuth 2},author={Mos},source={Yelu}]
\input knuth\relax\indicator{Some Texts 3} \indicator{Some Texts 4}
\stopmaterial
\startquestion
  \indicator{Some Texts 3}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
```

```
\indicator{Some Texts 4}
\fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
```

(I) Knuth 1

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large–scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TEX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 1 (B) Some Texts 2**

Yelu

1. (2pts)(answer:cxxx) **(A) Some Texts 1**
   A. Some Texts   B. Some Texts   C. Some Texts   D. Some Texts
2. (2pts)(answer:cxxx) **(B) Some Texts 2**
   A. Some Texts   B. Some Texts   C. Some Texts   D. Some Texts

(II) Knuth 2

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large–scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TEX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 3 (B) Some Texts 4**

Yelu

3. (2pts)(answer:cxxx) **(A) Some Texts 3**
   A. Some Texts   B. Some Texts   C. Some Texts   D. Some Texts
4. (2pts)(answer:cxxx) **(B) Some Texts 4**

A. Some Texts   B. Some Texts   C. Some Texts   D. Some Texts

4 Close

On Oct. 11, hundreds of runners competed in a cross-country race in Minnesota. Melanie Bailey should have _____5_____ the course earlier than she did. Her _____6_____ came because she was carrying a _____7_____ across the finish line.

As reported by a local newspaper, Bailey was more than two-thirds of the way through her _____8_____ when a runner in front of her began crying in pain. She _____9_____ to help her fellow runner, Danielle Lenoue. Bailey took her arm to see if she could walk forward with _____10_____ . She couldn't. Bailey then _____11_____ to let Lenoue climb onto her back and carried her all the way to the finish line, then another 300 feet to where Lenoue could get _____12_____ attention.

Once there, Lenoue was _____13_____ and later taken to a hospital, where she learned that she had serious injuries in one of her knees. She would have struggled with extreme _____14_____ to make it to that aid checkpoint without Bailey's help.

As for Bailey, she is more _____15_____ about why her act is considered a big _____16_____ . "She was just crying. I couldn't _____17_____ her," Bailey told the reporter. "I feel like I was just doing the right thing."

Although the two young women were strangers before the _____18_____ , they've since become friends. Neither won the race, but the _____19_____ of human kindness won the day.

5. A. designed   B. followed   C. changed   D. finished
6. A. delay   B. chance   C. trouble   D. excuse
7. A. judge   B. volunteer   C. classmate   D. competitor
8. A. race   B. school   C. town   D. training
9. A. agreed   B. returned   C. stopped   D. promised
10. A. courage   B. aid   C. patience   D. advice
11. A. went away   B. stood up   C. stepped aside D. bent down
12. A. medical   B. public   C. constant   D. equal
13. A. interrupted   B. assessed   C. identified   D. appreciated
14. A. hunger   B. pain   C. cold   D. tiredness
15. A. worried   B. ashamed   C. confused   D. discouraged
16. A. game   B. problem   C. lesson   D. deal
17. A. leave   B. cure   C. bother   D. understand
18. A. ride   B. test   C. meet   D. show
19. A. secret   B. display   C. benefit   D. exchange

5 answer box

─── EXAMPLE ───────────────────────

```
\dorecurse{5}{\typeanswerbychap{0},}

\newcount\tempa\tempa=2\relax
\dorecurse{5}{\typeanswerbychap[\tempa]{0},\advance\tempa by 1\relax}

\typeanswerdirect{0-5}
```

default answer,default answer,C,D,C,
default answer,C,D,C,default answer,
C

─── EXAMPLE ───────────────────────

```
\typeanswerlist{5}

\typeanswerlist[0]{5}

\typeanswerlist[0][2]{5}
```

default answer,default answer,C,D,C,
default answer,default answer,C,D,C,
default answer,C,D,C,default answer,

─── EXAMPLE ───────────────────────

```
\typeanswertable[2,5]        \null\par
\typeanswertable[2,5][0]     \null\par
\typeanswertable[2,5][0][6]  \null\par

\typeanswertablealt[2,5]        \null\par
\typeanswertablealt[2,5][0]     \null\par
\typeanswertablealt[2,5][0][6]  \null\par
```

1	2	3	4	5
default answer	default answer	C	D	C
6	7	8	9	10
default answer	default answer	default answer	C	default answer

1	2	3	4	5
default answer	default answer	C	D	C
6	7	8	9	10
default answer	default answer	default answer	C	default answer

6	7	8	9	10
default answer	default answer	default answer	C	default answer
11	12	13	14	15
default answer	Choice One	Choice Two	Choice Two	Choice Two

1	default answer	2	default answer	3	C		4	D	5	C
6	default answer	7	default answer	8	default answer	9	C	10	default answer	

1	default answer	2	default answer	3	C		4	D	5	C
6	default answer	7	default answer	8	default answer	9	C	10	default answer	

6	default answer	7	default answer	8	default answer	9	C		10	default answer
11	default answer	12	Choice One	13	Choice Two	14	Choice Two		15	Choice Two

6 Score

—— EXAMPLE ————————————

```
\startanswer[showanswer=true]
 some text \score{2}
 some text \score{4}
 \resetscore
 \setupscore[score=calculation]
 some text \score[type=cdotfill]{2}
 some text \score[type=space]{4}
 some text \score[type=hfill]{3}
 \resetscore
 \setupscore[score=complex]
 some text \score{2}
 some text \score{4}
 some text \score{3}
\stopanswer
```

(answer:there is no answer setted.)	
some text	*2*
some text	*4*
some text ··	*2*
some text *6*	
some text	*9*
some text	*2 : 2*
some text	*4 : 6*
some text	*3 : 9*

1 More Test

1. (1pts)(answer:9)It should be reset back to 1 here.
   A. XXX   B. YYY   C. ZZZ
2. (7.5pts)(answer:cxxx)
   (1) (1.5pts)(answer:cxxx)some texts
   (2) (1.5pts)(answer:cxxx)some texts
   (3) (1.5pts)(answer:cxxx)some texts
   (4) (1.5pts)(answer:cxxx)some texts
   (5) (1.5pts)(answer:cxxx)some texts
3. (45pts)(xxx)Explanation of the topic of the composition

(answer:xxx)(45pts)
Reference composition 1

4. (5038pts)(xxx)Explanation of the topic of the composition
   1. (450pts)(xxnx)Sub Composition Topic Description

(answer:xxnx)(450pts)
Reference composition 2

   2. (4588pts)(xxnx)Sub Composition Topic Description

(answer:xxnx)(4588pts)
Reference composition 3