第 1 章 Overview **2**
第 1 节 Introduction to basicexam Module 2
1.1 Module Features 2
1.2 Module Parameters 2
第 2 节 Choice Questions 2
2.1 Basic Choice Question Syntax 3
2.2 Questions with Answers and Points 4
2.3 Answer Script Areas 5
2.4 Styling Customization 6
2.5 Inline Choice Questions 6
2.6 multichoice 7
2.7 more instance 8
2.8 point calculation 8
第 3 节 Question 9
3.1 question & problem 9
3.2 True/False questions 10
3.3 example with answer 10
3.4 fillin 11
第 4 节 Material 13
第 5 节 Close 15
第 6 节 Chinese Poem 15
第 7 节 Lexicalentry 16
第 8 节 answer box 16
第 9 节 Score 17
第 10 节 Paper Title 18
10.1 Paper Title Parameters 18
第 11 节 Writing Environment 19
11.1 Basic Writing Task 19
11.2 Nested Writing Tasks 20
第 12 节 Optclose Environment 20
第 13 节 Writing Box and Grid 21
13.1 Writing Box 21
13.2 Writing Grid 22
第 14 节 User Question Environment 22
第 15 节 Symbols 23
第 16 节 Circled Text 23
16.1 Circled Conversions 24
第 17 节 Multilingual Support 24
第 2 章 More Test **25**

第1章　Overview

第1节 Introduction to basicexam Module

The basicexam module is a ConTeXt module designed for creating educational materials such as exams, quizzes, and practice tests. It provides a flexible framework for defining questions, choices, answers, and scoring.

1.1 Module Features

- Multiple question types including choice questions, fill-in-the-blank, and open-ended
- Support for teacher/student modes with answer visibility control
- Two-up layout option for printing exams on both sides of paper
- Customizable styling for questions, answers, and scoring
- Inline choice questions for compact presentation
- Script areas for student answers
- Comprehensive point tracking and scoring

1.2 Module Parameters

The module accepts the following parameters when loaded:

Parameter	Values	Description
mode		Controls the display mode:
	- student	Shows questions only
	- teacher	Shows questions with answers
	- check	Debug mode with console output
layout		Layout configuration:
	- twoup	Two virtual pages per physical page
	- none	Default single-page layout
footer		Footer configuration:
	- default	Shows subject and page number
	- none	No footer

第2节 Choice Questions

This section demonstrates various implementations of choice questions, showing both verbose and concise syntax options.

2.1 Basic Choice Question Syntax

The following examples show the two primary syntax formats for creating choice questions:

- Verbose format using `\startquestion`/`\stopquestion` environments
- Quick format using the `\question` macro with comma-separated choices

Additionally, they demonstrate column control through the optional parameter (8 columns in the second example) and integration with external figures.

EXAMPLE

```
\startquestion
 This is the question stem of the selection question.
 \startchoice
  \startcitem Choice One  \stopcitem
  \startcitem Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four  \stopcitem
 \stopchoice
\stopquestion

\question{This is the question stem of the selection question.
  \choice{Choice One,Choice Two,Choice Three,Choice Four}
}

\start
\startquestion
 This is the question stem of the selection question.
 \startchoice[8]
  \startcitem Choice One  \stopcitem
  \startcitem Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four  \stopcitem
 \stopchoice
\stopquestion

\question{This is the question stem of the selection question.
  \choice[8]{Choice One,Choice Two,Choice Three,Choice Four}
}

\startplacefigure [location={none,right,2*hang}]
 \externalfigure [][height=5\baselineskip]
\stopplacefigure
\question
{\input knuthmath
\choice[one,vertical]{Choice One,Choice Two,Choice Three,Choice Four}
}
\stop
```

1. This is the question stem of the selection question.
   A. Choice One B. Choice Two C. Choice Three D. Choice Four
2. This is the question stem of the selection question.
   A. Choice One B. Choice Two C. Choice Three D. Choice Four
3. This is the question stem of the selection question.
   ☐ Choice One ☐ Choice Two ☐ Choice Three ☐ Choice Four
4. This is the question stem of the selection question.
   ☐ Choice One ☐ Choice Two ☐ Choice Three ☐ Choice Four

5. Many readers will skim over formulas on their first reading of your exposition. Therefore, your sentences should flow smoothly when all but the simplest formulas are replaced by 「blah」 or some other grunting noise.
   A. Choice One
   B. Choice Two
   C. Choice Three
   D. Choice Four

```
name:
file:
state:unknown
```

2.2 Questions with Answers and Points

This section demonstrates how to define questions with:

- Explicit answer marking using `[*]` syntax
- Point values and point display
- Detailed answer explanations
- Reference labels for cross-referencing

The answer environment supports multiple formatting options and will automatically show/hide based on the module's mode parameter (teacher/student).

EXAMPLE

```
\startquestion[reference=Q,
        showanswer=true,
        showpoint=true,
        point=4,
        answer=Q]
 This is the question stem of the selection question \fillin{Answer Q}.
 \startchoice
  \startcitem  Choice One  \stopcitem
  \startcitem  Choice Two  \stopcitem
  \startcitem[*] Choice Three \stopcitem
  \startcitem  Choice Four \stopcitem
 \stopchoice
 \startanswer
  This is a detailed explanation of this topic.
  It should be noted that the answer will be overwritten by the next answer.
  Three answers are set for this question, but only the last answer will be selected in the end.
 \stopanswer
\stopquestion

\question[reference=QQ,
     showanswer=true,
     showpoint=true,
     point=4,
     answer=QQ]
 {This is the question stem of the selection question.\fillin{Answer QQ}.
 \choice{Choice One,Choice Two,Choice Three,{[*]Choice Four}}
 \startanswer
 This is a detailed explanation of this topic.
 It should be noted that the answer will be overwritten by the next answer.
 Three answers are set for this question, but only the last answer will be selected in the end.
 \stopanswer
 }
```

6. (4 分) (答案:C) This is the question stem of the selection question__Q__.
   A. Choice One B. Choice Two C. Choice Three D. Choice Four

   (答案:C)(4 分)
   This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

7. (4 分) (答案:D) This is the question stem of the selection question.__QQ__.

A. Choice One B. Choice Two C. Choice Three D. Choice Four

(答案:D)(4 分)

This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.

2.3 Answer Script Areas

This section shows how to add script areas where students can write responses. Key features demonstrated:

- `showscript=true` to enable answer spaces
- Custom script content with light gray prompt text
- Frame control for answer areas
- Vertical spacing adjustments for handwritten answers

Script areas are particularly useful for open-ended questions requiring longer responses.

EXAMPLE

```
\startquestion[reference=Q,
        showpoint=true,
        point=4,
        answer=Q]
 This is the question stem of the selection question \fillin{Answer Q}.
 \startchoice
  \startcitem  Choice One  \stopcitem
  \startcitem  Choice Two  \stopcitem
  \startcitem[*] Choice Three \stopcitem
  \startcitem  Choice Four \stopcitem
 \stopchoice
 \startanswer[showscript=true,showanswer=false,
        scriptcontent={\centerline{\lightgray\ss WRITE YOUR ANSWER HERE.}\par
                \null\vskip2\baselineskip\relax}]
  This is a detailed explanation of this topic.
  It should be noted that the answer will be overwritten by the next answer.
  Three answers are set for this question, but only the last answer will be selected in the end.
 \stopanswer
\stopquestion

\question[showpoint=true,point=4,]
 {This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
\startanswer[showscript=true,frame=off,scriptcontent=\null\blank[3*line]]

\stopanswer

\question[showpoint=true,point=4,]
 {This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
```

8. (4 分) This is the question stem of the selection question_____ .

A. Choice One B. Choice Two C. Choice Three D. Choice Four

WRITE YOUR ANSWER HERE.

9. (4 分) This is the question stem of the selection question.

A. Choice One B. Choice Two C. Choice Three D. Choice Four

10. (4 分) This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

2.4 Styling Customization

This section demonstrates the extensive styling options available:

- Question text styling (font family, size, color)
- Choice option formatting
- Point display customization
- Answer formatting and color coding
- Label styling and positioning

These styling parameters can be applied globally through `\setupquestion` or locally for individual questions.

EXAMPLE

```
\startquestion[style=ss,pointlabel={total , pts},point=2,showpoint=true]
 This is the question stem of the selection question.
 \startchoice[style=tt,color=red]
  \startcitem Choice One  \stopcitem
  \startcitem Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
 \stopchoice
\stopquestion

\startquestion[answerstyle=tt,answercolor=darkred,
        point=2,
        pointstyle=tt, pointcolor=darkred,
        textstyle=ss,textcolor=blue,
        showpoint=true,showanswer=true]
 This is the question stem of the selection question.
 \startchoice[answerstyle=\tt,answercolor=green,textstyle=rm,textcolor=darkred,]
  \startcitem Choice One    \stopcitem
  \startcitem Choice Two    \stopcitem
  \startcitem[*] Choice Three \stopcitem
  \startcitem Choice Four   \stopcitem
 \stopchoice
\stopquestion
```

11. (total 2 pts) This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

12. (2 分)(答案:C) This is the question stem of the selection question.
A. Choice One B. Choice Two C. Choice Three D. Choice Four

2.5 Inline Choice Questions

Inline choice questions allow for compact presentation where choices appear within the flow of the question text rather than as separate list items. This format is particularly useful for short questions or when space is limited.

The example demonstrates both environment-based (`\startinlinechoice`) and macro-based (`\inlinechoice`) inline choice syntax.

EXAMPLE

```
\startquestion
 This is the question stem of the selection question.\relax
 \startinlinechoice
  \startcitem Choice One  \stopcitem
  \startcitem Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
 \stopinlinechoice
\stopquestion

\question{This is the question stem of the selection question.\relax
```

```
  \inlinechoice{Choice One,Choice Two,Choice Three,Choice Four}
}

\startquestion[showanswer=true]
 This is the question stem of the selection question.\relax\break
 \startinlinechoice
  \startcitem[*] Choice One\stopcitem
  \startcitem Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four  \stopcitem
 \stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax\break\hfill
  \inlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

13. This is the question stem of the selection question.(☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
14. This is the question stem of the selection question.(☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
15. (答案:Choice One) This is the question stem of the selection question. (☑ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four)
16. (答案:Choice Two) This is the question stem of the selection question. (☐ Choice One, ☑ Choice Two, ☐ Choice Three, ☐ Choice Four)

EXAMPLE

```
\startquestion
 This is the question stem of the selection question.\relax
 \startchoice[vertical,text][]
  \startcitem Choice One  \stopcitem
  \startcitem[*] Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
 \stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
  \choice[vertical,text][]{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}

\definechoice[newinlinechoice][inlinechoice=true,correctsymbol=default]
\startquestion
 This is the question stem of the selection question.\relax
 \startnewinlinechoice
  \startcitem Choice One  \stopcitem
  \startcitem[*] Choice Two  \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four \stopcitem
 \stopnewinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
  \newinlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

17. This is the question stem of the selection question.A. Choice One B. Choice Two C. Choice Three D. Choice Four
18. (答案:B) This is the question stem of the selection question.A. Choice One B. Choice Two C. Choice Three D. Choice Four
19. This is the question stem of the selection question.A. Choice One B. Choice Two C. Choice Three D. Choice Four
20. (答案:Choice Two) This is the question stem of the selection question.A. Choice One B. Choice Two C. Choice Three D. Choice Four

2.6 multichoice

EXAMPLE

```
\startquestion[showanswer=true]
```

```
 This is the question stem of the selection question.\relax
 \startchoice
  \startcitem[*]  Choice One\stopcitem
  \startcitem    Choice Two\stopcitem
  \startcitem[*] Choice Three\stopcitem
  \startcitem   Choice Four\stopcitem
 \stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
  \choice{{[*]Choice One},{[*]Choice Two},Choice Three,Choice Four}
}

\startquestion[showanswer=true]
 This is the question stem of the selection question.\relax
 \startinlinechoice
  \startcitem[*]  Choice One\stopcitem
  \startcitem    Choice Two\stopcitem
  \startcitem[*] Choice Three\stopcitem
  \startcitem   Choice Four\stopcitem
 \stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
  \inlinechoice{Choice One,{[*]Choice Two},Choice Three,{[*]Choice Four}}
}
```

21. (答案:A,C) This is the question stem of the selection question.

    A. Choice One B. Choice Two C. Choice Three D. Choice Four

22. (答案:A,B) This is the question stem of the selection question.

    A. Choice One B. Choice Two C. Choice Three D. Choice Four

23. (答案:Choice One,Choice Three) This is the question stem of the selection question.

    (☑ Choice One, ☐ Choice Two, ☑ Choice Three, ☐ Choice Four)

24. (答案:Choice Two,Choice Four) This is the question stem of the selection question.

    (☐ Choice One, ☑ Choice Two, ☐ Choice Three, ☑ Choice Four)

2.7 more instance

EXAMPLE

```
 \definechoice[choiceexample]
 \setupchoice
  [choiceexample]
  [option={text,6,packed,joinedup,nowhite,},
   inlinechoice=true,
   correctsymbol={\symbol{markcirclecheck}},
   inlineleft={!!\nobreak},
   inlineright={\nobreak !!},
   answerstyle=\ss,
   separator={\removeunwantedspaces,\space},]

\startquestion[showanswer=true]
 This is the question stem of the selection question.\relax
 \startchoiceexample
  \startcitem[*]  Choice One\stopcitem
  \startcitem    Choice Two\stopcitem
  \startcitem[*] Choice Three\stopcitem
  \startcitem   Choice Four\stopcitem
 \stopchoiceexample
\stopquestion
```

25. (答案:Choice One,Choice Three) This is the question stem of the selection question.!!☑ Choice One, ○ Choice Two, ☑ Choice Three, ○ Choice Four !!

2.8 point calculation

EXAMPLE

```
\question[point={1.5},showpoint=true]{AXXXA\choice{dummy text,XXX,YYY,ZZZ}}
\question[point={2.2},showpoint=true]{AXXXA\choice{dummy text dummy text,XXX,YYY,ZZZ}}
\question[point={1.8},showpoint=true]{AXXXA\choice{dummy text dummy text dummy text dummy text,XXX,YYY,ZZZ}}
```

26. (1.5 分) AXXXA

A. dummy text B. XXX C. YYY D. ZZZ

27. (2.2 分) AXXXA

A. dummy text dummy text B. XXX

C. YYY D. ZZZ

28. (1.8 分) AXXXA

A. dummy text dummy text dummy text dummy text

B. XXX

C. YYY

D. ZZZ

第 3 节 Question

3.1 question & problem

EXAMPLE

```
\startquestion[start=1,option={n,packed,joinedup,nowhite},]
This is the main part of the question.
\stopquestion

\question
{This is the main part of the question.}

\startquestion
This is the main part of the question.
 \startquestion
  This is the main part of the question.
   \startquestion
    This is the main part of the question.
   \stopquestion
 \stopquestion
 \startquestion
  This is the main part of the question.
   \startquestion
    This is the main part of the question.
   \stopquestion
   \startquestion
    This is the main part of the question.
   \stopquestion
   \startquestion
    This is the main part of the question.
   \stopquestion
 \stopquestion
\stopquestion

\startquestion
This is the main part of the question.
 \startproblem
 \startpitem This is the first small question.\stoppitem
 \startpitem This is the second small question.\stoppitem
 \stopproblem
\stopquestion

\question
{This is the main part of the question.
 \problem[textstyle=ss]
  {\pitem{This is the first small question.}
   \pitem{This is the second small question.}
  }
}
```

1. This is the main part of the question.
2. This is the main part of the question.
3. This is the main part of the question.
   (1) This is the main part of the question.
      (1) This is the main part of the question.
   (2) This is the main part of the question.
      (1) This is the main part of the question.
      (2) This is the main part of the question.

(3) This is the main part of the question.

4. This is the main part of the question.
   (1) This is the first small question.
   (2) This is the second small question.
5. This is the main part of the question.
   (1) This is the first small question.
   (2) This is the second small question.

3.2 True/False questions

EXAMPLE

```
\startquestion
This is the main part of the question.
 \startproblem
 \startpitem \fillin{} This is the first small question.\stoppitem
 \startpitem \fillin{} This is the second small question.\stoppitem
 \stopproblem
\stopquestion

\start
\setupfillin[empty=none,style=\tta]
\startquestion
This is the main part of the question.
 \startproblem
 \startpitem \fillin{T} This is the first small question.\stoppitem
 \startpitem \fillin{F} This is the second small question.\stoppitem
 \startpitem This is the first small question.\hfill\fillin{\symbol{markcheck}}\stoppitem
 \startpitem This is the second small question.\hfill\fillin{\symbol{markcross}}\stoppitem
 \stopproblem
\stopquestion
\stop
```

6. This is the main part of the question.
   (1) _____ This is the first small question.
   (2) _____ This is the second small question.
7. This is the main part of the question.
   (1) __T__ This is the first small question.
   (2) __F__ This is the second small question.
   (3) This is the first small question.__✓__
   (4) This is the second small question.__✗__

3.3 example with answer

EXAMPLE

```
\setupquestion[showanswer=true,showpoint=true,point=1]
\setupanswer [showanswer=true,showpoint=true]
\startquestion[start=1,option={n,packed,joinedup,nowhite},answer=aaa]
This is the main part of the question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stopquestion

\question[answer=bbb]
{This is the main part of the question.}
\startanswer This is a detailed explanation of this topic.\stopanswer

\startquestion
This is the main part of the question.
 \startproblem
 \startpitem[answer=eee]
  This is the first small question.
  \startanswer This is a detailed explanation of this topic.\stopanswer
 \stoppitem
 \startpitem[answer=fff]
  This is the second small question.
  \startanswer This is a detailed explanation of this topic.\stopanswer
 \stoppitem
 \stopproblem
\stopquestion

\question
{This is the main part of the question.
```

```
\problem[textstyle=ss]
 {\pitem[answer=ggg]{This is the first small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \pitem[answer=hhh]{This is the second small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \pitem[answer=iii]{This is the second small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
 }
}
```

1. (1 分) (答案 : aaa) This is the main part of the question.

   (答案 : aaa)(1 分)
   This is a detailed explanation of this topic.

2. (1 分) (答案 : bbb) This is the main part of the question.

   (答案 : bbb)(1 分)
   This is a detailed explanation of this topic.

3. (2 分) (答案 : eee) This is the main part of the question.
   (1) (1 分) (答案 : eee) This is the first small question.

   (答案 : eee)(1 分)
   This is a detailed explanation of this topic.

   (2) (1 分) (答案 : fff) This is the second small question.

   (答案 : fff)(1 分)
   This is a detailed explanation of this topic.

4. (3 分) (答案 : ggg) This is the main part of the question.
   (1) (1 分) (答案 : ggg) This is the first small question.

   (答案 : ggg)(1 分)
   This is a detailed explanation of this topic.

   (2) (1 分) (答案 : hhh) This is the second small question.

   (答案 : hhh)(1 分)
   This is a detailed explanation of this topic.

   (3) (1 分) (答案 : iii) This is the second small question.

   (答案 : iii)(1 分)
   This is a detailed explanation of this topic.

3.4 fillin

5. Lorem ipsum dolor sit amet,
   (1) Lorem ipsum dolor sit amet, 10
   (2) Lorem ipsum dolor sit amet, 11
   (3) Lorem ipsum dolor sit amet, 12
   (4) Lorem ipsum dolor sit amet, 13
   (5) Lorem ipsum dolor sit amet, _____

(6) Lorem ipsum dolor sit amet,_____

(7) Lorem ipsum dolor sit amet, ____

(8) Lorem ipsum dolor sit amet, _____

(9) Lorem ipsum dolor sit amet, ccc,will be replace

(10) Lorem ipsum dolor sit amet,ccc,will be replace

(11) Lorem ipsum dolor sit amet, ccc,will be replace

(12) Lorem ipsum dolor sit amet, ccc,will be replace

6. (29 分)(答案:Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2) Lorem ipsum dolor sit amet,

(1) (5 分)(答案:Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2) Lorem ipsum dolor sit amet, ccc,will be replace Lorem ipsum,the real answer 1

(2) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(3) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(4) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(5) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet,ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(6) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet,ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(7) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet,ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(8) (2 分)(答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, _ ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(9) (2 分) (答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, _ ccc,will be replace _

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(10) (2 分) (答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, _ ccc,will be replace _

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(11) (2 分) (答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(12) (2 分) (答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

(13) (2 分) (答案:Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, ccc,will be replace

(答案:Lorem ipsum,the real answer)(2 分)
Here is answer.

第 4 节 Material

EXAMPLE

```
\setupmaterial[title] [style=\ssa]
\setupmaterial[author][style=\tta]
\setupmaterial[source][style=ss]
\setupmaterial[number][numberconversion=I]
\setupmaterial[indicator][numberconversion=A,reset=true]

\startmaterial[title={Knuth 1},author={Mos},source={Yelu}]
 \input knuth\relax
 \indicator{Some Texts 1}
 \indicator{Some Texts 2}
\stopmaterial

\startquestion[start=1,option={n,packed,joinedup,nowhite}]
 \indicator{Some Texts 1}
 \choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
 \indicator{Some Texts 2}
 \choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion

\startmaterial[title={Knuth 2},author={Mos},source={Yelu}]
\input knuth\relax\indicator{Some Texts 3} \indicator{Some Texts 4}
\stopmaterial
\startquestion
 \indicator{Some Texts 3}
 \choice{Some Texts,Some Texts,Some Texts,Some Texts}
```

```
\stopquestion
\startquestion
 \indicator{Some Texts 4}
 \choice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
```

(I)Knuth 1

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large–scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TEX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 1** **(B) Some Texts 2**

Yelu

1. **(A) Some Texts 1**

   A. Some Texts B. Some Texts C. Some Texts D. Some Texts

2. **(B) Some Texts 2**

   A. Some Texts B. Some Texts C. Some Texts D. Some Texts

(II)Knuth 2

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large–scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TEX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 3** **(B) Some Texts 4**

Yelu

3. **(A) Some Texts 3**

   A. Some Texts B. Some Texts C. Some Texts D. Some Texts

4. **(B) Some Texts 4**

   A. Some Texts B. Some Texts C. Some Texts D. Some Texts

第 5 节 Close

On Oct. 11, hundreds of runners competed in a cross-country race in Minnesota. Melanie Bailey should have __5__the course earlier than she did. Her __6__came because she was carrying a __7__across the finish line.

As reported by a local newspaper, Bailey was more than two-thirds of the way through her __8__when a runner in front of her began crying in pain. She __9__to help her fellow runner, Danielle Lenoue. Bailey took her arm to see if she could walk forward with __10__. She couldn't. Bailey then __11__to let Lenoue climb onto her back and carried her all the way to the finish line, then another 300 feet to where Lenoue could get __12__ attention.

Once there, Lenoue was __13__and later taken to a hospital, where she learned that she had serious injuries in one of her knees. She would have struggled with extreme __14__to make it to that aid checkpoint without Bailey's help.

As for Bailey, she is more __15__about why her act is considered a big __16__. "She was just crying. I couldn't __17__her," Bailey told the reporter. "I feel like I was just doing the right thing."

Although the two young women were strangers before the __18__, they've since become friends. Neither won the race, but the __19__of human kindness won the day.

(1) (nil)	5. A. designed	B. followed	C. changed	D. finished
(1) (nil)	6. A. delay	B. chance	C. trouble	D. excuse
(1) (nil)	7. A. judge	B. volunteer	C. classmate	D. competitor
(1) (nil)	8. A. race	B. school	C. town	D. training
(1) (nil)	9. A. agreed	B. returned	C. stopped	D. promised
(1) (nil)	10. A. courage	B. aid	C. patience	D. advice
(1) (nil)	11. A. went away	B. stood up	C. stepped aside	D. bent down
(1) (nil)	12. A. medical	B. public	C. constant	D. equal
(1) (nil)	13. A. interrupted	B. assessed	C. identified	D. appreciated
(1) (nil)	14. A. hunger	B. pain	C. cold	D. tiredness
(1) (nil)	15. A. worried	B. ashamed	C. confused	D. discouraged
(1) (nil)	16. A. game	B. problem	C. lesson	D. deal
(1) (nil)	17. A. leave	B. cure	C. bother	D. understand
(1) (nil)	18. A. ride	B. test	C. meet	D. show
(1) (nil)	19. A. secret	B. display	C. benefit	D. exchange

第 6 节 Chinese Poem

EXAMPLE

```
\startverse[title=临江仙 $\cdot$ 滚滚长江东逝水,author=明 $\cdot$ 杨慎]
滚滚長江東逝水浪花淘盡英雄\\
是非成敗轉頭空\\
青山依舊在幾度夕陽紅\\
白髮漁樵江渚上慣看秋月春風\\
一壺濁酒喜相逢\\
古今多少事都付笑談中
\stopverse
```

临江仙 · 滚滚长江东逝水

明 · 杨慎

滚滚長江東逝水浪花淘盡英雄
是非成敗轉頭空
青山依舊在幾度夕陽紅
白髮漁樵江渚上慣看秋月春風
一壺濁酒喜相逢
古今多少事都付笑談中

EXAMPLE

```
\setupverse[skip=none,align=center]
```

第 7 节 Lexicalentry

EXAMPLE

```
\startlexicalentry[class=名,accent=1]{太陽}
 \startlexicallists
  \item 太陽系の中心をなし、地球にもっとも近い恒星。お日さま。\antonym{太陰}。
  \item 光明・希望の象徴。「心の\alias 」
 \stoplexicallists
\stoplexicalentry
```

太陽 名 1

ア 太陽系の中心をなし、地球にもっとも近い恒星。お日さま。 対 太陰。

イ 光明・希望の象徴。「心の～」

第 8 节 answer box

By default, answers are extracted from chapter 0 (i.e. , no chapter) . Therefore, if answers are located under chapters, you should start from chapter 1.

EXAMPLE

```
\dorecurse{5}{\typeanswerbychap{1},}

\newcount\tempa\tempa=2\relax
\dorecurse{5}{\typeanswerbychap[\tempa]{1},\advance\tempa by 1\relax}

\typeanswerdirect{1-5}
```

default answer,default answer,default answer,default answer,default answer,
default answer,default answer,default answer,default answer,C,
C

EXAMPLE

```
\typeanswerlist{5}

\typeanswerlist[1]{5}

\typeanswerlist[1][2]{5}
```

,,,,,

default answer,default answer,default answer,default answer,default answer, default answer,default answer,default answer,C,D,

EXAMPLE

```
\typeanswertable[2,5]      \null\par
\typeanswertable[2,5][1]    \null\par
\typeanswertable[2,5][1][6]  \null\par

\typeanswertablealt[2,5]    \null\par
\typeanswertablealt[2,5][1]  \null\par
\typeanswertablealt[2,5][1][6] \null\par
```

1	2	3	4	5
default answer	default answer	default answer	default answer	default answer
6	7	8	9	10
C	D	C	default answer	default answer

6	7	8	9	10
C	D	C	default answer	default answer
11	12	13	14	15
default answer	C	default answer	default answer	Choice One

1	default answer	2	default answer	3	default answer	4	default answer	5	default answer
6	C	7	D	8	C	9	default answer	10	default answer

6	C	7	D	8	C	9	default answer	10	default answer
11	default answer	12	C	13	default answer	14	default answer	15	Choice One

第 9 节 Score

EXAMPLE

```
\startanswer[showanswer=true]
 some text \score{2}
 some text \score{4}
 \resetscore
 \setupscore[score=calculation]
 some text \score[type=cdotfill]{2}
 some text \score[type=space]{4}
 some text \score[type=hfill]{3}
 \resetscore
 \setupscore[score=complex]
 some text \score{2}
 some text \score{4}
 some text \score{3}
\stopanswer
```

(答案:nil)

some text 2
some text 4
some text 2
some text 6
some text 9
some text 2:2
some text 4:6
some text 3:9

第 10 节 Paper Title

The `\definepapertitle`, `\setuppapertitle`, and `\makepapertitle` commands are used to create professional test paper headers with customizable information sections.

- `\definepapertitle[PaperTitleName]` — Define a new paper title instance
- `\setuppapertitle[PaperTitleName][...]` — Configure paper title settings
- `\makepapertitle[PaperTitleName]` — Render the paper title

10.1 Paper Title Parameters

The paper title system supports the following key parameters:

Parameter	Description
list	Order of elements to display (default: secret, title, subject, information, signinformation, notice)
secret	Secret/classification text (e.g., "绝密 ★ 启用前")
title	Main paper title
subject	Subject name (appended with subjectsuffix)
subjectsuffix	Suffix for subject (default: 学科试卷)
information	General information (time, total score, etc.)
signinformation	Student sign-in information fields
notice	Important notices/instructions

Each element in the list automatically generates style-related parameters:

- `<element>style` — Text style
- `<element>color` — Text color
- `<element>align` — Text alignment
- `before<element>` — Content before the element
- `after<element>` — Content after the element

EXAMPLE

```
\definepapertitle[myexam]
```

```
\setuppapertitle[myexam][
  list={secret,examtitle,subject,information,notice},
  subjectsuffix=学科试卷,
  secretstyle=\ss,
  examtitlestyle=\ssa,
  subjectstyle=\ssb,
  informationstyle=\ttx,
  noticestyle=\rm\it,
  secretalign=flushleft,
  examtitlealign=center,
  subjectalign=center,
  informationalign=center,
  noticealign=flushleft,
  secret={绝密 ★ 启用前},
  examtitle={2024 年普通高等学校招生全国统一考试},
  subject={英语},
  information={总分:150 分，考试时间:120 分钟},
  notice={注意事项:
   \startitemize[n,packed,joinedup]
    \item 答题前，务必将自己的姓名、准考证号填写在答题卡规定的位置上。
    \item 答选择题时，必须使用 2B 铅笔将答题卡上对应题目的答案标号涂黑。
    \item 考试结束后，将试题卷和答题卡一并交回。
   \stopitemize},
]
\makepapertitle[myexam]
```

绝密 ★ 启用前

2024 年普通高等学校招生全国统一考试

英语

总分:150 分，考试时间:120 分钟

注意事项:

1. 答题前，务必将自己的姓名、准考证号填写在答题卡规定的位置上。
2. 答选择题时，必须使用 2B 铅笔将答题卡上对应题目的答案标号涂黑。
3. 考试结束后，将试题卷和答题卡一并交回。

第 11 节 Writing Environment

The `writing` environment is designed for composition/writing questions. It supports both standalone writing tasks and nested sub-writing tasks.

Parameter	Values	Description
point	number	Point value for the writing task
answer	text	Reference answer text
showanswer	true/false	Show/hide reference answer
showpoint	true/false	Show/hide point value
totalanswer	text	Override total answer display

11.1 Basic Writing Task

EXAMPLE

```
\setupwriting[showanswer=true,showpoint=true]
\startwriting[point=20]
 Write an essay about your favorite season. Your essay should be at least 200 words.
 \startanswer
  This is a reference composition that demonstrates the expected quality
  and length of the student's response. It covers the main points and
  shows good organization and language use.
 \stopanswer
\stopwriting
```

2. (20 分)(答案:参见参考作文) Write an essay about your favorite season. Your essay should be at least 200 words.

> *(答案:参见参考作文。)(20 分)*
>
> *This is a reference composition that demonstrates the expected quality and length of the student's response. It covers the main points and shows good organization and language use.*

11.2 Nested Writing Tasks

When a writing task contains multiple sub-topics, use `subwriting`:

EXAMPLE

```
\setupwriting[showanswer=true,showpoint=true]
\startwriting
 Choose one of the following topics and write an essay:
 \startsubwriting[point=15]
  Topic A: Describe a memorable travel experience.
  \startanswer
   Reference essay for Topic A...
  \stopanswer
 \stopsubwriting
 \startsubwriting[point=15]
  Topic B: Discuss the importance of environmental protection.
  \startanswer
   Reference essay for Topic B...
  \stopanswer
 \stopsubwriting
\stopwriting
```

3. (30 分)(答案:参见参考作文) Choose one of the following topics and write an essay:
   1. (15 分)(答案:参见参考作文。) Topic A: Describe a memorable travel experience.

   > *(答案:参见参考作文。)(15 分)*
   >
   > *Reference essay for Topic A...*

   2. (15 分)(答案:参见参考作文。) Topic B: Discuss the importance of environmental protection.

   > *(答案:参见参考作文。)(15 分)*
   >
   > *Reference essay for Topic B...*

第 12 节 Optclose Environment

The `optclose` environment is a variant of the `close` environment, designed for fill-in-the-blank questions where the answer is provided inline. Use `\ocitem` to mark each blank.

Parameter	Values	Description
answer	text	The correct answer for this blank
point	number	Point value (default: 1)
reset	true/false	Reset numbering for each environment
continue	true/false	Continue from previous question number

EXAMPLE

```
\startoptclose[showanswer=true,showpoint=true,point=4]
The latest \ocitem[answer=engineering,point=6]{engineer} techniques are applied to create
this protective \ocitem[answer=functional]{function} structure that is also
beautiful. The design features ten steel "sepals" made of glass and aluminium.
These sepals open on warm days \ocitem[answer=to give]{give} the inside plants
sunshine and fresh air. In cold weather, the structure stays \ocitem[answer=closed]{close}
to protect the plants.
\stopoptclose
```

The latest
__4__ (engineer) (6 分) (答案:engineering) techniques are applied to create this protective
__5__ (function) (4 分) (答案:functional) structure that is also beautiful. The design features ten steel "sepals" made of glass and aluminium. These sepals open on warm days
__6__ (give) (4 分) (答案:to give) the inside plants sunshine and fresh air. In cold weather, the structure stays
__7__ (close) (4 分) (答案:closed) to protect the plants.

第 13 节 Writing Box and Grid

The `\writingbox` and `\writinggrid` commands create formatted areas for handwritten answers, commonly used in composition sections.

13.1 Writing Box

Parameter	Values	Description
column	number	Number of columns
row	number	Number of rows
evenheight	dimension	Height of even rows
oddheight	dimension	Height of odd rows
evencolor	color	Color of even rows
oddcolor	color	Color of odd rows

EXAMPLE

```
\writingbox
 [column=5,
  row=5,
  evencolor=blue,
  oddcolor=gray,
  evenheight=1em,
  oddheight=.5em,
  height=5cm,
  width=\textwidth,]{}
```



13.2 Writing Grid

Parameter	Values	Description
column	number	Number of columns
row	number	Number of rows
cellwidth	dimension	Width of each cell
cellcolor	color	Color of grid lines

EXAMPLE

```
\writinggrid
 [cellwidth=1cm,
  column=10,
  row=5,
  cellcolor=darkgray,
  height=5cm,
  width=\textwidth,]{}
```



第 14 节 User Question Environment

The `userquestion` and `useritem` environments provide flexibility for question types not covered by the standard environments.

EXAMPLE

```
\setupuserquestion[point=1,showanswer=true,showpoint=true]
\useritem{Answer 1} XXXX

\useritem{Answer 2} XXXX

\useritem{Answer 3} XXXX

\startuserquestion
XXXXXX\useritem{A} \useritem{B} \useritem{C}
\stopuserquestion
```

(1)(Answer 1) XXXX
(1)(Answer 2) XXXX
(1)(Answer 3) XXXX
(1)(A,B,C)XXXXXX

第 15 节 Symbols

The module provides a comprehensive set of marking symbols for answers. These symbols require the **NotoSansSymbols2** font to be installed.

Command	Symbol	Command	Symbol
`\symbol{marksquare}`	☐	`\symbol{markcircle}`	○
`\symbol{markcheck}`	✓	`\symbol{markcross}`	✗
`\symbol{markheavycheck}`	✓	`\symbol{markheavycross}`	✘
`\symbol{marksquarecheck}`	☑	`\symbol{marksquarecross}`	☒
`\symbol{marksquareheavycheck}`	☑	`\symbol{marksquareheavycross}`	☒
`\symbol{markcirclecheck}`	⊘	`\symbol{markcirclecross}`	⊗
`\symbol{markcircleheavycheck}`	⊘	`\symbol{markcircleheavycross}`	⊗
`\symbol{marknotcheck}`	∤		

第 16 节 Circled Text

The `\circledtext` command creates numbers or text inside circles or squares. Various styles are available through conversion commands.

Parameter	Values	Description
radius	0–0.5	0=square, 0.5=circle
framecolor	color	Border color
fillcolor	color	Fill color
color	color	Text color
style	font style	Text style
scaled	number	Scale factor

EXAMPLE

```
\circledtext{1}\quad
\circledtext[radius=0.5]{A}\quad
\circledtext[radius=0,fillcolor=black,color=white]{B}\quad
\circledtext[radius=0.2]{C}

\startitemize[Co:num,packed]
 \item First item
 \item Second item
 \item Third item
\stopitemize
```

① Ⓐ 🅱 🄲

❶. First item
❷. Second item

❸. Third item

16.1 Circled Conversions

Available conversion sets for circled numbers:

Conversion	Description
Co:num, CO:num	Circled/white-on-black numbers
Cr:num, CR:num	Rounded square numbers
Cs:num, CS:num	Square numbers
Co:Alph, Co:alph	Circled letters
Co:cn	Circled Chinese numerals
Co:hira, Co:kata	Circled Japanese characters

第 17 节 Multilingual Support

The module provides multilingual support through `\userlanguage`:

Language	Code	Description
English	en	Latin script, modern font
Chinese (Simplified)	cn, hans	Simplified Chinese
Chinese (Traditional)	hant	Traditional Chinese
Japanese	ja	Japanese with ruby support

EXAMPLE

```
\userlanguage[en]{This is English text.}
\userlanguage[cn]{这是中文文本。}
\userlanguage[ja]{これは日本語のテキストです。}
```

This is English text.

这是中文文本。

これは日本語のテキストです。

第2章　More Test

2. (1 分) (答案:1) one nest

(答案:1)(1 分)
explain

3. (6 分) (答案:3) one nest

(A) (3 分) (答案:3) two nest

(I) (1 分) (答案:3) three nest

(答案:3)(1 分)
explain in question

(答案:3)(1 分)
explain out question

(II) (1 分) (答案:4) three nest

(答案:4)(1 分)
explain in question

(答案:4)(1 分)
explain out question

(III) (1 分) (答案:5) three nest

(答案:5)(1 分)
explain in question

(答案:5)(1 分)
explain out question

(2) (3 分) (答案:6) two nest

(I) (1 分) (答案:6) three nest

(答案:6)(1 分)
explain in question

(答案:6)(1 分)
explain out question

(II) (1 分) (答案:7) three nest

(答案:7)(1 分)
explain in question

(答案:7)(1 分)
explain out question

(III) (1 分) (答案:8) three nest

(答案:8)(1 分)
explain in question

(答案:8)(1 分)
explain out question

4. (3 分) (答案:A) new test
   (1) (1 分) (答案:A) new test 1

(答案:A)(1 分)
explain

(答案:A)(1 分)
explain

   (2) (1 分) (答案:B) new test 2

(答案:B)(1 分)
explain

(答案:B)(1 分)
explain

   (3) (1 分) (答案:C) new test 3

(答案:C)(1 分)
explain

(答案:C)(1 分)
explain

5. (1 分) It should be reset back to 1 here.
   A. XXX B. YYY C. ZZZ

(答案:9)(1 分)
some text

6. (7.5 分) (答案:123)
   (1) (1.5 分) (答案:123) some texts
   (2) (1.5 分) (答案:123) some texts
   (3) (1.5 分) (答案:123) some texts
   (4) (1.5 分) (答案:123) some texts
   (5) (1.5 分) (答案:123) some texts
7. (45 分) (答案:参见参考作文) Explanation of the topic of the composition

(答案:xxx)(45 分)

Reference composition 1

8. (5038 分) (答案:参见参考作文) Explanation of the topic of the composition
   1. (450 分) (答案:xxnx) Sub Composition Topic Description

(答案:xxnx)(450 分)

Reference composition 2

   2. (4588 分) (答案:xxnx) Sub Composition Topic Description

(答案:xxnx)(4588 分)

Reference composition 3