Timestamp	Nickname	Disease Name	Problem cause in which chromosome *be specific *else type "Not Found"	Symptoms, e.g.: 1. abcde... 2. abcde... * *	Present status in Bangladesh
18/12/2022 20:35:18	Alvee	cleft palate	A number of genes are involved including cleft lip and palate transmembrane protein 1 and GAD1.Van der Woude syndrome(VWS) is the most common orofacial clefting syndrome, accounting for 2% of CLP cases.[3] The majority of VWS cases are caused by haploinsuf	Usually, a split (cleft) in the lip or palate is 1. A split in the lip and roof of the mouth (p 2. A split in the lip that appears as only a s 3. A split in the roof of the mouth that does Less commonly, a cleft occurs only in the a)Difficulty with feedings b)Difficulty swallowing, with potential for li c)Nasal speaking voice d)Chronic ear infections	Every year, around 5,000 children are born in Bangladesh with cleft lips and palate. Most of these children do not have access to proper treatment.
18/12/2022 21:47:42	Alvee	High arched foot	Among the cases of neuromuscular pes cavus, 50% have been attributed to Charcot-Marie-Tooth disease (CMT) The most common cause of CMT (70–80% of the cases) is the duplication of a large region on the short arm of chromosome 17 that includes the gene PMP22(peripheral myelin protein 22) PMP gene location- (Chr 17: 15.23 – 15.27 Mb)	Cavus foot symptoms include: 1. Corns or calluses on your heel, ball of y 2. An inward-tilting heel. 3. Trouble finding shoes that fit well. 4. Foot pain, particularly when walking, st 5. Toes that are bent when standing.	May have seen beggers of this symptoms. No case or research article can be found in internet relating Bangladesh. It's a possible sector for research.la
18/12/2022 22:00:01	Alvee	Club feet	genetics, environmental factors or a combination of both are associated with this condition. Chromosomal abnormalities found in 30% and 2% of complex clubfoot and isolated clubfoot respectively.These include trisomy 18, 13, 21, sex chromosome abnormalities, micro-deletions and duplications.	Symptoms: a)The top of the foot is usually twisted dov b)The foot may be turned so severely that c)The affected leg or foot may be slightly : d)The calf muscles in the affected leg are	It is estimated that 5000 Bangladeshi children are born with a clubfoot deformity each year, with incidence approximated at 1: 900 births. non-government organisation, Walk For Life (WFL) has provided free treatment for over 17,500 Bangladeshi children with clubfeet since 2009, sustained by local ownership, and interna
18/12/2022 22:15:00	Alvee	Claw toe	Claw toe, hammer toe and mallet toe is similar disease with slight difference. One cause of it is Friedreich's ataxia (FRDA or FA), which is an autosomal-recessive genetic disease. The condition is caused by mutations in the FXN gene on chromosome 9, which makes a protein called frataxin. In 96% of cases, the mutant FXN gene has 90–1,300 GAA trinucleotide repeat expansions in intron 1 of both alleles	Claw toes are more than just bent toes. A 1. Corns. 2. Calluses. 3. Blisters. 4. Pain. 5. Swelling. 6. Ulcers (rare).	No extensive research paper has been found by me. It's an open field for doing research in Bangladesh. It's a common disease that we neglect.
19/12/2022 08:30:07	Soash	Trisomy 18	Three copies of chromosome 18	1.Cleft palate 2.Clenched fists with overlapping fingers t 3.Defects of the lungs, kidneys, and stom 4.Deformed feet (called "rocker-bottom fe 5.Feeding problems 6.Heart defects 7.Low-set ears 8.Severe developmental delays 9.Chest deformity 10.Slowed growth 11.Small head (microcephaly) 12.Small jaw (micrognathia) 13.Weak cry	Trisomy 18 occurs in about 1 in 5,000 live-born infants(most are female); it is more common in pregnancy, but many affected fetuses do not survive to term. Although women of all ages can have a child with trisomy 18, the chance of Trisomy 18 is the second most common type of trisomy syndrome, after trisomy 21 (Down syndrome). Case Reports in Bangladesh https://doi.org/10.3329/bjms.v10i3.8368 https://doi.org/10.3329/bjch.v45i3.62898 https://www.hilarispublisher.com/open-access/a-case-report-on-edward-syndrome.pdf
19/12/2022 08:46:32	Soash	Trisomy 13	three copies of chromosome 13	Trisomy 13, also called Patau syndrome, 1.heart defects 2.brain or spinal cord abnormalities 3.very small or poorly developed eyes (mi 4.extra fingers or toes 5.a cleft lip 6.a cleft palate 7.weak muscle tone (hypotonia) Due to the presence of several life-threate	Trisomy 13 occurs in about 1 in 16,000 newborns.
19/12/2022 10:34:32	Soash	Trisomy X	characterized by the karyotype 47,XXX, is a chromosome disorder in which a female has an extra copy of the X chromosome.	1.Wider spaced eyes (known as hypertelo 2.Vertical skin folds that cover the inner co 3.Curved or bent little fingers (known as c 4.Poor muscle tone (known as hypotonia) 5.Taller 6.Attention deficit disorder 7.Developmental delays: Muscle weaknes 8.Mild cognitive or intellectual impairment 9.Genito-urinary deformities or malfunctio 10.Differences in heart structure.	This condition occurs in about 1 in 1,000 female newborn(world wide)
19/12/2022 11:38:52	Soash	Intersex	46, XX intersex : 46, XY intersex	1.Ambiguous genitalia at birth. 2.Micropenis. 3.Clitoromegaly (an enlarged clitoris) 4.Partial labial fusion. 5.Apparently undescended testes (which 6.Labial or inguinal (groin) masses (which	https://www.bangladeshintersexforum.org/ It is estimated that up to 1.7 percent of the population has an intersex trait and that approximately 0.5 percent of people have clinically identifiable sexual or reproductive variations.(glob The government says Bangladesh has about 10,000 hijras, as transgender people are known in South Asia. Other estimates put the number at more than 50,000.
19/12/2022 15:41:27	Md.Nehamul Islam Nehad	Thalacemia	Not found	After i tell this	Coumilla
19/12/2022 18:17:00	Sruty	Thalassemia	Beta Thalassemia is caused by mutations in the HBB gene on chromosome 11. while alpha Thalassemia is caused by genetic changes in the HBA1(16p13.3) and/or HBA2(16p13.3)genes. Both are inherited in an autosomal recessive manner.	There are several types of thalassemia. T Thalassemia signs and symptoms can inc 1. Fatigue 2. Weakness 3. Pale or yellowish skin 4. Facial bone deformities 5. Slow growth 6. Abdominal swelling 7. Dark urine	The number of patients suffering from thalassemias (beta major and HbE beta) with different levels of severity is estimated to be approximately 60,000–70,000 in Bangladesh. With the
19/12/2022 20:44:02	Shovo	1.Turner syndrome 2.Cri	1.Turner syndrome : when one of the X chromosomes (sex chromosomes) is missing or partially missing. 2.Cri du chat : when a piece of chromosome 5 is missing. 3.Wolf hirschhorn syndrome : caused by a missing piece (deletion) of genetic material near the end of the short (p) arm of chromosome 4 (written as 4p-). 4.Arthritis : caused by a fault in the immune system that causes the body to attack its own tissues in the joints.	Turner syndrome : 1. Wide or weblike neck. 2. Low-set ears. 3. Broad chest with widely spaced nipples 4. High, narrow roof of the mouth (palate) 5. Arms that turn outward at the elbows. 6. Fingernails and toenails that are narrov Cri du chat : 1. A high-pitched, cat-like cry or weak cry. 2. Low birth weight. 3. A small head. 4. A rounded face. 5. A broad, flattened bridge of the nose. 6. Eyes spaced wide apart. 7. Folds of skin over the eyelids. abnormalities of the palate, such as an un Wolf hirschhorn syndrome : 1. Bulging, wide-set eyes 2. Droopy eyelids and other eye problems 3. Cleft lip or palate 4. Downturned mouth 5. Low birth weight 6. Microcephaly, or an unusually small he 7. Underdeveloped muscles 8. Scoliosis 9. Heart and kidney problems 10. Failure to thrive Arthritis : 1. Joint pain, tenderness and stiffness. 2. Inflammation in and around the joints. 3. Restricted movement of the joints. 4. Warm red skin over the affected joint. 5. Weakness and muscle wasting.	Turner syndrome : Turner syndrome (TS) is the most common sex chromosomal numerical genetic abnormality that affects approximately 1 in 2,500 to 1 in 3,000 live female births corresponding to appro Cri du chat : Cri du chat syndromepreimplantation genetic diagnosisfluorescence in situ hybridizationreciprocal translocation Cri du chat syndrome is a rare genetic disease resulting from a deletion in the short arm of the chromosome 5, with an incidence of one in 15,000–50,000 live births (1). The name of th Preimplantation genetic diagnosis (PGD) is a procedure performed to exclude genetic defects in embryos before they are transferred into the uterus. Fluorescent in situ hybridization (F Wolf-Hirschhorn syndrome: Wolf-Hirschhorn syndrome (WHS), a rare disorder determined by distal 4p deletion, is characterized by a pre and postnatal growth retardation, hypotonia, intellectual disability, epilepsy, Arthritis : To assess disease-related knowledge of rheumatoid arthritis (RA) patients Patients and methods Consecutive RA patients were invited from the rheumatology departments of BSMM University, Dhaka, Bangladesh. The Bangla version of the Patient Knowledge Questionnaire (B-PK A total of 168 RA patients could be included. The mean B-PKQ score was 9.84 (range 1–20) from a possible maximum of 30. The mean time for answering the questionnaire was 24.3 r Disease-related knowledge of Bangladeshi RA patients was poor in all domains. Using these findings, improved education and knowledge will result in better disease control.
20/12/2022 12:25:34	Shatabdi Roy	Down Syndrome	Trisomy 21(Extra copy of chromosome in number 21)	According to CDC, some common sympto 1. Flattened face with the flattened bridge 2. Short neck. 3. Small hands and feet. 4. Almond-shaped eyes with a tiny white s 5. A tongue that sticks out of the mouth.	No particular statistics are found
20/12/2022 14:54:57	Shatabdi Roy	Autism	No specific gene was found that causes the disease	1. Problems with socialization. 2. Problems with communications. 3. Repetitive and inflexible behaviors.	Lack of specific and authentic information
20/12/2022 17:52:38	Sruty	Hemochromatosis	HFE faulty gene,chromosome 6, cause substitution of 282nd amino acid	Impairment of organ Joint pain Abdominal pain Fatigue Weakness Diabetes Loss of sex drive Impotence Heart failure Liver failure Bronze or gray skin color Memory fog Excessive iron stored in liver,skin,etc	Rare in asia.so rare in bd.
20/12/2022 18:03:12	Sruty	Hemophilia	X chromosome	Unexplained and excessive bleeding from or after surgery or dental work Many large or deep bruises Unusual bleeding after vaccinations Pain, swelling or tightness in joints Blood in urine or stool Nosebleeds without a known cause In infants, unexplained irritability	Haemophilia A is the most common type of haemophilia, affecting approximately 320,000 people around the world, with more than 1400 cases diagnosed in Bangladesh and many more 2021 jugantor -approximately 10000cases in bd
20/12/2022 18:37:04	Sruty	Sickle)cell anemia	autosomal recessive disease caused by a point mutation in the hemoglobin beta gene (HBB) found on chromosome 11p15.	Anemia Episodes of pain. Periodic episodes of ex Swelling of hands and feet. Frequent infections. Delayed growth or puberty. Vision problems.	Test cost 900000 in Dhaka. R paina.dhur.biye kori cholo.alabu.
20/12/2022 19:47:47	Shatabdi Roy	Spina bifida	Not a specific gene is responsible for the disease. It's better to say a combination of genetic, nutritional, and environmental risk factor also past family history of defective neural tube, (vitamin B9 deficiency)	1. Weakness or permanent peralysis of le 2.Bowel incontinence and Urinary incontir 3. Back pain and loss of skin sensation in	Rare case in Bangladesh. But according to the research of CDC, Every year almost 1,427 babies are born with spina bifida, or 1 in every 2,758 births.
20/12/2022 20:06:39	Shatabdi Roy	Duchene Mascular Distro	Missing the gene related to code the distrophin,(largest gene yet identified in humans and is located in the short arm of the X chromosome, in the Xp 21.2 locus) protein that protect muscle fibre from breaking down.	1.Large calf muscle. 2.Muscle pain and stiffness. 3.Frequent falls. 4.Difficulty in running and walking. 5. Learning disabilities. 6. Difficulty rising from sitting or lying posi	Bascially X-linked recessive disorder, mostly effects boys and occurs one in every 3500 to 5000 new born child every year.
20/12/2022 23:24:20	Shovon	Deaf dumb	The gene for an inherited form of deafness maps to chromosome 5q31	1.Hearing Loss Symptoms 2.Have trouble following a conversation w 3.Think other people are mumbling or not 4.Often misunderstand what others say a 5.Get complaints that the TV is too loud Hear ringing, roaring, or hissing sounds in	Deafness in Bangladesh is a major health issue. About 9.6% of the population of Bangladesh (about 13.7 million people as estimated from the 2011 census), is deaf or hard of hearing (
20/12/2022 23:29:03	Shovon	neurofibromatosis	chromosome 17	1.Flat, light brown spots on the skin (cafe Freckling in the armpits or groin area. Fre 2.Tiny bumps on the iris of the eye (Lisch Soft, pea-sized bumps on or under the ski Bone deformities. Abnormal bone develop Tumor on the optic nerve (optic glioma). T 3.Learning disabilities. Impaired thinking s 4.Larger than average head size. Childrer 5.Short stature. Children who have NF1 o	Not found.
21/12/2022 08:59:04	Nehad	Beta thalasemia	Beta thalassemia : The beta thalassemia chain consists of two genes. Beta thalassemia occurs when one or more of the four genes inherited from the parents are defective. In this case: Mild symptoms occur when a gene is defective. This condition is called beta-thalassemia minor (Beta-thalassemia minor) or beta-thalassemia trait (Beta-thalassemia trait). If two genes are defective, moderate to severe symptoms occur. This condition is called Beta-thalassemia major (Beta-thalassemia major) or Cooley's anemia . Newborn babies with this problem are quite healthy at birth. But its symptoms appear within the first two years	Shortness of breath,oedema,loss of appe	The prevalence of beta thalassemia trait in Bengalischool children in Barisal Division was 8.1% which was the highest followed by Rajshahidivision 5.5%,Sylhet Division 5.2%,Dhaka Di
21/12/2022 14:01:21	Nehad	Deaf dumb	uses of deafness These can be classified into, pre-natal and post-natal. Pre-Natal - A small percentage is due, to malformation of some portion of the auditory apparatus, while in others due to intermarriage of blood relations. Apart from inbreeding, some families have	It might happen that you may not find you Delayed speech, or alalia, can be roughly The symptoms of speech delay are rough 1. Age-12 months a. It is indeed a symptom if your child can b. Another symptom is that if your child do 2. Age-15-18 months a. If your child is unable to pronounce fam b. You find your child unable to, or simply c. If your child is unable to extend his/her 3. Age-2-4 years a. You find your child unable to spontaneo b. Another worrying symptom is if your chi c. If you still find your child unable to form	Deafness in Bangladesh is a major health issue. About 9.6% of the population of Bangladesh (about 13.7 million people as estimated from the 2011 census), is deaf or hard of hearing (
24/12/2022 11:36:28	Nai	Late onset of alzheimer's	apolipoprotein E (APOE).,chromosome 12	Memory loss that disrupts daily life Poor judgment, leading to bad decisions Loss of spontaneity and sense of initiative Losing track of dates or knowing current l Taking longer to complete normal daily ta Repeating questions or forgetting recently Trouble handling money and paying bills Challenges in planning or solving problem Wandering and getting lost Losing things or misplacing them in odd p Difficulty completing tasks such as bathin Mood and personality changes Increased anxiety and/or aggression	31% patient had family history.69.5age is the mean age according to a study in bd. 60% Were male.BSMMU has weekly outpatient clinic for dementia.
24/12/2022 11:44:13	Bleh	Colour blindness	X chromosome Xq28band	An enhanced sense of smell Enhanced night vision Bright light sensitivity Difficulties reading colored work pages Decreased attention span when coloring Exclusively coloring with the wrong colors Head or eye ache when looking at red on Difficulties identifying crayons or pencils v	6.95%male and 1.88% female were colourblind in a study conducted on the random student of DU.not very rare in bd
24/12/2022 11:53:56	Hi	Marfan syndrome	mutation in the extracellular matrix protein fibrilin-1 gene located on chromosome 15	Tall and slender build Disproportionately long arms, legs and fin A breastbone that protrudes outward or di A high, arched palate and crowded teeth Heart murmurs Extreme nearsightedness An abnormally curved spine Flat feet	First case in 2012
24/12/2022 12:00:11	Sru	Hypertrichosis	Xq24-q27.	Excessive hair growth	Bithi akhtar,12year old(2016),suffers from werewolf syndrome.She was under BSMMU.
24/12/2022 12:20:11	Sru	Tay sachs disease	Chromosome 15	being overly startled by noises and mover being very slow to reach milestones like le floppiness and weakness, which keeps ge difficulty swallowing loss of vision or hearing muscle stiffness seizures (fits)	12.67% cases in a study on 79
24/12/2022 13:05:49	Sruty	Klinefelter syndrome	Extra copy of X chromosome	Being born with a smaller penis, and/or ur Having abnormal body proportions. (This Having flat feet or an unusual fusion of ce Having difficulty with “gross motor” functio Having testicular failure (not making enou Experiencing increased breast tissue (gyr Having an increased risk for blood clots. Having weaker bones or more fractures (	2018 first case
24/12/2022 13:11:39	Sruty	Burkitt's lymphoma	Chromosome 8,the site of the Myc's expression	night sweats that soak your clothes and b high temperature (fever) unexplained weight loss extreme tiredness (fatigue) pain in your abdomen feeling sick (nausea) being sick (vomiting). If the lymphoma affects your bone marrov weakness extreme tiredness (fatigue) higher risk of infection higher risk of bleeding.	This cross sectional study was carried out in Armed Forces Institute of Pathology (AFIP) Bangladesh, from 1st April 2017 to 31st March 2018.4 cases were found in 106 cases.