

## planetmath.org

Math for the people, by the people.

## strange root

Canonical name StrangeRoot

Date of creation 2013-03-22 17:55:53 Last modified on 2013-03-22 17:55:53

Owner pahio (2872) Last modified by pahio (2872)

Numerical id 8

Author pahio (2872)
Entry type Definition
Classification msc 97D99
Classification msc 26A09
Synonym wrong root
Synonym extraneous root

Related topic QuadraticFormula

Related topic LogicalOr

Related topic SquaringConditionForSquareRootInequality

In solving certain of equations, one may obtain besides the proper () http://planetmath.org/Equationroots also some *strange roots* which do not satisfy the original equation. Such a thing can happen especially when one has in some stage squared both sides of the treated equation; in this situation one must check all "roots" by substituting them to the original equation.

Example.

$$x - \sqrt{x} = 12$$

$$x - 12 = \sqrt{x}$$

$$(x - 12)^{2} = (\sqrt{x})^{2}$$

$$x^{2} - 24x + 144 = x$$

$$x^{2} - 25x + 144 = 0$$

$$x = \frac{25 \pm \sqrt{25^{2} - 4 \cdot 144}}{2} = \frac{25 \pm 7}{2}$$

$$x = 16 \quad \forall \quad x = 9$$

Substituting these values of x into the left side of the original equation yields

$$16 - 4 = 12$$
,  $9 - 3 = 6$ .

Thus, only x=16 is valid, x=9 is a strange root. (How x=9 is related to the solved equation, is explained by that it may be written  $(\sqrt{x})^2 - \sqrt{x} - 12 = 0$ , from which one would obtain via the quadratic formula that  $\sqrt{x} = \frac{1\pm7}{2}$ , i.e.  $\sqrt{x} = 4$  or  $\sqrt{x} = -3$ . The latter corresponds the value x=9, but it were relevant to the original equation only if we would allow negative values for square roots of positive numbers; the practice excludes them.)

The general explanation of strange roots when squaring an equation is, that the two equations

$$a=b$$
,

$$a^2 = b^2$$

are not http://planetmath.org/Equivalent3equivalent (but the equations  $a=\pm b$  and  $a^2=b^2$  would be such ones).