8.6 Vibration Nomographs

Vibration Nomograph equations

For British [V in inches/sec], [d in inches]

$$V = 386g / 2\pi f$$

$$d = 386g / (2\pi f)^2$$


where $386 = \text{earth's gravitational pull [in/sec}^2]$

For metric [V in mm/sec], [d in mm]


$$V = 9800g / 2\pi f$$

$$d = 9800g / (2\pi f)^2$$

where $9800 = \text{earth's gravitational pull } [\text{mm/sec}^2]$



Page 08 - 32



Page 08 - 33

8.7 References

- 8.7.1 Lawless, Alan R., *Math and Physics for Flight Testers*, "Chapter 9, Motion Analysis," National Test Pilot School, Mojave CA, 1999.
- 8.7.2 Ward, Don, *Introduction to Flight Testing*, Texas A&M, Elsevier, 1993.
- 8.7.3 Lang, George F., *Understanding Vibration Measurements*,
 Application Note 9, Rockland Scientific Corporation, Rockleigh, New Jersey, December 1978.
- 8.7.4 *The Fundamentals of Modal Testing*, Application Note 243-3, Hewlett-Packard Company,

Additional Reading

Hartog, J.P. Den, Mechanical Vibrations, Dover Publications, New York, New York, 1984.

Jacobsen, Ludik S. and Ayre, Robert S., *Engineering Vibrations*, McGraw-Hill Book Company, New York, New York, 1958.

Meirovitch, Leonard, *Elements of Vibration Analysis*, McGraw-Hill Book Company, New York, New York, 1986.

Meirovitch, Leonard, *Analytical Methods in Vibrations*, Macmillan Publishing Company, New York, New York, 1967.

Myklestad, N.O., *Vibration Analysis*, McGraw-Hill Book Company, New York, New York, 1944.