



Getting Started

Installation and your first cross-tab table



Installation

Prerequisites



Quick Start

5-Minute Overview



Explore Table Features

Overview

Introduction



Overview

Purpose & Design Philosophy



Editions Comparison

Choose the edition that best fits your needs. All editions receive regular updates and support.

Reference

Table Contents

Overview

Sorting & Ordering

Overview

Ranking

Overview

Significance Testing

Overview

Formatting & Styling Overview

3 items

Totals & Subtotals

Overview

Percentage Series Configuration

percentage-series-settings

Mean Series Configuration

Overview

Thresholds & Masking

Comprehensive guide to threshold settings, warning values, masking rules, and data quality controls.

Filtering & Selection

Overview

Use Cases



Business Cases & Examples

We're building detailed real-world case studies showing SDM Cross Table Tool in action across differe...

Explore Table Features - Detailed Walkthrough

[Home](#) > [Getting Started](#) > [Explore Table Features](#)

Explore Table Features - Detailed Walkthrough

Overview

SDM Cross Table Tool offers extensive customization options organized into logical sections in the Format panel. This guide walks you through each feature section, explaining what it does and where to learn more.

1. Table Contents




Table type

Percentage

Vertical percentage ☒

Horizontal percentage ☐

Values ☐

Indices ☐

Mask Pattern

Pattern for masking columns or rows

What it controls: The fundamental data display and aggregation settings

This section determines:

- Table type (Percentage vs Mean)
- Which metrics to display (values, percentages, indices)
- Data masking patterns
- Multiple answer mode configuration

Key decisions here:

- Choose between percentage analysis or mean analysis
- Toggle vertical/horizontal percentages
- Enable indice calculations
- Set up masking patterns for sensitive data

When to use: Configure this section first, as it defines what your table displays and how data is aggregated.

 **Learn more:** [Table Contents Reference](#)

2. Sorting Settings

What it controls: How rows and columns are arranged in your table

This section allows you to:

- Sort rows alphabetically or by column values
- Specify sorting direction (ascending/descending)
- Pin specific rows/columns to first or last positions
- Choose which metric to sort by (value, percentage, indice)

Key decisions here:

- Alphabetical sorting for consistency
- Value-based sorting for insights (highest sales first)
- Fixed positioning for totals and special categories

When to use: After your data is displaying correctly, configure sorting to highlight insights or maintain consistent presentation.

 **Learn more:** [Sorting & Ordering Reference](#)

3. Ranking Settings

What it controls: Visual highlighting of top/bottom performers

EDITION AVAILABILITY

Ranking is available in **Pro** and **Premium** editions only.

This composite section includes:

- **Basic Settings:** Ranking scope, order, and display method
- **Custom Colors:** Define your own color gradients
- **Exclude Range:** Prevent middle values from being colored

Key decisions here:

- Choose ranking scope (global, per row, per column)
- Select display format (numbered badges or color gradients)
- Configure color intensity and schemes

When to use: Add ranking after basic table setup to visually emphasize performance differences.

 **Learn more:** [Ranking & Visualization Reference](#)

4. % Series Usage

What it controls: Data series mapping for percentage tables

This section appears when **Table Type** is set to "Percentage" and manages:

- Value series (the counts to display)
- Base series (denominators for percentages)
- Unweighted base series
- Significance testing series
- Multiple answer mode toggle

Key decisions here:

- Map your data measures to appropriate series
- Configure weighted vs unweighted bases
- Set up series for statistical testing

When to use: Essential for percentage tables with custom measures or weighted data.

 **Learn more:** [Percentage Series Configuration](#)

5. Mean Series Usage

What it controls: Data series mapping for mean tables

This section appears when **Table Type** is set to "Mean" and manages:

- Mean series (the averages to display)
- Count series (sample sizes)
- Standard deviation series
- Significance testing series for means
- Unweighted base series

Key decisions here:

- Map your numerical measures
- Include sample size information
- Configure standard deviation for statistical analysis

When to use: Essential for mean tables to properly aggregate and display average values.

 **Learn more:** [Mean Series Configuration](#)

6. Significance Settings

What it controls: Statistical testing and difference highlighting

EDITION AVAILABILITY

- Basic significance testing: **Pro** and **Premium**
- Advanced testing (2 tests, regex): **Premium** only

This composite section includes:

- **Base Settings:** Test types, confidence levels, variance methods
- **Test 1 Configuration:** Display and comparison options
- **Test 2 Configuration:** (Premium only) Additional test layer

Key decisions here:

- Choose test type (all columns, item vs total, regex)

- Set confidence level (90%, 95%, 99%)
- Select visual display method (icon, color, border)

When to use: When you need to highlight statistically significant differences between groups.

 **Learn more:** [Significance Testing Reference](#)

7. Totals

What it controls: Display of total rows, base rows, and subtotals

This section manages:

- Total column display
- Base row configuration
- Unweighted base row
- Subtotals for hierarchical levels
- Base row positioning (top/bottom)
- Custom labels for special rows

Key decisions here:

- Show/hide totals and bases
- Position base rows at top or bottom
- Customize row labels
- Configure subtotals for multi-level tables

When to use: Configure after basic table setup to add context rows.

 **Learn more:** [Totals & Subtotals Reference](#)

8. Threshold

What it controls: Data quality warnings and value masking

EDITION AVAILABILITY

Threshold features are available in **Pro** and **Premium** editions.

This section allows you to:

- Set warning thresholds (visual alerts)
- Set masking thresholds (hide values)
- Choose threshold basis (cell value, base, unweighted base)
- Configure empty cell display for zero values

Key decisions here:

- Warning level for small sample sizes
- Masking level for data protection
- What to base thresholds on

When to use: Important for survey data or any analysis with variable sample sizes.

 **Learn more:** [Thresholds & Masking Reference](#)

9. Table Format Settings

What it controls: Visual appearance and styling

This composite section includes multiple cards:

Table Options Card

- Hover highlighting
- Zebra rows
- Selection mode
- Percentage symbol display
- Decimal precision
- Freeze panes
- Row title width
- Column header visibility

Style Settings Card

- Pre-defined style themes (Custom, Modern, Classic, Scientific, Market Research)
- Cell text size
- Color themes (20+ options)
- Row title text alignment

Element Formatting Cards

- **Top Level Header:** Fonts, colors, backgrounds
- **Sub Level Header:** Hierarchical header styling
- **Cell Format:** Data cell appearance

Key decisions here:

- Choose a theme or create custom styling
- Set freeze panes for navigation
- Configure fonts and colors for branding
- Adjust decimal precision for your audience

When to use: Configure styling after data and structure are finalized, or apply pre-defined themes immediately for quick professional appearance.

 **Learn more:** [Formatting & Styling Reference](#)

Typical Configuration Workflow

Here's a recommended order for configuring your table:

Phase 1: Foundation (Required)

1. **Table Contents:** Choose table type, select what to display
2. **Series Configuration:** Map your data (% or Mean series)
3. **Totals:** Add base rows and total columns

Phase 2: Analysis (Optional)

4. **Sorting:** Arrange for insights or consistency
5. **Significance:** Highlight statistical differences (Pro/Premium)
6. **Ranking:** Visual performance indicators (Pro/Premium)
7. **Thresholds:** Data quality controls (Pro/Premium)

Phase 3: Presentation (Final)

8. **Table Format:** Apply styling and themes
9. **Fine-tune:** Adjust fonts, colors, precision

Feature Dependencies

Some features depend on others:

Feature	Requires	Edition
Vertical %	Base series configured	All
Significance Testing	Significance series configured	Pro +
Ranking	Ranking enabled	Pro +
Indice	Value and base series	Premium
Threshold Masking	Threshold enabled	Pro +

Quick Reference: What Each Section Does

Section	Primary Purpose	When to Configure
Table Contents	Define data type and display	First
Sorting	Arrange rows/columns	After data displays
Ranking	Visual highlights	After basic setup
% Series	Map percentage data	With Table Contents
Mean Series	Map mean data	With Table Contents
Significance	Statistical testing	After analysis decisions
Totals	Context rows	After basic setup
Threshold	Data quality	After totals
Table Format	Visual styling	Last (or use themes first)

Common Configuration Scenarios

Scenario 1: Simple Survey Report

1. Table Contents: Percentage table, vertical %
 2. Totals: Show total column, base row
 3. Table Format: Apply "Market Research" theme
- Done!

Scenario 2: Performance Analysis with Ranking

1. Table Contents: Percentage table, vertical %
 2. Sorting: Sort by "Total" column, descending
 3. Ranking: Enable ranking, color gradient
 4. Totals: Total column, base row at top
 5. Table Format: "Modern" theme
- Highlights top performers automatically

Scenario 3: Statistical Comparison (Premium)

1. Table Contents: Percentage, vertical % + horizontal %
 2. % Series: Configure all series including significance
 3. Significance: Test 1 = All columns, Test 2 = vs Total
 4. Totals: Base row, signif base row
 5. Threshold: Warn below n=50
 6. Table Format: Custom styling for brand
- Full statistical analysis table

Next Steps

Now that you understand what each section does:

1. **Start Simple:** Configure Table Contents and Totals first
2. **Add Analysis:** Try Sorting or Ranking
3. **Go Advanced:** Explore Significance and Thresholds (Pro/Premium)
4. **Polish:** Apply themes or customize formatting

 **Reference Guides:** Explore detailed settings for each section using the links above

 **Use Cases:** See real-world examples in [Business Cases](#)

 **Need Help?:** Start with the [Quick Start Guide](#) for basics

Troubleshooting by Section

Table displays incorrectly

→ Check: Table Contents, Series Configuration

Can't find my data

→ Check: Table Contents (masking), Series Configuration

Numbers don't add up

→ Check: Series Configuration, Totals settings

Visual appearance issues

→ Check: Table Format Settings (fonts, colors, precision)

Ranking/Significance not working

→ Check: Edition requirements, Series Configuration

For detailed troubleshooting, see each section's reference guide.

Installation Guide

🏠 > Getting Started > Installation

Installation Guide

Prerequisites

Before installing SDM Cross Table Tool, ensure you have:

- **Power BI Desktop** (latest version) or **Power BI Service**
- Administrator or advanced permissions in your Power BI workspace
- Network access to download the visual (if using Power BI Service)

Installation Steps

Option 1: From Power BI Desktop

1. Open **Power BI Desktop**
2. Go to the **Visualizations** pane (right sidebar)
3. Click the **three dots** (...) at the bottom
4. Select **Get more visuals**
5. Search for "**SDM Cross Table Tool**"
6. Click **Add**
7. Accept the permissions dialog

The visual is now ready to use in your Power BI reports.

Option 2: From Power BI Service (Online)

1. Open **Power BI Service** (app.powerbi.com)
2. Go to **Visualizations** → **More visuals** (or the store icon)
3. Search for "**SDM Cross Table Tool**"
4. Click **Add**
5. Review and accept permissions

Option 3: Upload from File (Enterprise)

If you have a `.pbiviz` file:

1. In Power BI Desktop, go to **Visualizations** → **More visuals** → **Import from file**
2. Select your `SDM Cross Table Tool.pbiviz` file
3. Click **Open**

Verification

To verify the installation:

1. Create a new blank report
2. In the **Visualizations** pane, look for the **SDM Cross Table Tool** icon
3. You should see it under "Custom Visuals"

✅ Installation complete!

Troubleshooting

Visual doesn't appear in visualizations

- **Solution 1:** Refresh Power BI Desktop (Ctrl+Shift+F5)
- **Solution 2:** Try importing from file if available
- **Solution 3:** Check your Power BI version (must be recent)

"Insufficient permissions" error

- Contact your Power BI administrator
- Pro/Premium editions require organizational setup

Visual crashes or doesn't load data

- Check Power BI version compatibility
- Clear browser cache (if using Power BI Service)
- Try creating a new blank report

Getting Help

If you encounter installation issues:

- **Free Edition:** Check our [community forums](#)
 - **Pro Edition:** Email support@example.com (24-48h response)
 - **Premium Edition:** Contact your account manager
-

Next Steps

- [Quick Start Guide](#) — Create your first table
- [Explore table deatures](#) — Explore capabilities


Quick Start Guide

🏠 > Getting Started > Quick Start

Quick Start Guide

5-Minute Overview

Get SDM Cross Table Tool up and running in just a few minutes with this quick walkthrough.



Quick Start Video

Step 1: Add the Visual



1. In Power BI Desktop, create a **new blank report**
2. Go to **Visualizations** pane on the right
3. Click the **three dots** and select **Get more visuals**
4. Search for and add **SDM Cross Table Tool**

Step 2: Prepare Your Data

SDM Cross Table Tool needs at least:

- **Row field(s):** Categories for table rows
- **Column field(s):** Categories for table columns
- **Value field:** Numerical data (usually for mean table) or any categorical variable or measure (usually for percentage table).

! INFO

Tip: You do not need to prepare specific measure, unless you need to **weigh** your data. For percentage tables, you can use any categorical field (e.g., Product, Region, Gender, Age class, Segment...) or a measure that returns categorical data. For mean tables, use numerical fields (e.g., Sales, Revenue, Age).

Example dataset:

Product	Region	Sales
Product A	North	15,000
Product A	South	12,000
Product B	North	18,000
Product B	South	14,000

With this dataset you can create:

- a cross-tab showing sales distribution of products across regions, in this case, drop any of "Product" or "Region" column in the "value" field and select "Count" measure in the "Values" field.
- a mean table showing average sales per product and region, in this case, drop "Sales" column in the "value" field and select "Average" measure in the "Values" field.

Step 3: Create Your First Table

1. Add the **SDM Cross Table Tool** visual to your report canvas
2. In the **Visualizations** pane:
 - Drag a field to **Rows** (e.g., "Product")
 - Drag a field to **Columns** (e.g., "Region")
 - Drag a measure to **Values** (e.g., "Sales"), select 'count' for percentage or 'average' for mean table.

- Select the appropriate table type in Visual properties




Table type

Percentage

Vertical percentage ☒ On

Horizontal percentage ☐ Off

Values ☐ Off

Indice ☐ Off

Mask Pattern

Pattern for masking columns or rows

3. Your table appears!

Step 4: Basic Configuration

In the format panel, you can immediately:

- **Table Type:** Switch between "Percentage" or "Mean"
- **Show Measure:** Toggle **Value**, **vertical/horizontal percentages**, **indice** buttons
- **Select series usage:** Configure multiple value series (e.g., count, mean, std. dev., base, unweighted base...)
- **Show Totals:** Add row and column totals
- **Formatting:** Change theme, fonts and colors

The default format is a 'custom' basic simple table format:

With two click, you can change to other pre-defined styles and color theme like:

- *Classic Indigo:*

- *Modern Sunset:*

- *Market Research Forest:*

- *Scientific Indigo:*

- Or customize your own style:

See **Styling Your Table** for more details.

Common Configurations

Configuration A: Percentage Analysis

Best for survey data, response rates, market share

1. Set **Table Type** → "Percentage"
2. Check **Vertical percentage** (% within each column)
3. Check **Show total column**
4. Enable **Zebra rows** for readability

Configuration B: Mean Analysis

Best for averages, performance metrics

1. Set **Table Type** → "Mean"
2. Configure **Mean Series** in data properties
3. Add **Count Series** for sample size
4. Optional: Add **Standard Deviation** for analysis

Configuration C: Comparison with Significance

Best for highlighting differences in survey data

1. Configure as Percentage Analysis
2. In **Significance settings**:
 - Set **Significance 1** to "All columns" or "Item vs other"
 - Set **Significance Level** to "95%"

- Select **Font Color** for display
3. Significant differences appear highlighted
-

Next Steps

To Learn More:

- [Explore table features](#) — Detailed step-by-step
- [Feature Reference](#) — All available options
- [Use Cases](#) — Real-world examples

To Customize:

- [Complete Reference Guide](#) — All settings explained
 - Specific guides:
 - [Table Contents](#)
 - [Sorting Options](#)
 - [Ranking & Visualization](#)
-

Keyboard Shortcuts (Power BI)

- **Ctrl+Shift+F5**: Refresh visuals
 - **Click + Drag**: Interact with table (if enabled)
 - **Export**: Use Power BI's Export option
-

Common Questions

Q: My data doesn't appear in the table

A: Check that you've assigned values to Rows, Columns, and at least one Value field.

Q: Can I show multiple metrics?

A: Yes! Drag multiple measures to Values and configure series in settings.

Q: How do I add hierarchies?

A: Drag multiple fields to Rows or Columns to create hierarchical levels.

Q: Is there a data limit?

A: SDM Cross Table Tool follows Power BI's native limits (~1M rows visual-level).

Ready to go deeper? Check out the [complete reference guide](#) or explore [real-world use cases](#)!

Welcome to SDM Cross Table Tool by Socio Data Management



>

Welcome to SDM Cross Table Tool by Socio Data Management

Welcome to SDM Cross Table Tool by Socio Data Management

Professional Cross-Tabulation Tables for Power BI

The **Socio Data Management Cross Table Tool for Power BI** is a powerful custom visual component designed to create sophisticated cross-tabulation tables with advanced analytics capabilities. Whether you're working with survey data, business metrics, or complex datasets, SDM Cross Table Tool provides the tools you need to visualize, analyze, and present your data with professional styling and precision.

What You Can Do

- **Create Dynamic Cross-Tabs:** Build percentage and mean-based tables with hierarchical columns and rows
- **Advanced Styling:** Apply custom formatting, colors, fonts, and visual emphasis to highlight key insights

- **Statistical Testing:** Perform significance tests to identify meaningful differences in your data
- **Ranking & Indexing:** Automatically rank cells and calculate indices for comparative analysis
- **Flexible Thresholds:** Warn or mask values based on customizable business rules
- **Interactive Selection:** Allow users to select rows and columns for dynamic filtering
- **Professional Output:** Export to Excel or PowerPoint with preserved formatting

Get Started

Choose your path:

- **New to SDM Cross Table Tool?** Start with [Installation & Quick Start](#)
 - **Want to see it in action?** Check out our [Use Cases & Business Examples](#)
 - **Need detailed options?** Explore the [Complete Reference Guide](#)
 - **Comparing editions?** See what's included in [Free, Pro & Premium](#)
-

Feature Highlights

- ✨ **Rich Formatting** — Customize every aspect of your table
 - 📊 **Statistical Analysis** — Built-in significance testing
 - 🔍 **Smart Sorting** — Sort by value, alphabetically, or custom rules
 - 🌈 **Visual Ranking** — Color gradients and ranked labels
 - 🔎 **Threshold Controls** — Mask or warn on values below thresholds
 - 📈 **Multiple Aggregations** — Support for percentages and means
 - 👉 **Interactive Selection** — Let users filter by clicking rows and columns
-

Ready to create your first cross-tab table? [Let's go →](#)

SDM Cross Table Tool Editions

[Home](#) > [Introduction](#) > [Editions Comparison](#)

SDM Cross Table Tool Editions

Choose the edition that best fits your needs. All editions receive regular updates and support.

Feature Comparison Matrix

Feature	Free	Pro	Premium
Basic Cross-Tabs	✓	✓	✓
Percentage Tables	✓	✓	✓
Mean Tables	✓	✓	✓
Custom Formatting	Limited	✓	✓
Row/Column Sorting	Basic	✓	✓
Ranking & Indexing	✗	✓	✓
Significance Testing	✗	Basic	✓ Advanced
Thresholds & Masking	✗	✓	✓
Export Options	✗	Excel	Excel + PPT
Commercial License	✗	✗	✓

Free Edition

Perfect for: Getting started, learning, small projects

What's Included

- Basic cross-tabulation tables
- Percentage and mean aggregations
- Simple row and column sorting
- Standard table formatting (fonts, colors)
- Display of totals and base rows
- Zebra rows and hover effects
- Full freeze pane support

Limitations

- No ranking or visual indicators
- No statistical significance testing
- No threshold-based masking
- Limited formatting customization
- No export functionality
- Limited to 10 rows and 10 columns displayed

Best For

- Students and learners
 - Small internal projects
 - Proof-of-concepts
 - Basic data exploration
-

Pro Edition

Perfect for: Professional analysts, business teams

Everything in Free, Plus:

-  **Advanced Formatting:** Complete control over element styling

-  **Ranking & Visualization:** Color-coded cell ranking with multiple display options
-  **Basic Significance Testing:** Test differences between columns and segments
-  **Smart Sorting:** Advanced sort by value, alphabetically, or custom rules
-  **Threshold Management:** Mask or warn on values below thresholds
-  **Flexible Series Mapping:** Custom aggregation series for complex data
-  **Excel Export:** Export tables with preserved formatting
-  **Multi-level Hierarchies:** Support for complex row/column structures

Use Cases

- Market research analysis
- Survey data cross-tabulation
- Regional performance comparison
- Demographic breakdowns
- Management reporting

Support

- Email support (24-48h response)
 - Access to knowledge base
 - Community forums
-

Premium Edition

Perfect for: Enterprise teams, critical analyses, statistical consultants

Everything in Pro, Plus:

-  **Advanced Significance Testing:**
 - Multiple test types (all columns, item vs total, regex-based)
 - Configurable confidence levels (90%, 95%, 99%)
 - Pooled or separate variance methods
 - Detailed test configuration
-  **PowerPoint Export:** Export to presentations with full formatting
-  **Commercial License:** Use in client work and commercial projects
-  **Priority Support:** Phone and email support (2-4h response)
-  **Custom Configurations:** Enterprise-level support for complex setups
-  **SLA Guarantee:** Uptime and support guarantees

-  **Dedicated Account Manager:** For organizations with 10+ users

Advanced Features

- Unweighted base rows for multi-weighted datasets
- Signif base rows for specialized testing
- Complex masking patterns (regex support)
- Custom color gradients for ranking
- Extended statistical options

Use Cases

- Enterprise analytics platforms
- Client deliverables requiring statistical rigor
- Academic and research institutions
- Consulting firms
- Regulatory and compliance reporting

Support

- Email support
 - Custom development consultation
-

Edition Selection Guide

Choose Free if you:

- Are learning Power BI custom visuals
- Need basic cross-tabulation for internal use
- Have no budget constraints for evaluation
- Want to explore SDM Cross Table Tool capabilities

Choose Pro if you:

- Build professional reports and dashboards
- Need statistical analysis capabilities
- Want to export and share formatted tables

- Work in market research or analytics
- Have a moderate annual budget

Choose Premium if you:

- Deliver reports to external clients
- Require advanced statistical testing
- Use SDM Cross Table Tool enterprise-wide
- Require commercial licensing

Please contact contact@socio-dm.com for custom quotes or volume licensing.

Pricing

For current pricing and licensing terms, please visit Microsoft Marketplace for Power BI (<https://marketplace.microsoft.com/en-us/marketplace/apps?product=power-bi-visuals>).

FAQ

Can I upgrade from Free to Pro?

Yes! Your data and configurations will transfer automatically.

Does Free edition have limitations on data size?

All editions support datasets up to Power BI's native limits.

Is there a trial period for Pro/Premium?

Yes, we offer a 30-day free trial for Pro and Premium. [Start your trial](#)

What about education/non-profit discounts?

We offer special pricing for educational institutions and non-profits. Contact contact@socio-dm.com

Can I use Free edition commercially?

Free edition is for non-commercial use only. Use Pro or Premium for client work.

Next Steps

- [Quick Start Guide](#) — Create your first table

- [Feature Details](#) — Explore all options
- [Contact Sales](#) — Discuss your needs

What is SDM Cross Table Tool?

[Introduction](#)[Overview](#)

What is SDM Cross Table Tool?

Purpose & Design Philosophy

The **SDM Cross Table Tool** (Socio Data Management Cross Table Tool for Power BI) is a specialized Power BI custom visual component built specifically for creating and analyzing cross-tabulation tables (also known as contingency tables or crosstabs). It goes far beyond simple data grids by providing:

- **Hierarchical table structures** with multiple levels of rows and columns

- **Statistical analysis capabilities** including multiple significance testing

- **Advanced formatting options** to highlight key insights

- **Professional styling** for reports and presentations

- **Flexible data aggregation** supporting both percentages and means
- **Interactive filtering** through row and column selection

Who Should Use SDM Cross Table Tool?

SDM Cross Table Tool is ideal for:

- **Scientific Market Research Professionals:** Analyze scientific and survey data with any breakdowns
- **Data Analysts:** Create multi-dimensional analysis tables with statistical rigor
- **Business Intelligence Teams:** Build professional dashboards and reports
- **Statistical Consultants:** Perform complex cross-tabulations with significance tests
- **Corporate Reporting:** Generate polished, formatted tables for executive presentations

Core Capabilities

1. Table Types

- **Percentage Tables:** Analyze response distributions and proportions
- **Mean Tables:** Analyze averages Power BI series with statistical measures (count, standard deviation)

2. Data Aggregation

- Support for single and multiple response modes
- Weighted and unweighted bases
- Custom series for values, bases, and significance calculations

3. Advanced Formatting

- Customize fonts, colors, and backgrounds at element level
- Apply formatting to headers, cells, and totals independently
- Dark mode support for modern dashboards

4. Statistical Analysis

- Perform significance tests between columns and segments
- Multiple test types: all columns, item vs total, regex-based
- Adjustable confidence levels (90%, 95%, 99%)

5. Smart Sorting

- Sort rows alphabetically, by column value, or custom order
- Designate "first" and "last" rows/columns to keep in place
- Sort based on specific cell properties (value, vertical %, horizontal %, indice)

6. Ranking & Visualization

- Automatically rank cells within columns
- Visual indicators: numbered badges or color gradients
- Customizable color schemes and intensity levels

7. Interactive Selection

- Users can click to select rows and columns
- Integrated Power BI cross-filtering for dynamic dashboards
- Multiple selection support for complex analysis

8. Data Protection

- Mask sensitive values below thresholds

- Apply warnings for data quality issues
- Flexible threshold rules based on cell value or base size

Data Requirements

SDM Cross Table Tool requires a data source with:

- **Row dimension(s):** The categories for table rows
- **Column dimension(s):** The categories for table columns
- **Measures:** Numerical values to populate cells. The tool leverages the standard Power BI aggregation methods (counts, means...).

For statistical testing, you'll need additional measures for base values and significance calculations.

Typical Workflow

1. Connect your data source
2. Assign row, column, and value fields
3. Choose table type (Percentage or Mean)
4. Configure data aggregation options
5. Apply formatting and styling
6. (Optional) Configure statistical tests
7. Add sorting, ranking, or threshold rules
8. (Optional) Enable row/column selection for interactivity
9. Export or embed in reports

Next Steps

- Explore the [Edition Comparison](#) to choose the right plan
- Follow the [Quick Start Guide](#) to create your first table
- Review [Use Cases](#) for real-world examples

Filtering & Selection Reference

[Home](#) > [Reference](#) > [Filtering & Selection](#)


Filtering & Selection Reference

Overview

Enable users to interact with your table by selecting rows or columns headers. This feature allows end-users to filter other page visuals using the SDM Cross Table Tool visualization.

! EDITION AVAILABILITY

Row and column selection is available in **Pro** and **Premium** editions.



Selection in SDM Cross Table Tool

Enabling/Disabling Selection

There are two available options to enable or disable selection feature:

- Right click on the table → **Enable Selection**
- In the formatting pane, under **Table Format** section, toggle on or off **Enable Selection**.

Multiple Selection

Power BI does not permit filtering multiple variables at the same time. However, users can select multiple rows or columns within the same variable by holding the Ctrl (or Cmd on Mac) key while clicking on the headers.

Clearing Selection

To clear the current selection:

- Click on the top left corner cell.
- Or click again on the selected row/column while holding the Ctrl (or Cmd) key.
- Right click on the table → **Clear Selection**.
- Disable selection (see previous section).

Selection Behavior

Visual Feedback

When a row or column is selected:

- The selected header highlights with a distinct cell border color
- Other visuals in your report respond to the selection
- Create interactive dashboards where users control what data displays
- Combine with slicers and other Power BI features

Limitations & Considerations

- **Data Size:** Very large tables (1000+ rows) may have performance impact
- **Nested Hierarchies:** Selection on multi-level hierarchies may behave differently

- **Performance:** Complex cross-filtering with many connected visuals may be slow
-

Troubleshooting

Q: Selection doesn't trigger other visuals to update

A: Check Power BI cross-filtering settings. Ensure other visuals have cross-filter enabled.

Q: Users can't multi-select rows/columns

A: Multi-select depends on browser and Power BI version. Single selection always works.

Q: Selected row/column doesn't highlight

A: Check that Enable Selection is turned on in formatting panel

Q: Selection performance is slow

A: Large tables (1000+ rows) may be slow. Consider data aggregation or pagination.

Q: Selection is grayed out/unavailable

A: Row and Column Selection requires Pro or Premium edition

For more help, see the [Quick Start Guide](#).

Formatting & Styling Overview

[🏠](#) > [Reference](#) > [Formatting & Styling Overview](#)

Formatting & Styling Overview

Customize the appearance of your table to match your brand, improve readability, and highlight key insights.

Three Levels of Formatting

SDM Cross Table Tool provides flexible formatting options organized into three levels:

1. Table Options (Basic Display)

Control how the table behaves and displays, including hover effects, row striping, freezing, and column visibility.

[👉 Table Options Reference →](#)

Key settings:

- Hover highlights
- Zebra striping
- Freeze panes
- Column visibility
- Display precision

2. Table Style Options (Predefined Themes)

Apply pre-configured professional themes with coordinated color palettes and styling.

[👉 Table Style Options Reference →](#)

Key settings:

- Style theme selection

- Color theme selection
- Cell text size
- Row title alignment

3. Custom Element Formatting (Advanced Customization)

Fine-tune fonts, colors, and backgrounds for specific table elements: headers and cells.

 [Custom Element Formatting Reference](#) →

Key settings:

- Top-level header styling
- Sub-level header styling
- Cell styling
- Font families, sizes, weights
- Custom colors and backgrounds

Quick Navigation

Need	Go to
Control table behavior	Table Options
Apply a professional theme	Styles
Match brand colors	Custom Formatting
Accessibility guidance	Custom Formatting - Accessibility
Common configurations	Practical Examples

Formatting Workflow

1. Choose a Style Theme
↓
2. Adjust Table Options for behavior
↓
3. Fine-tune with Custom Formatting (if needed)
↓
4. Test and iterate

Best Practices

1. **Start with a Theme:** Use predefined styles as a base
 2. **Maintain Consistency:** Keep formatting consistent across reports
 3. **Prioritize Readability:** Clear data > beautiful design
 4. **Test Accessibility:** Ensure sufficient color contrast
 5. **Consider Export:** Some colors/fonts may change in Excel
-

Where to Start

- **New to formatting?** → Start with [Table Options](#)
- **Want to look professional quickly?** → Go to [Styles](#)
- **Need specific colors/fonts?** → Jump to [Custom Formatting](#)
- **Building for accessibility?** → See [Custom Formatting](#) accessibility section

Table Options Reference

[🏠](#) > [Reference](#) > [Formatting & Styling Overview](#) > [Table Options \(Basics\)](#)

Table Options Reference

Control the fundamental display behavior of your table including hover effects, row striping, freezing panes, and display precision.

ⓘ SETTINGS LOCATION

These settings correspond to the `tableSettingsCard` in the configuration model.

Overview

Table Options control how your table behaves and displays data without changing the styling or colors. These are the foundational display settings.

Hover Behavior

Highlight Row on Hover

Setting: Highlight row on hover

Type: Toggle

Default: On

Highlights the entire row when your cursor moves over it.

Use cases:

- Interactive dashboards
- Reports where users will hover to explore
- Tables with many columns (helps track which row you're in)

Example:

```
Normal: | Region | Q1 | Q2 | Q3 |  
Hover:  | Region | Q1 | Q2 | Q3 | ← Entire row highlighted
```

Row Appearance

Zebra Rows

Setting: Zebra rows

Type: Toggle

Default: On

Alternates row background colors for easier reading.

Visual effect:

```
Row 1: White background  
Row 2: Light gray background  
Row 3: White background  
Row 4: Light gray background  
...
```

Benefits:

- Helps readers track across wide tables
- Improves readability for people with dyslexia
- Makes data-dense tables easier to scan

When to disable:

- Very narrow tables (few columns)
- When custom styling already provides good contrast

Display Formatting

Show % Symbol

Setting: Show % symbol

Type: Toggle

Default: On

Controls whether the "%" character appears after percentage values.

Examples:

- **On:** 45%, 68.5%
- **Off:** 45, 68.5

Use cases:

- Keep **On** for general reporting (clearer meaning)
- Turn **Off** for data-dense tables where space is limited

Percent Precision

Setting: Percent precision

Type: Number (0-5)

Default: 1

Number of decimal places for percentage display.

Common settings:

Precision	Example	Use Case
0	45%	Executive summaries, simple reporting
1	45.2%	Standard business reporting (most common)
2	45.23%	Detailed analysis, research
3+	45.234%	Scientific/academic work

Tips:

- Higher precision = larger numbers in cells (may affect readability)
- Lower precision = cleaner look but less detail
- Match precision to your audience's needs

Column & Row Freezing

Freezing keeps certain rows/columns visible while scrolling, essential for navigating large tables.

Freeze Left Column

Setting: Freeze left column

Type: Toggle

Default: On

Keeps the row labels (leftmost column) visible while scrolling horizontally.

When enabled:

- You scroll left/right through data columns
- Row labels stay visible on the left
- Easy to identify which row you're looking at

When to disable:

- Table fits on screen (no horizontal scroll needed)
- First column should scroll with the rest

Example:

Frozen left:

Product (F)	Q1	Q2	Q3	Q4	... (scroll)
Product A	100	120	115	130	
Product B	85	92	98	105	

Freeze Top Row

Setting: Freeze top row

Type: Toggle

Default: On

Keeps column headers visible while scrolling vertically.

When enabled:

- You scroll up/down through rows
- Headers stay visible at top

- Easy to know which column you're looking at

When to disable:

- Table fits on screen (no vertical scroll needed)
- Headers should scroll with the rest

Example:

Region	Q1	Q2	Q3	Q4 (F)
North	1000	1100	1050	1200
South	800	920	950	1050
East	1200	1300	1250	1400
.....	... (scroll down) ...			...



BEST PRACTICE

Keep both freezing options **On** for tables larger than your screen. Disable only if your table is small enough to fit completely.

Column Sizing

Row Title Fixed Width

Setting: Row title fixed width

Type: Text input

Format: Any valid CSS width (`200px`, `20%`, `15em`)

Default: Empty (automatic sizing)

Set a fixed width for the row labels column instead of letting it auto-size.

Use cases:

- **Consistent layouts:** When creating multiple tables with same row structure
- **Visual alignment:** Aligning tables vertically across multiple reports
- **Space control:** Limiting label space when labels are very long

Examples:

```
/* Fixed pixel width */  
Row Title Fixed Width: 250px  
  
/* Fixed percentage */  
Row Title Fixed Width: 25%  
  
/* Em units (relative to font size) */  
Row Title Fixed Width: 20em
```

Tips:

- Leave empty for automatic sizing (recommended for most cases)
- Use when labels are consistent across reports
- Test that labels aren't cut off if using fixed widths
- Percentage widths are relative to total table width



WHEN TO USE FIXED WIDTH

This is particularly useful when you have the same column variables but different row variables across multiple tables, maintaining visual consistency.

Header Visibility

Show Column Header

Setting: Show column header

Type: Toggle

Default: On

Show or hide the column header row entirely.

When to keep enabled (most cases):

- Users need to identify columns
- Multiple hierarchical levels

When to disable:

- Table is part of a dashboard with clear context
- Column labels are already provided elsewhere
- Space is extremely limited

- Headers are obvious from surrounding documentation

Example - Headers Hidden:

Before (Header On):

Item	Q1	Q2
A	100	120
B	85	92

→

After (Header Off):

100	120	115
85	92	98
45	52	48

Configuration Examples

Standard Business Report

- Highlight row on hover: On
- Zebra rows: On
- Show % symbol: On
- Percent precision: 1
- Freeze left: On
- Freeze top: On
- Row title fixed width: (leave empty)
- Show column header: On

Data-Dense Table

- Highlight row on hover: Off (reduces visual clutter)
- Zebra rows: On (helps tracking)
- Show % symbol: On
- Percent precision: 0 (more compact)
- Freeze left: On
- Freeze top: On
- Row title fixed width: 180px
- Show column header: On

Executive Dashboard

- Highlight row on hover: On
- Zebra rows: Off (cleaner look)
- Show % symbol: On
- Percent precision: 0 (simplicity)
- Freeze left: On
- Freeze top: On
- Row title fixed width: (auto)
- Show column header: On

Minimal/Embedded Table

- Highlight row on hover: On
- Zebra rows: Off
- Show % symbol: On
- Percent precision: 1
- Freeze left: Off (if table is narrow)
- Freeze top: Off (if few rows)
- Row title fixed width: (auto)
- Show column header: Off or On (context dependent)

Best Practices

1. **Hover Highlight:** Keep On for interactive reports, Off for print-friendly views
2. **Zebra Rows:** Always On unless table is very narrow
3. **Symbol/Precision:** Match your audience (executives = simpler, analysts = more detail)
4. **Freezing:** Always On for large tables, consider Off for small ones
5. **Column Headers:** Keep On unless context is very clear

Troubleshooting

Q: Text is overlapping or hard to read

A: Increase precision decimals or reduce row title fixed width

Q: Zebra rows make it harder to read

A: This may indicate insufficient contrast - adjust custom formatting colors instead

Q: Freeze isn't working

A: Verify your browser/Power BI version supports sticky positioning; try disabling custom scrolling settings

Q: Row labels are cut off

A: Use auto sizing (leave Row Title Fixed Width empty) or increase the fixed width value

Related Topics

- [Table Styles](#) - Apply professional themes
- [Custom Element Formatting](#) - Colors and fonts
- [Formatting Overview](#) - All formatting options

Custom Element Formatting Reference

[Home](#) > [Reference](#) > [Formatting & Styling Overview](#) > **Custom Element Formatting (Advanced)**

Custom Element Formatting Reference

Fine-tune fonts, colors, and backgrounds for specific table elements to create highly customized designs or match brand guidelines exactly.

⚠ SETTINGS LOCATION

These settings correspond to `topLevelHeaderSettings`, `subLevelHeaderSettings`, and `cellSettings` in the configuration model.

Overview

Custom Element Formatting allows you to control individual elements independently:

- **Top-Level Column Headers:** The primary column header row
- **Sub-Level Column Headers:** Secondary headers (for hierarchical columns)
- **Cell Format:** Data cells containing values

Each element can have its own font, size, weight, and color settings.

Element Reference

Top-Level Column Header

The first (primary) row of column headers.

Default styling:

- Font: Arial
- Size: 11pt
- Bold: Yes
- Background: Inherited from theme
- Text Color: Inherited from theme

Use cases for customization:

- Make headers more prominent (larger, bolder)
- Match brand colors
- Distinguish from sub-headers
- Improve hierarchy visibility

Sub-Level Column Header

Additional header rows (when using hierarchical column structures).

Default styling:

- Font: Arial
- Size: 11pt
- Bold: Yes
- Background: Slightly lighter than top level
- Text Color: Inherited from theme

Use cases for customization:

- Make sub-headers less prominent than top-level
- Add visual distinction for hierarchy
- Smaller font to show secondary importance

Cell Format

Data cells containing actual values (numbers, percentages, etc.).

Default styling:

- Font: Consolas (monospace for alignment)
- Size: 11pt
- Bold: No
- Background: Inherited from theme
- Text Color: Inherited from theme

Use cases for customization:

- Change to more readable font (Arial, Calibri)
- Make certain values stand out
- Match data cell styling to headers

Font Customization

Font Family

Setting: Font family

Type: Dropdown selection

Common options: Arial, Calibri, Verdana, Consolas, Times New Roman, Georgia

Recommendations by Use Case

Font	Style	Use Case
Arial	Clean, modern, sans-serif	Professional reports, most uses
Calibri	Modern, readable, sans-serif	Business documents, modern look
Verdana	Large x-height, readable, sans-serif	Web, accessibility, easy reading
Consolas	Monospace, aligned numbers	Technical data, precise alignment
Times New Roman	Traditional, serif	Formal, academic, traditional
Georgia	Serif, readable, elegant	Formal, elegant, book-like

Accessibility notes:

- Sans-serif fonts (Arial, Calibri) are more readable for data
- Avoid decorative/script fonts
- Serif fonts acceptable for formal headers only

Font Size

Setting: Font size

Type: Number

Range: 8pt - 28pt

Defaults:

- Headers: 11pt
- Cells: 11pt

Recommended hierarchy:

Top-level header: 12-14pt (largest, most prominent)
Sub-level header: 11-12pt (medium)
Cell data: 10-11pt (smallest, main focus on data)

Tips for sizing:

- Headers 1-2pt larger than cells
- Smaller fonts = more data visible, less readable
- Larger fonts = cleaner look, less data visible
- Consider your audience (executives prefer larger)
- Match your brand guidelines

Text Styles

Bold

Makes text heavier/darker.

Recommended usage:

-  Headers (always bold for prominence)
-  Important values or totals
-  Regular data cells (reduces readability)

Italic

Slightly slanted text.

Recommended usage:

-  Subtotals or secondary values
-  Footnotes or notes
-  Main data cells (harder to read)

Underline

Line under text.

Recommended usage:

-  Totals row (visual separator)
-  Important headers
-  Regular data (unnecessary decoration)

Best practices:

- Use sparingly for emphasis
 - Don't combine more than 2 styles
 - Ensure sufficient contrast with background
-

Color Customization

Font Color

The color of the text itself.

Format: Hex color code or color picker

Examples:

-  = Black
-  = White
-  = Dark gray
-  = Navy blue
-  = Dark green

Background Color

The color behind the text.

Format: Hex color code or color picker

Examples:

-  = White
 -  = Light gray
 -  = Light blue
 -  = Navy blue
-

Color Contrast & Accessibility

Contrast Requirements

Ensure text is readable against its background:

WCAG Guidelines:

- **Level AA** (standard): 4.5:1 contrast ratio
- **Level AAA** (enhanced): 7:1 contrast ratio

High-Contrast Combinations

Use	Font Color	Background	Contrast	Example
Headers	#FFFFFF	#2E5090	9:1	White on navy
Headers	#000000	#F5F5F5	11:1	Black on light gray
Data	#000000	#FFFFFF	21:1	Black on white
Data	#FFFFFF	#333333	8:1	White on dark gray

Low-Contrast (Avoid)

These combinations are hard to read:

- Yellow on white (0.9:1) ✖
- Light gray on white (1.5:1) ✖
- Purple on blue (3:1) ✖

Testing Contrast

Use online contrast checkers:

- WebAIM Contrast Checker
- Accessible Colors
- WAVE Tool

Practical Configuration Examples

Professional Business Report

Top-Level Header:

- Font: Arial
- Size: 12pt
- Bold: Yes
- Font Color: #FFFFFF
- Background: #2E5090

Sub-Level Header (if used):

- Font: Arial
- Size: 11pt
- Bold: Yes
- Font Color: #FFFFFF
- Background: #4472C4

Cell:

- Font: Calibri
- Size: 10pt
- Bold: No
- Font Color: #000000
- Background: #FFFFFF

Result: Classic, professional, formal

Modern/Minimalist Report

Top-Level Header:

- Font: Arial
- Size: 11pt
- Bold: Yes
- Font Color: #333333
- Background: #F0F0F0

Sub-Level Header:

- Font: Arial
- Size: 10pt
- Bold: No
- Font Color: #666666
- Background: #FAFAFA

Cell:

- Font: Arial
- Size: 10pt
- Bold: No
- Font Color: #000000
- Background: #FFFFFF

Result: Clean, contemporary, minimal

High-Contrast Accessibility

Top-Level Header:

- Font: Arial (sans-serif)
- Size: 13pt (larger)
- Bold: Yes
- Font Color: #FFFF00 (yellow)
- Background: #000000 (black)

Sub-Level Header:

- Font: Arial
- Size: 12pt
- Bold: Yes
- Font Color: #000000
- Background: #FFFFFF

Cell:

- Font: Verdana (highly readable)
- Size: 11pt
- Bold: No
- Font Color: #000000
- Background: #FFFFFF

Result: Maximum accessibility for low-vision users

Brand-Matched Corporate

Top-Level Header:

- Font: Arial
- Size: 12pt
- Bold: Yes
- Font Color: #FFFFFF
- Background: #CC0000 (brand red)

Sub-Level Header:

- Font: Arial
- Size: 11pt
- Bold: Yes
- Font Color: #FFFFFF
- Background: #FF6666 (light red)

Cell:

- Font: Calibri
- Size: 10pt
- Bold: No
- Font Color: #333333
- Background: #FFFFFF

Result: Branded, professional, recognizable

Technical/Scientific Report

Top-Level Header:

- Font: Consolas (monospace)
- Size: 11pt
- Bold: Yes
- Font Color: #FFFFFF
- Background: #404040

Sub-Level Header:

- Font: Consolas
- Size: 10pt
- Bold: Yes
- Font Color: #000000
- Background: #D3D3D3

Cell:

- Font: Consolas (numbers align)
- Size: 10pt
- Bold: No
- Font Color: #000000
- Background: #FFFFFF

Result: Technical, precise, data-focused

Layering with Style Themes

Custom Element Formatting works with Style Themes:

1. **Style Theme** sets base appearance
2. **Color Theme** applies palette
3. **Custom Element Formatting** overrides both

Example workflow:

```
Start with: Modern theme + Blue color
↓
Then customize: Change header to bold italic
↓
Result: Modern blue styling + your custom emphasis
```

Hierarchy Best Practices

Create visual hierarchy to guide readers:

Recommended Hierarchy

PROMINENCE SCALE:

Top-Level Header ← Most prominent

- └ Larger
- └ Bold
- └ Contrasting color

Sub-Level Header ← Medium prominence

- └ Slightly smaller
- └ Bold (but less than top)
- └ Slightly less contrast

Data Cell ← Least prominent

- └ Smallest size
- └ Regular weight
- └ High contrast for readability

Visual Hierarchy Example

PRODUCT SALES (14pt, bold, navy)			
2024 Q1	2024 Q2	2024 Q3	← Sub-header (12pt, bold)
45,000	52,000	48,500	← Data (10pt, regular)
38,200	41,300	39,800	
61,500	58,900	64,200	

Accessibility Considerations

Color Contrast

1. **Test your colors** using contrast checkers
2. **Aim for 7:1** if possible (WCAG AAA)
3. **Minimum 4.5:1** for text (WCAG AA)
4. **Avoid color alone** to convey meaning

Font Choices

1. **Sans-serif preferred** (Arial, Verdana, Calibri)
2. **Avoid decorative** fonts

3. **Minimum 10pt** for readability
4. **Higher readability** for presentations/web

Dyslexia-Friendly

- Use sans-serif fonts
 - Increase letter spacing (use larger fonts)
 - Avoid italic/underline in data cells
 - Use zebra rows (alternating row colors)
 - Ensure good contrast
-

Export Considerations

Excel Export

Some formatting may change:

- Fonts: All fonts are available in Excel
- Colors: Most colors export correctly
- Sizes: Slightly different rendering possible
- Weights: Bold/italic should export correctly

Tip: Test export before finalizing design

PDF Export

- Fonts: Use standard fonts for compatibility
 - Colors: Print to PDF may look different
 - Resolution: Higher DPI available in PDF
 - Sizing: May shrink on smaller pages
-

Troubleshooting

Q: Text is hard to read on my background color

A: Check contrast ratio (aim for 4.5:1 minimum). Use a contrast checker tool.

Q: Font looks wrong in Power BI Service

A: Use standard system fonts (Arial, Calibri). Some fonts may not be available.

Q: Headers are too big

A: Reduce font size 1-2pt or turn off Bold

Q: Exported table looks different

A: Test print/export with your exact setup. Some color rendering varies.

Q: Text overlaps with numbers

A: The font might not fit. Try a more compact font (Consolas) or reduce size.

Common Color Palettes

Professional Blue

Header BG: #2E5090 (Navy)
Header Text: #FFFFFF (White)
Sub-Header: #4472C4 (Medium blue)
Cell BG: #FFFFFF (White)
Cell Text: #000000 (Black)

Modern Minimal

Header BG: #F0F0F0 (Light gray)
Header Text: #333333 (Dark gray)
Sub-Header: #FAFAFA (Very light gray)
Cell BG: #FFFFFF (White)
Cell Text: #000000 (Black)

Warm Corporate

Header BG: #CC6633 (Warm brown)
Header Text: #FFFFFF (White)
Sub-Header: #FF9966 (Light orange)
Cell BG: #FFFBF5 (Off-white)
Cell Text: #333333 (Dark gray)

High Contrast

Header BG: #000000 (Black)
Header Text: #FFFF00 (Yellow)
Sub-Header: #333333 (Dark gray)
Cell BG: #FFFFFF (White)
Cell Text: #000000 (Black)

Related Topics

- [Table Options](#) - Display behavior
- [Table Styles](#) - Predefined themes
- [Formatting Overview](#) - All formatting options

Table Style Options Reference

[🏠](#) > [Reference](#) > [Formatting & Styling Overview](#) > [Table Styles \(Themes\)](#)

Table Style Options Reference

Apply pre-configured professional themes to your table with coordinated color schemes and styling.

⚠️ SETTINGS LOCATION

These settings correspond to the `StyleSettingsCard` in the configuration model.

Overview

Table Styles provide professionally-designed themes that combine fonts, colors, and layouts into cohesive visual designs. Choose a theme and optionally adjust the color palette.

Style Themes

Available Themes

Theme	Best For	Vibe
Custom	Full control, brand matching	Professional, any style
Modern	Contemporary reports, dashboards	Clean, minimalist
Classic	Traditional business reporting	Formal, professional
Scientific	Research, data analysis	Academic, precise
Market Research	Survey data, consumer insights	Friendly, accessible

Theme Selection

Setting: Style name
Type: Dropdown
Default: Custom
Options: Custom, Modern, Classic, Scientific, Market Research

Color Themes

Apply a color palette to your chosen style theme. These coordinate colors work together for professional, harmonious designs.

Available Color Themes

Name	Best-For	Palette	Use case
Monochromatic	Formal, professional, print-friendly	Shades of single color	Executive reports, serious tone
Blue	Corporate, trust, technology	Navy, sky blue, light blue	Business reports, finance, tech companies
Green	Growth, health, environmental	Forest green, lime, sage	Healthcare, environmental data, growth metrics
Red	Warnings, performance issues, passion	Burgundy, coral, crimson	Risk analysis, sales targets, urgent data
Yellow	Optimism, caution, energy	Gold, amber, mustard	Warnings, positive news, energetic tone
Purple	Premium, creative, luxury	Royal purple, lavender, plum	Premium products, creative industries
Purple Soft	Modern, approachable, creative	Soft mauve, light purple	Modern startups, creative teams
Teal	Fresh, modern, balanced	Teal, turquoise, cyan	Tech, modern reports, balanced design
Pink	Contemporary, consumer, friendly	Rose, coral pink, mauve	Consumer products, modern reports
Indigo	Deep, sophisticated, tech	Indigo, deep blue, violet	Technical reports, sophisticated design
Sunset	Warm, approachable, creative	Orange, pink, gold	Creative industries, positive reports
Ocean	Cool, calm, professional	Blues and teals, ocean-inspired	Aquatic/marine topics, calming reports

Name	Best-For	Palette	Use case
Forest	Natural, organic, sustainable	Greens, browns, earth tones	Environmental, sustainable business
Gold	Luxury, premium, formal	Gold, dark blue, cream	Premium products, formal events
Light	Clean, minimal, modern	Whites, light grays, accent color	Most business reports, web-friendly
Dark	Night mode, tech, modern dashboards	Darks, lights for contrast	Dark dashboards, night viewing
Colorful	Engaging, playful, diverse	Multi-color rainbow	Engaging reports, diverse categories
Slate	Professional, sophisticated, neutral	Grays, dark grays, blue-grays	Professional reports, neutral tone
Power BI	Power BI Standard, consistency	Power BI brand colors	Power BI native reports
Power BI Pro	Power BI Premium, modern	Power BI Premium theme colors	Premium Power BI environments

Cell Text Size

Cell Text Size

Setting: Cell text size

Type: Number (typically 8-14 pt)

Default: 10

Controls the font size of data in table cells.

Common sizes:

Size	Use Case	Readability
8-9pt	Dense data, many columns	Dense but readable
10-11pt	Standard business reports	Good balance
12-14pt	Executive summaries, dashboards	Large and clear
15pt+	Large format displays, presentations	Very large

Tips:

- Headers are typically 1-2pt larger than cells
- Consider your audience (executives prefer larger)
- Test on the device where users will view it
- Smaller fonts allow more data visible at once
- Larger fonts improve accessibility

Row Title Alignment

Row Title Text Alignment

Setting: Row title text alignment

Type: Dropdown

Options: Left, Center, Right

Default: Left

Controls how row labels (left column) are aligned horizontally.

Options:

Alignment	Example	Best For
Left		Standard, most readable
Center		Formal, numbers-like appearance
Right		Technical, numeric labels

Theme Combinations

Popular pre-configured combinations:

Professional (Recommended for most)

- Theme: Modern
- Color: Blue or Slate
- Cell text: 10-11pt
- Row align: Left

Result: Clean, professional, trustworthy

Formal/Executive

- Theme: Classic
- Color: Monochromatic or Gold
- Cell text: 11-12pt
- Row align: Center

Result: Formal, traditional, authoritative

Academic/Scientific

- Theme: Scientific
- Color: Monochromatic or Slate
- Cell text: 10pt
- Row align: Left

Result: Precise, objective, academic

Modern/Tech

- Theme: Modern
- Color: Teal, Indigo, or Dark
- Cell text: 10-11pt
- Row align: Left

Result: Contemporary, innovative, tech-forward

Friendly/Market Research

- Theme: Market Research
- Color: Green, Sunset, or Colorful
- Cell text: 11pt
- Row align: Left

Result: Approachable, engaging, accessible

Sustainable/Environmental

- Theme: Modern

- Color: Forest or Green
- Cell text: 11pt
- Row align: Left

Result: Natural, responsible, growth-focused

Custom Theme

When "Custom" is selected, you have full control to match any brand or preference.

Refer to [Custom Element Formatting](#) for detailed font and color settings.

Best for:

- Brand matching (company colors)
- Non-standard designs
- Accessibility requirements
- Experimental layouts

EXTENDING CUSTOM THEME

To fully customize fonts and colors per element, combine Custom style with Custom Element Formatting (headers and cells).

Theme Application

Themes are applied in this order (later overrides earlier):

1. Style Theme (base)
 2. Color Theme (palette)
 3. Cell text size
 4. Row alignment
 5. Custom Element Formatting (if applied)
-

Best Practices

1. **Start with a Theme:** Don't start with Custom - choose a theme that's close
 2. **Consistent Palettes:** Theme colors are designed to work together - use them
 3. **Test Your Audience:** Show sample tables to your audience before finalizing
 4. **Light vs. Dark:** Choose Light for printed reports, Dark for digital dashboards
 5. **Accessibility:** Avoid low-contrast combinations (e.g., Yellow with Light)
 6. **Brand Alignment:** If using Custom, ensure it matches your brand guidelines
-

When to Adjust Further

Use **Custom Element Formatting** if you need to:

- Change fonts per element (headers vs. cells)
 - Fine-tune specific colors
 - Add bold/italic to headers
 - Match exact brand color codes
-

Examples by Industry

Finance/Banking

- Theme: Classic
- Color: Monochromatic or Blue
- Text: 10-11pt
- Alignment: Left

Tech/SaaS

- Theme: Modern
- Color: Indigo or Dark
- Text: 11pt
- Alignment: Left

Healthcare

- Theme: Modern
- Color: Blue or Green

- Text: 11pt
- Alignment: Left

Retail/E-commerce

- Theme: Market Research
- Color: Colorful or Sunset
- Text: 11pt
- Alignment: Left

Education/Research

- Theme: Scientific
- Color: Monochromatic or Blue
- Text: 10pt
- Alignment: Left

Non-profit/NGO

- Theme: Modern
 - Color: Green or Teal
 - Text: 11pt
 - Alignment: Left
-

Troubleshooting

Q: My theme doesn't match my brand

A: Use Custom theme, then add Custom Element Formatting for full control

Q: Color theme looks washed out

A: Try a darker color theme (Dark, Slate, Indigo instead of Light)

Q: Text is hard to read

A: Increase Cell Text Size or switch to high-contrast theme (e.g., Dark)

Q: Printing looks different

A: Print preview may show colors differently; test print before finalizing

Related Topics

- [Table Options](#) - Display behavior settings
- [Custom Element Formatting](#) - Fine-tune individual elements
- [Formatting Overview](#) - All formatting options

Mean Series Configuration

[Home](#) > [Reference](#) > [Mean Series Configuration](#)

Mean Series Configuration

Overview

Configure which data series (measures) are used for mean (average) calculations, statistical properties, and significance testing in mean tables.

! EDITION AVAILABILITY

- Mean tables: Available in **Pro** and **Premium** editions
- All series configuration available in both Pro and Premium

Understanding Mean Tables

Mean tables display **average values** rather than percentages or counts. They're used for:

- Customer satisfaction scores
- Performance metrics (ratings, scores, times)
- Financial averages (revenue per customer, average order value)
- Measurement data (temperature, weight, distance)



TIP

Mean tables are ideal for continuous data where averages and variability matter. Continuous (or numeric) data are indicated within Power Bi with a sigma (Σ) symbol next to the measure name (here under L2 and L5).

Example Mean Table:

Mean table showing average score of customer recognition by media channel and survey cell



WARNING

The component itself **DOES NOT** calculate means directly. You must provide appropriate measures from your data model for each series (Average, Count, Std Dev, etc.) or a pre-calculated measure for weighted mean. See the **Data Model Requirements** section for details on creating these measures.

Core Series Configuration

Mean Series

Setting: Mean Series

Required: Yes

Type: Dropdown (lists available measures)

The primary data series containing the values to be averaged.

What It Contains:

- Individual measurements or scores
- Pre-calculated means (if aggregated in data model)
- Weighted average (if using weights)

Usually, after having dropped the variable in the 'values' section, you will use the 'Average' function in the dropdown listed measures:

You can also create custom DAX measures for more complex mean calculations. **Examples:**

Example 1: Satisfaction Scores

```
Mean Series = AVERAGE(Survey[SatisfactionScore])
```

Data:

- Respondent A: 5
- Respondent B: 4
- Respondent C: 5

Mean = $(5 + 4 + 5) / 3 = 4.67$

Example 2: Revenue per Customer

```
Mean Series = DIVIDE(SUM(Sales[Revenue]), DISTINCTCOUNT(Sales[CustomerID]))
```

Calculates: Average revenue per unique customer

Common Sources:

- `AVERAGE(Table[Metric])`
- `DIVIDE(SUM(Values), COUNT(Records))`
- Pre-calculated mean field
- Weighted mean calculation

Count Series

Setting: Count Series

Required: For displaying sample size

Type: Dropdown (lists available measures)

The number of observations used to calculate show the sample size.

What It Shows:

- Sample size (n)
- Number of respondents/records
- Reliability indicator

Why It Matters:

Product A: Mean = 4.2, Count = 1000  Reliable
Product B: Mean = 4.8, Count = 5  Unreliable

Same difference (0.6), but Product B has tiny sample

Usually, you will use the 'Count' or 'Count(Distinct)' function in the dropdown listed measures:

You may also create custom DAX measures for specific counting logic. **Examples:**

Example 1: Simple Count

```
Count Series = COUNTROWS(Survey)
Counts: All rows in the table
```

WARNING

using COUNTROWS will count all rows, including one which may NOT take part in the calculation. If your variable contains missing or irrelevant data, use the 'Count Rows' function in the dropdown listed functions.

Example 2: Respondent Count

```
Count Series = DISTINCTCOUNT(Survey[RespondentID])
Counts: Unique respondents (not duplicate responses)
```

Example 3: Non-Missing Values

```
Count Series = COUNTROWS(FILTER(Survey, NOT(ISBLANK(Survey[Score]))))
Counts: Only records with actual scores
```

Display in Table:

	Product A	Product B	Product C
Base	1250	980	45
Average	4.2	4.5	3.9
	■ Large sample		▪ Small sample (less reliable)

Standard Deviation Series

Setting: Standard Deviation Series

Required: For significance testing and variability analysis

Type: Dropdown (lists available measures)

The measure of variability/spread in the data. This measure is required for significance testing of mean differences. It is never displayed directly in the table but used in calculations behind the scenes.

Specific Significance Testing Series

Significance Mean Series

Setting: Significance Mean Series

Required: Only if using significance tests

Type: Dropdown (lists available measures)

Available in: Pro, Premium

There is cases where you may need to provide a different mean series for significance testing than the one used for display, reason why the tool proposes this separate setting. Set here the mean values used for statistical significance testing.

When It Differs from Mean Series:

- Display uses weighted means
- Testing uses unweighted means
- Different aggregation rules for testing

Common Scenarios:

Scenario 1: Same as Mean Series (Most Common)

```
Mean Series: AVERAGE(Survey[Score])
Significance Mean Series: AVERAGE(Survey[Score])
```

Use when: Testing and display use same data

Mean table showing same mean series for display and significance testing

Scenario 2: Different Series



TIP

To Create a weighted mean, use "New Measure" in Power BI and enter a DAX formula like:

```
L2_weighted = DIVIDE(
    SUMX(main, main[L2] * main[Weight]), // Note the SUMX to multiply row by row each L2
    value by its Weight
    SUM(main[Weight]),
    BLANK() // if divide by Zero
)
```

You will also need to create a weighted standard deviation measure for significance testing.

```
L2_WStdDev =
VAR MeanValue = [L2_weighted]
RETURN
    Sqrt(
        DIVIDE(
            SUMX(
                main,
                main[Weight] * POWER(main[L2] - MeanValue, 2)
            ),
            SUM(main[Weight])
        )
    )
```

Example: Here under are three different settings

- in the first one the 'Mean Series' is set to a raw mean measure with the 'Significance Mean Series' set the same as count Series.
- in the second one the 'Mean Series' is still set to a raw mean measure with the 'Significance Mean Series' and 'Count Series' set to the Weighted measures. With these settings, significance use the weighted population and the weighted mean for testing while the display use the raw mean so values remains the same while significance tests are based differently.
- in the third one the 'Mean Series' is set to a weighted mean measure with the 'Significance Mean Series' set to a raw mean measure and the 'Count Series' set to the raw count measure. With these settings, significance use the raw population and the raw mean for testing while the display use the weighted mean so values differs between display and testing.

Mean table showing the same mean series for display (unweighted) and significance testing (unweighted)	

Mean table showing different mean series for display (weighted) and significance testing (unweighted) Note the difference in the 'Count series' and 'Mean Series for significance tests'	

Mean table showing different mean series for display (unweighted) and significance testing (weighted) Note the difference in the 'Count series' and 'Mean Series for significance tests'	

Why Separate?:

- Research protocols may require unweighted testing
- Different statistical requirements
- Regulatory or methodological standards

Unweighted Base Series

Setting: Unweighted Base Series

Required: Only when using weighted data

Type: Dropdown (lists available measures)

The raw count of observations before weighting adjustments. Used for unweighted base row only, no calculation is made with it.

When to Use:

- For research transparency
- To show actual sample sizes

Data Model Requirements

Required Measures for Mean Tables

1. Mean: Either select 'Average' in the dropdown selection of the continuous variable (raw only) or create a Mean Calculation

```
// Simple average
MeanScore = AVERAGE(Survey[Score])

// Or weighted average
WeightedMean =
VAR FilteredData = FILTER(Survey, NOT(ISBLANK(Survey[Score]))) // Define the Sub-Set of Data
where 'Score' is present (not necessary if variable is mandatory)
    DIVIDE(
        SUMX(FilteredData, Survey[Score] * Survey[Weight]),
        SUMX(FilteredData, Survey[Weight]),
        BLANK()
    )
```

2. Count: Either select 'Count' in the dropdown selection (raw), the 'Sum' function of the weight variable or a Size Calculation

```
// Simple count
SampleSize = COUNTROWS(Survey)

// Or unique respondents
RespondentCount = DISTINCTCOUNT(Survey[RespondentID])

// Or non-blank count
ValidResponses = COUNTROWS(FILTER(Survey, NOT(ISBLANK(Survey[Score]))))

// or Weighted count
WeightedCount = SUM(Survey[Weight])
```

WARNING

You **SHOULD NOT** Count another variable (like the record ID or respondent ID) as the Average or Std Deviation are calculated upon non-null values of the selected mean variable.

3. Standard Deviation: Either select 'Standard Deviation' in the dropdown selection of the variable or create a Standard Deviation Calculation

```
// Sample standard deviation
StdDeviation = STDEV.S(Survey[Score])

// Or Weighted standard deviation
WeightedStdDev =
VAR FilteredData = FILTER(Survey, NOT(ISBLANK(Survey[Score]))) // Define the Sub-Set of Data
where 'Score' is present

VAR MeanValue = DIVIDE(SUMX(FilterData, Survey[Score] * Survey[Weight]), SUMX(FilterData,
Survey[Weight]))
RETURN
    Sqrt(
        DIVIDE(
            SUMX(FilterData,
                Survey[Weight] * POWER(Survey[Score] - MeanValue, 2)
            ),
            SUMX(FilterData, Survey[Weight])
        )
    )
```

4. Unweighted Base : This should ALWAYS be a raw 'count' or 'Count distinct' function of non-null value of selected mean variable

```
UnweightedCount = DISTINCTCOUNT(Survey[Score])
```

WARNING

You **SHOULD NOT** Count another variable (like the record ID or respondent ID) as the Mean or Std Deviation are calculated upon non-null values of the selected mean variable.

Practical Examples

Example 1: Customer Satisfaction Scores

Question: "Rate your satisfaction (1-5)"

Configuration:

- Mean Series: "Average Satisfaction Score"
- Count Series: "Count of Respondents"
- StdDev Series: Not shown

Example 2: Performance Analysis with significance

Metric: Employee performance ratings

Configuration:

- Mean Series: "Average Rating"
- Count Series: "Employee Count"
- StdDev Series: "Rating Std Dev"

Example 3: Weighted Research Study

Survey: National satisfaction study (weighted)

Configuration:

- Mean Series: "Weighted Mean Satisfaction"
- Count Series: "Sum of Weights"
- StdDev Series: "Satisfaction Std Dev"
- Unweighted Base: "Count of Respondents"
- Significance Mean: "Unweighted Mean"

Example 4: Revenue Analysis

Metric: Average revenue per customer

Configuration:

- Mean Series: "Revenue per Customer"
- Count Series: "Customer Count"

Statistical Context

When to Use Mean Tables

Good for:

- Continuous measurements (temperature, time, money)
- Rating scales (1-5, 1-10)
- Satisfaction scores (NPS, CSAT)
- Performance metrics
- Financial averages

Not Good for:

- Categorical data (Yes/No, Male/Female)
- Count data (number of purchases)
- Percentages/proportions
- Binary outcomes

Use percentage tables instead for: Frequency distributions, category breakdowns

Sample Size Considerations

Minimum Sample Sizes:

- **n < 30:** Means unreliable, use caution
- **n = 30-100:** Acceptable for most purposes
- **n > 100:** Reliable means
- **n > 1000:** Very stable estimates

Impact on Significance:

- Large samples detect small differences
 - Small samples miss real differences
 - Always consider practical significance
-

Troubleshooting

Q: Mean values look incorrect

A:

- Verify Mean Series calculation in a simple visual first
- Check for filter context issues in DAX
- Ensure measure aggregates correctly across dimensions

Q: Count doesn't match expectations

A:

- Check if counting rows vs distinct IDs

- Verify weighted vs unweighted count
- Look for filter context in measure definition

Q: Standard deviation shows as blank

A:

- Ensure StdDev Series is mapped
- Check that measure returns values
- Verify sufficient data points (need $n \geq 2$)

Q: Unweighted base same as count

A: Your data likely isn't weighted; you can hide unweighted row

Q: Mean tables not available

A: Mean tables require Pro or Premium edition

Q: Significance tests don't work with means

A:

- Verify all three series: Mean, Count, StdDev
- Check Significance Mean Series is configured
- Ensure adequate sample sizes ($n \geq 30$ recommended)

Best Practices

1. **Always Show Count:** Sample size is critical for interpreting means
 2. **Consider StdDev:** Helps understand data consistency
 3. **Test Measures First:** Validate in simple visuals before using in cross-tab
 4. **Document Calculations:** Note whether means are weighted/unweighted
 5. **Check for Outliers:** Extreme values can skew means
 6. **Minimum Samples:** Use thresholds to mask small sample means
 7. **Weighted Data:** Always show both weighted and unweighted counts
 8. **Practical Significance:** A statistically significant 0.1 difference may not matter
-

Related Settings

- [Table Contents](#) — Set table type to "Mean"
- [Percentage Series](#) — For percentage table configuration
- [Significance Testing](#) — Configure t-tests for means
- [Thresholds](#) — Mask means with small samples
- [Totals & Subtotals](#) — How counts display

For more help, see the [Quick Start Guide](#) or contact support.

Percentage Series Configuration

[Home](#) > [Reference](#) > [Percentage Series Configuration](#)

Percentage Series Configuration

Overview

Configure which data series (measures) are used for different calculations in percentage tables. Proper series mapping is essential for accurate percentages, bases, and significance testing.

EDITION AVAILABILITY

All series configuration is available in **Free**, **Pro**, and **Premium** editions.

Understanding Series

In Power BI, a **series** is a measure or calculated field that contains numerical data. For percentage tables, you need to map different series to different purposes:

- **Value Series:** The numerator (what you're counting)
 - **Base Series:** The denominator (what you're dividing by)
 - **Additional Series:** For significance testing and unweighted bases
-

Core Series Configuration

Value Series

Setting: Value Series

Required: Yes

Type: Dropdown (lists available measures)

The primary data series used to populate cell values.

What It Contains:

- For single response: Count of respondents selecting each option
- For multiple response: Count of respondents mentioning each item
- For weighted data: Weighted counts

Example:

```
If measuring product preference:  
Value Series = "Count of Respondents"  
or  
Value Series = "Sum(WeightedResponses)"
```

Common Sources:

- `COUNT(ResponseID)`
 - `SUM(Weight)`
 - `COUNTROWS(Responses)`
 - Pre-calculated measure from your data model
-

Base Series

Setting: Base Series

Required: For accurate percentages

Type: Dropdown (lists available measures)

The denominator used to calculate percentages.

What It Contains:

- Total count of respondents in each column
- Total population for the segment
- Weighted base (if using weights)

Calculation:

$$\text{Percentage} = (\text{Value Series} / \text{Base Series}) \times 100$$

Example:

Column: Male Respondents
Value Series: 150 (males who chose Product A)
Base Series: 300 (total males)
Result: $150 / 300 = 50\%$

Common Sources:

- `COUNT(DISTINCT RespondentID)`
- `SUM(Weight)` (for weighted base)
- Pre-calculated base measure

Important: Base Series should match the scope of your analysis:

- For column percentages: Base = column total
- For row percentages: Base = row total
- For total percentages: Base = grand total

Unweighted Base Series

Setting: Unweighted Base Series

Required: Only if using weighted data

Type: Dropdown (lists available measures)

The raw count of respondents/records before any weighting adjustments.

When to Use:

- Your data is weighted (demographics, quotas, etc.)
- You need to show actual sample sizes
- For research transparency

What It Shows:

	Total	North	South
Weighted Base	1000	400	600
Unweighted	950	350	600 ← This row

Example:

```
Unweighted Base Series = "COUNT(DISTINCT RespondentID)"  
(Counts actual people, ignoring weights)
```

Why It Matters:

- Shows actual sample size (reliability indicator)
- Required for professional research reporting
- Helps readers understand data confidence

Response Mode Configuration

Multiple Answer Mode

Setting: Multiple answer?

Type: Toggle

Default: Off

Controls how percentages are calculated for questions allowing multiple selections.

Single Response Mode (Toggle Off)

Used when respondents select **one option only**.

Characteristics:

- Column percentages sum to 100%
- Each respondent counted once per column
- Standard cross-tabulation

Example:

Question: "Which ONE product do you prefer?"

	Total	Male	Female
Base	1000	480	520
Product A	45%	42%	48%
Product B	35%	38%	32%
Product C	20%	20%	20%
Total	100%	100%	100% ← Sums to 100%

Multiple Response Mode (Toggle On)

Used when respondents can select **multiple options**.

Characteristics:

- Column percentages may exceed 100%
- Each respondent can be counted multiple times
- Base = total respondents (not total mentions)

Example:

Question: "Which products do you use? (Select all)"

	Total	Male	Female
Base	1000	480	520
Product A	65%	60%	70%
Product B	45%	50%	40%
Product C	30%	35%	25%
Total	140%	145%	135% ← Can exceed 100%

Calculation in Multiple Mode:

Percentage = (Count of respondents mentioning item / Total respondents) × 100

When to Use:

- "Select all that apply" questions
- Multiple choice questions
- Attribute tracking (features, behaviors, etc.)

Significance Testing Series

These series are used when performing statistical significance tests.

Significance Series

Setting: Significance Series

Required: Only if using significance tests

Type: Dropdown (lists available measures)

Available in: Pro, Premium

The data series used for calculating significance tests.

What It Should Contain:

- Same type of data as Value Series
- May be identical to Value Series
- Could be different if testing on different data

Common Scenarios:

Scenario 1: Same as Value Series

```
Value Series: "Sum(WeightedResponses)"  
Significance Series: "Sum(WeightedResponses)"
```

Use when: Testing on the same weighted data you're displaying

Scenario 2: Different Series

```
Value Series: "Sum(WeightedResponses)" (for display)  
Significance Series: "Count(Responses)" (for testing)
```

Use when: Display weighted but test unweighted

Why Separate?:

- Research methodologies may require testing on unweighted data
- Display and testing may use different rules
- Specialized weighting scenarios

Base Significance Series

Setting: Significance Base Series

Required: Only if using significance tests

Type: Dropdown (lists available measures)

Available in: Pro, Premium

The base used for calculating proportions in significance tests.

What It Should Contain:

- Denominator for significance calculations
- May match Base Series or be different
- Must align with Significance Series

Example:

Testing whether males differ from females on Product A preference:

Significance Series: Count(Males choosing A) = 150

Base Signif Series: Count(All Males) = 300

Proportion: $150/300 = 0.50$

Compare to:

Significance Series: Count(Females choosing A) = 180

Base Signif Series: Count(All Females) = 400

Proportion: $180/400 = 0.45$

Test: Is 0.50 significantly different from 0.45?

Common Configuration:

If using weighted data for display but unweighted for testing:

Base Series: "Sum(Weight)" (denominator for display %)

Base Signif Series: "COUNT(RespondentID)" (denominator for testing)

Series Mapping Strategy

Strategy 1: Simple Unweighted Data

Best for: Internal analysis, no weighting needed

```
Value Series: COUNT(Responses)
Base Series: COUNT(DISTINCT RespondentID)
Multiple Answer: As appropriate
Significance Series: (same as Value)
Base Signif Series: (same as Base)
```

Strategy 2: Weighted Data (Display Only)

Best for: Weighted reporting without statistical tests

```
Value Series: SUM(Weight)
Base Series: SUM(Weight)
Unweighted Base Series: COUNT(DISTINCT RespondentID)
Multiple Answer: As appropriate
```

Strategy 3: Weighted Data with Testing

Best for: Professional research with significance tests

```
Value Series: SUM(WeightedResponse)
Base Series: SUM(Weight)
Unweighted Base Series: COUNT(DISTINCT RespondentID)
Significance Series: COUNT(Response)
Base Signif Series: COUNT(DISTINCT RespondentID)
Multiple Answer: As appropriate
```

Strategy 4: Complex Weighting

Best for: Multiple weighting schemes, advanced research

```
Value Series: SUM(DisplayWeight)
Base Series: SUM(DisplayWeight)
Unweighted Base Series: COUNT(DISTINCT RespondentID)
Significance Series: SUM(TestWeight)
Base Signif Series: SUM(TestWeight)
```

Practical Examples

Example 1: Basic Survey (Unweighted)

Question: "How satisfied are you?" (Single choice)

Configuration:

- Value Series: "Count of Responses"
- Base Series: "Count of Respondents"
- Multiple Answer: No
- Significance: Not used

Result:

	Total	North	South
Base	1000	400	600
Very Sat	35%	40%	32%
Satisfied	45%	43%	47%
Neutral	15%	12%	17%
Unsatisfied	5%	5%	4%

Example 2: Weighted Research Study

Question: "Which brands do you recognize?" (Multiple)

Configuration:

- Value Series: "Sum(Weighted Recognition)"
- Base Series: "Sum(Weight)"
- Unweighted Base Series: "Count of Respondents"
- Multiple Answer: Yes
- Significance Series: "Count(Recognition)"
- Base Signif Series: "Count of Respondents"

Result:

	Total	Urban	Rural
Weighted Base	1000	650	350
Unweighted	1000	520	480
Brand A	68%	75%	55%
Brand B	45%	52%	32%
Brand C	30%	35%	20%
Total	143%	162%	107% ← Multiple response

Example 3: Product Usage Tracking

Question: "Which features do you use?" (Select all)

Configuration:

- Value Series: "Count of Feature Mentions"
- Base Series: "Count of Users"
- Multiple Answer: Yes

Result:

	Total	Pro	Basic
Base	5000	2000	3000
Feature A	65%	85%	52%
Feature B	45%	70%	30%
Feature C	30%	55%	15%
Feature D	20%	40%	8%

Data Model Requirements

Required Measures

For proper percentage tables, ensure your data model includes:

1. Value Measure

```
Value = COUNTROWS(Responses)
or
WeightedValue = SUM(Responses[Weight])
```

2. Base Measure

```
Base = DISTINCTCOUNT(Responses[RespondentID])
or
WeightedBase = CALCULATE(SUM(Responses[Weight]), ALL(Responses[Response]))
```

3. Unweighted Base (if needed)

```
UnweightedBase = DISTINCTCOUNT(Responses[RespondentID])
```

4. Significance Measures (if testing)

```
SignifValue = COUNTROWS(Responses)
SignifBase = DISTINCTCOUNT(Responses[RespondentID])
```

Common Patterns

Pattern 1: Standard Survey Cross-Tab

Single choice question
No weighting
No significance testing

- Value Series: Response count
- Base Series: Respondent count
- Multiple Answer: No

Pattern 2: Multiple Response Analysis

"Select all that apply" question
No weighting
No significance testing

- Value Series: Mention count
- Base Series: Respondent count
- Multiple Answer: Yes

Pattern 3: Weighted Research

Weighted to population
Show both weighted and unweighted
No significance testing

- Value Series: Weighted count
- Base Series: Weighted base
- Unweighted Base Series: Raw count
- Multiple Answer: As appropriate

Pattern 4: Full Statistical Analysis

Weighted display
Unweighted testing
Statistical significance

- Value Series: Weighted count
- Base Series: Weighted base
- Unweighted Base Series: Raw count
- Significance Series: Unweighted count
- Base Signif Series: Unweighted base
- Multiple Answer: As appropriate

Troubleshooting

Q: Percentages don't add to 100%

A: Check your configuration:

- Single response: Verify Base Series matches column scope
- Multiple response: This is normal; ensure "Multiple Answer" is ON

Q: Percentages look wrong (too high/low)

A:

- Verify Value Series and Base Series are properly matched
- Check Base Series is at correct grain (respondent level, not response level)
- For weighted data, ensure both use same weight field

Q: Unweighted base is identical to weighted base

A: Your data likely isn't weighted; you can hide the unweighted row

Q: Base values don't match expectations

A:

- Check your measure definitions
- Verify filter context in DAX
- Ensure DISTINCTCOUNT on respondent ID, not response count

Q: Significance tests don't work

A:

- Verify Significance Series and Base Signif Series are mapped
- Check that measures return values
- Ensure series contain appropriate data for testing

Q: Can I use the same series for multiple purposes?

A: Yes, especially for simple unweighted data. Just select the same measure for Value/Base/Significance as appropriate.

Best Practices

1. **Match Series Properly:** Value and Base must use same weighting
 2. **Test Your Measures:** Verify measures in a matrix visual first
 3. **Document Your Setup:** Note which series maps to what in your model
 4. **Consistent Naming:** Use clear measure names (e.g., "Weighted_Value", "Unweighted_Base")
 5. **Validate Results:** Check a few cells manually to ensure correct calculation
 6. **Multiple Response:** Always verify "Multiple Answer" setting matches question type
 7. **Significance Setup:** Test significance configuration on simple data first
-

Related Settings

- [Table Contents](#) — Overall table type and display
 - [Totals & Subtotals](#) — How bases display in table
 - [Significance Testing](#) — Configure statistical tests
 - [Mean Series](#) — For mean table configuration
-

For more help, see the [Quick Start Guide](#) or contact support.

Ranking Settings Reference

[Home](#) > [Reference](#) > [Ranking](#)

Ranking Settings Reference

Overview

Automatically rank cells within each column and visualize rankings with numbers, colors, or gradients.

! EDITION AVAILABILITY

Ranking is available in **Pro** and **Premium** editions.

Enable Ranking

Do Ranking

Setting: Do ranking

Type: Toggle

Default: Off

Available in: Pro, Premium

Turns ranking on/off for all cells in the table.

Ranking Configuration

Cell Value Property

Setting: Cell value

Type: Dropdown

Options: Value, Horizontal Percentage, Indice

Default: Value

Which metric to rank by within each column.

INFO

the metric used for ranking **DOES NOT** need to be displayed in the table. You can rank on one metric while displaying another.

TIP

It is an interesting feature to sort on a specific measure but to rank on another measure like 'Sorting my metric vertical percentage but rank on indice'.

NOTE

Because Vertical Percentage is calculated based on column totals, ranking by **Value** and **Vertical Percentage** yield exactly the same order. Therefore, only 'Value', 'Horizontal Percentage', and 'Indice' options are shown.

Ranking Order

Setting: Ranking order

Options: Greater is first, Lesser is first

Default: Greater is first

Determines what's considered "best" (rank #1).

- **Greater is first:** Highest values get rank 1 (sales, satisfaction, etc.)
 - **Lesser is first:** Lowest values get rank 1 (costs, errors, etc.)
-

Ranking Scope

Setting: Ranking scope

Options: Global, Per Column, Per Row **Default:** Global

Determines how-to rank the cells.

- **Global:** Ranks all cells in the table together
- **Per Column:** Ranks cells within each column separately
- **Per Row:** Ranks cells within each row separately

Examples: **Ranking per column:**

See **level of column** setting below to choose which column level to consider for Global and Per Row ranking.

Level of Column for Global and per-row ranking

Setting: Level of column **Options:** From 0 to N (N = number of column levels - 1)

Default: 1

When using "Global" or "Per Row" ranking scope, choose which column level to consider for ranking.

- **Level 0:** Total of all columns (global or per-row)

- **Level 1:** First level of columns - global

- **Level 1:** First level of columns - per row

- **Level N:** Nth level of columns - global

- **Level N:** Nth level of columns - per row

Ranking Display Options

Display Format

Setting: Ranking display

Options:

- Add a rank # label within cell
- Color from Red to Blue
- Color from Red to Green

- Custom color gradient
- Default:** Add a rank # label

Rank Label

Shows a numbered badge (1, 2, 3...) in cells. Choose the shape:

Shape Options:

- **Circle:** Round badge
- **Square:** Square badge
- **Rounded Square:** Square with rounded corners

Example:

Color Gradients

Red to Blue:

- Red = lowest rank
- Blue = highest rank
- Good for neutral comparisons

Red to Green:

- Red = low/bad
- Green = high/good
- Commonly understood for positive/negative

Custom Color Gradient:

- Define your own start and end colors
 - Full control over color scheme
-

Color-Based Ranking Settings

When using color display, configure these additional options:

Color Strength

Setting: Color strength

Type: Slider (1-10)

Default: 7

Controls how saturated/intense the ranking colors are.

- **1-3:** Subtle colors, barely noticeable
- **4-7:** Standard intensity
- **8-10:** Bold, highly visible colors

Use Value for Color

Setting: Use value for color

Type: Toggle

Default: Off

Normally, colors are based on rank position (rank 1, 2, 3...). Enable this to base colors on actual cell values instead.

Example:

Without this option:

- Rank 1 (value 95%) = Dark green
- Rank 2 (value 94%) = Light green
- Rank 3 (value 50%) = Light red ← Same color!

With this option:

- Value 95% = Dark green
- Value 94% = Light green
- Value 50% = Dark red ← Different color

Auto Font Color

Setting: Auto font color

Type: Toggle

Default: Off

Automatically adjust text color (black/white) based on background color for better readability.

Useful for: Color-based gradients to ensure text is always readable

Exclude Middle Range (Advanced)

Exclude certain values from being colored/ranked, useful for "neutral" zones.

Prevent Middle Range from Coloring

Setting: Prevent middle range from coloring

Type: Toggle

Default: Off

Available in: Premium

When enabled, values between two thresholds are left uncolored.

Exclude Range

When "Prevent middle range" is enabled:

Exclude From (Start value)

Exclude To (End value)

Values in this range remain neutral (no color or styling).

Example:

Custom Color Gradient

Available in **Premium** edition with "Custom color gradient" display option.

Color From

Type: Color picker

Default: White

The color for lowest-ranked values.

Color To

Type: Color picker

Default: Black

The color for highest-ranked values.

Practical Examples

Example 1: Sales Performance (Pro Edition)

Configuration:

- Enable Ranking: Yes
- Ranking Order: Greater is first
- Display Format: Color from Red to Green
- Color Strength: 8

Result: Top-selling regions show in green,
lower performers in red within each column

Example 2: Cost Analysis

Configuration:

- Enable Ranking: Yes
- Ranking Order: Lesser is first (lower costs = better)
- Display Format: Add rank # label
- Shape: Circle

Result: Cost leaders show as [1], [2], [3]
within each category

Example 3: Satisfaction with Neutral Zone

Configuration:

- Enable Ranking: Yes
- Display Format: Color from Red to Green
- Prevent middle range: Yes
- Exclude from: 45
- Exclude to: 55

Result: Scores below 45% = red (poor)
45-55% = neutral (no color)
Above 55% = green (good)

Example 4: Custom Brand Colors (Premium)

Configuration:

- Enable Ranking: Yes
- Display Format: Custom color gradient
- Color From: #FF9999 (light brand red)
- Color To: #99FF99 (light brand green)

Result: Table ranks with custom brand colors

Best Practices

1. **Choose Appropriate Order:** "Greater is first" for positive metrics, "Lesser is first" for costs/errors
 2. **Keep It Simple:** Use ranks OR colors, not both simultaneously
 3. **Color Strength:** Use 7-8 for reports, 5-6 for dense data tables
 4. **Font Color:** Enable auto font color with strong gradients
 5. **Neutral Zones:** Use exclude range for naturally neutral metrics (satisfaction 40-60% might be "neutral")
 6. **Test Accessibility:** Ensure colors are distinguishable for color-blind readers
-

Troubleshooting

Q: Rankings show but colors aren't appearing

A: Check that you've selected a color display option (not "rank label")

Q: Color gradient goes the wrong direction

A: Verify "Ranking Order" matches your expectations (Greater/Lesser)

Q: Rank numbers are hard to read

A: Enable "Auto Font Color" or adjust colors in formatting

Q: Values seem to rank incorrectly

A: Check that "Cell value" property matches your intention (Value, %, Indice)

For more help, see the [Quick Start Guide](#).

Significance Testing Reference

🏠 > Reference > Significance Testing

Significance Testing Reference

Overview

The Socio Data Management Power BI cross table tool lets you identify statistically significant differences between groups in your data in several manner, depending on your edition (Pro or Premium) and configuration. All features includes:

- Two independent significance tests per table
- Multiple test types (All columns, Item vs other, Item vs total, Regex)
- Various display options (icon, font color, background color, border color)
- Configurable confidence levels (90%, 95%, 99%)
- Configurable variance methods for percentage tables (pooled, separate)

! EDITION AVAILABILITY

- **Basic significance:** Available in **Pro** edition
- **Advanced significance:** Available in **Premium** edition

Test Configuration

Significance Test 1

Setting: Significance 1

Options: None, All columns, Item vs other question item, Item versus Total (Base), Regular expression

Default: None

Significance Test 2

Setting: Significance 2

Options: Same as above

Default: None

Each test compares different aspects of your data.

Test Types Explained

None

No significance testing is performed.

All Columns

Compares each column against all others in the table.

(i) YOU ARE LIMITED TO 156 UNIQUE SYMBOLS FOR MARKING SIGNIFICANCE. HERE IS A LIST OF THE 156 SYMBOLS:

ΑΒΓΔΕΦΗΙJKLMNPQRSTUVWXYZabcdefghijklmnopqrstuvwxyzαβγδεζηθικλμνξοπρστυφχψω ΔΘΛΞΠΣΦΨΩ Α Β Γ Δ Ε Φ Γ

H I J K L M N O P Q R S T U V W X Y Z α β γ δ ε ζ η θ ι κ λ μ ν ξ ο π ρ σ τ υ φ χ ψ ω Ω

Use Case: Determine which regions have significantly different satisfaction scores

Example:

--	--

Note that when you have more than one level of column, the significance markers will appear differently per level to avoid confusion.

Available in **Pro** and **Premium** editions.

Item vs Other Question Item

Compares one response option against all others.

IMPORTANT

This test is the most used for survey data analysis. You should always prefer this test vs '*Against Total*' when comparing response options.

Use Case: Highlight if one product preference is significantly different

Example:

Available in **Pro** and **Premium** editions.

Item versus Total (Base)

Compares each item to the overall average at the same level.

WARNING

This test has been implemented for legacy purpose and is not generally recommended for any analysis. The reason is that observation (population) of the tested values should ***always be independent***. In this test the observations of each cell is included in the total so it does not ensure this independency rule. Unless you have a **good** reason, prefer the '*Item vs Other Question Item*' test instead.

Available in **Pro** and **Premium** editions.

Regular Expression

Uses a regex pattern to identify columns to compare.

This option is extremely useful when you are focusing on a brand, a population or a product and want to know which "*competitors*" are significantly lower or higher.

Example 1: *You want to compare the age group "50-70 years" against all other age groups in a satisfaction survey.*

In this example, we have two levels of columns but the regex matches only one item on the first level (50-70):

--	--

The regex pattern used here is `50-70` which matches partially the column with label "50-70 years".

Example 2: You want to compare respondents who answered "yes, once or twice" against all other response options in a survey question split by age groups.

In this second example, we match on level two, "yes, once" which matches columns "Yes, once or twice" under each age group: In this case, only every column compares to this matched column in each subgroup:

--	--

Available in **Premium** edition only.

Confidence Level

Significance Level

Setting: Significance level

Options: 90%, 95%, 99%

Default: 95%

The confidence threshold for determining significance.

- **90%:** More lenient (flags more differences)
- **95%:** Standard business level
- **99%:** Strict scientific standard

! INFO

You usually do not change this settings. Choose a higher level (99%) for critical decisions.

Variance Method (Percentage Tables Only)

Setting: Signif. Var. Method

Options: Pooled proportion, Separate proportion

Default: Pooled

Available in: Pro, Premium

How variance is calculated when comparing percentages.

- **Pooled:** Treats all groups as one population (more conservative)
- **Separate:** Treats groups separately (more sensitive to differences)



TIP

In usual situation, leave the default to **Pooled proportion**.

Choose **Separate proportion** option when group sizes differ greatly.

Display Options

View Option

Setting: Significance view option

Options: Icon, Font Color, Background Color, Cell border Color

Default: Icon

How significant values are marked:

Icon: Small symbol/marker appears in cell (Red for significantly lower, Green for significantly higher)

--	--

Font Color: Text color changes red or green to highlight significance

--	--

Background Color: Cell background changes red or green to highlight significance

--	--

Border Color: Cell border changes red or green to highlight significance

--	--

Advanced Testing (Premium Only)

Multiple Test Configuration

In Premium edition, you can configure each test independently:

- Different display methods for each test
- Different test types simultaneously
- Regex patterns for flexible comparison

--	--

Hide First Variable

Hides the first variable in comparative displays for cleaner visuals (see masking in [table-content](#)).

Statistical Background (For Reference)

What Tests Are Used?

For percentage tables: **Chi-square test** of independence

For mean tables: **T-tests** or **ANOVA** (depending on number of groups)

Interpretation

A cell marked as significant means:

- The difference between groups is unlikely due to chance
- At the chosen confidence level
- Given the sample sizes

Important Notes

- Significance depends on sample size (large samples show more differences)
 - Practical significance $\neq$ statistical significance (a 1% difference might be statistically significant but not practically important)
 - Always consider context, not just statistics
-

Series Configuration for Testing

Significance tests require special data series:

For Percentage Tables:

- **Significance Series:** The counts/values used for testing
- **Base Series:** The total base for calculating proportions

For Mean Tables:

- **Mean Series:** The mean values to test
- **Standard Deviation Series:** Measure of variability
- **Count Series:** Sample size

Configure these in data settings under:

- "Significance Series" (percentage tables)
 - "Mean Series for Significance" (mean tables)
-

Best Practices

1. **Choose Appropriate Test:** Match test type to your question (all columns vs vs-total)
 2. **Clear Display:** Use one view option per test for clarity
 3. **Document Level:** Note which significance level you're using in reports
 4. **Consider Sample Size:** Small sample sizes can miss real differences
 5. **Practical Significance:** Don't rely solely on statistics; consider business context
-

Troubleshooting

Q: Significance markers don't appear

A: Ensure you've configured significance series in data settings

Q: All cells are marked significant

A: Your significance level might be too lenient (90%); try 99%

Q: No cells marked significant

A: Check sample sizes; very small groups won't show significance

Q: Significance test types are grayed out

A: Significance testing requires Pro or Premium edition

For more help, see the [Quick Start Guide](#) or contact support.

Sorting & Ordering Reference

[🏠](#) > [Reference](#) > [Sorting & Ordering](#)

Sorting & Ordering Reference

Overview

Customize how rows and columns are arranged in your table with flexible sorting options.

Row Sorting

Sort Method

Setting: Row sorting

Options: None, Row Label (Alphabetical), Column Value

Default: None

When different from 'None', rows are sorted depending on the different settings. Otherwise, rows remain in the order they come from the data source. See [About sorting elements in Power BI](#) section for more details.

None

Rows appear in the order they come from the data source.

Row Label (Alphabetical)

Sorts rows alphabetically by their label.

Example:

Before: North, South, East, West
After: East, North, South, West

CAUTION

If you use this setting for numeric labels like "1", "2", "3", the **'10'** label will be considered as coming before **"2"** in alphabetical order (1,10,2,3,4...). In such cases, consider using 'Last Row/Column Positioning' to fix specific label ("10") at the end or use the new "find number in row labels" feature.

Column Value

Sorts rows based on values from a specific column you select.

Use Cases:

- Sort products by highest sales
 - Rank regions by satisfaction score
 - Order responses by frequency
-

Find number in Row Labels

Setting: Find number in Row Labels

Options: True, False **Default:** False

When enabled, this setting extracts numeric values from row labels for sorting purposes. This is particularly useful when your row labels contain numbers mixed with text.

Example:

Text sorting	Find in number sorting
Brand A (2024)	Brand A (2024)
Brand A (2025)	Brand B (2024)
Brand B (2024)	Brand C (2024)
Brand B (2025)	Brand A (2025)
Brand C (2024)	Brand B (2025)
Brand C (2025)	Brand C (2025)

Example with purely numeric labels:

Text sorting	Find in number sorting
1	1
10	2
2	3
3	4
...	...
9	10

Example with ranges in labels:

Text sorting	Find in number sorting
none	from 1 to 50
beyond 100	from 50 to 100
from 1 to 50	beyond 100
from 50 to 100	none



TIP

This setting is particularly useful for sorting labels that include years, ages, or other numeric indicators within text.

Only the **first number** found in the label is considered for sorting.

If the number is prefixed with a minus sign (e.g., "-5"), it will be treated as a **negative** number.

Sort Direction

Sorting Order

Setting: Row sorting order

Options: Ascending, Descending

Default: Ascending

Controls whether sorted values go low-to-high or high-to-low.

Example (Column Value sorting):

- **Ascending:** Smallest values first (1, 2, 3...)
- **Descending:** Largest values first (...100, 99, 98)

Example (Raw label sorting):

- **Ascending:** Alphabetical order (A, B, C...)
 - **Descending:** Reverse alphabetical order (Z, Y, X...)
-

Sort Properties

Column Property

Setting: Column property

Options: Value, Horizontal Percentage, Indice

Default: Value

When using "Column Value" sort, choose which metric to sort by.

- **Value:** Value of cells (AND Vertical Percentage)
- **Horizontal Percentage:** Percentage within row
- **Indice:** Index value



TIP

For percentage tables, sorting by **"Value"** and **"Vertical Percentage"** yield exactly the same order, reason why only 'value', 'horizontal percentage' and 'Indice' options are shown.

Fixed Row/Column Positioning

Force certain rows or columns to stay at the beginning or end, regardless of sort order.



INFO

In the following settings, multiple labels can be specified separated by commas. The comparison is not case sensitive and enclose labels in double quotes if they contain comma. e.g., `My Brand, My First Competitor` or `"Not`

Answered", "no, never"

First Rows

Setting: 'First row(s)' label(s)

Type: Text input

Format: Comma-separated

Example: My Brand, My First Competitor

These rows always appear first in your table, even if a sort would normally place them elsewhere.

Last Rows

Setting: 'Last row(s)' label(s)

Type: Text input

Format: Comma-separated

Example: Not Answered, Other

These rows always appear last in your table.

Example:

Configuration: Last rows = "Not Answered", "Other"

Result table:

- Product A
- Product B
- Product C
- Not Answered (always last)
- Other (always last)

Column sorting

Setting: Column sort on labels

Type: True/False

Example: False

When enabled, columns are sorted depending on their labels alphabetically. Otherwise, columns remain in the order they come from the data source. See [About sorting elements in Power BI](#) section for more details.

Find number in Column Labels

Setting: Find number in Column Labels

Options: True, False **Default:** False

When enabled, this setting extracts numeric values from column labels for sorting purposes. This is particularly useful when your column labels contain numbers mixed with text.

This feature works the same as for row labels. See [Find number in Row Labels](#) section for more details.

First Columns

Setting: 'First column(s)' label(s)

Type: Text input

Format: Comma-separated

Example: Current Year, Last Year

These columns always appear first.

Last Columns

Setting: 'Last column(s)' label(s)

Type: Text input

Format: Comma-separated

Example: Previous Year, Two Years Ago

These columns always appear last.

About sorting elements in Power BI

Power BI has its own sorting behavior that can interact with SDM Power BI Table's sorting settings. Here are some key points to understand:

- Power BI will use either a logic alphabetical order for rows and columns, either the order it find data in the data source. This depends on the data model and how fields are configured.
- There is a way to create a **custom sort order** in Power BI by creating a separate "sort order" column in your data model and linking it to the field you want to sort. This will naturally send the data in this order to the SDM Power BI Table visual and therefore will not require any sorting setting in the visual itself.
- **Socio Data Management ©** propose **custom** service to help you create automatically such sort columns in your data model if needed from any datasource (SPSS, CSV, Excel, SQL, Triple-S XML etc...). These sort columns are automatically **attached** to the relevant fields in the data model so that **ALL Power BI visuals** (including SDM Power BI Table) will use them for sorting.
- Even if you use the sort settings in the data source, any sorting settings in the SDM Power BI Table visual will override Power BI's sorting.
- **Unless you use either the sort columns trick or the SDM Power BI Table visual sorting settings**, there is **no guarantee** about the order of rows and columns in Power BI, as it can depend on various factors like data refreshes, model changes, etc.

Best Practices

1. **Use Column Sort for Insights:** Sort by the most important metric (sales, satisfaction, etc.)
 2. **Use first rows/columns for Key Items:** like your brand or your main topic of research
 3. **Use last rows/columns for "Other", "Not answered", undefined or "Missing categories:** Keeps focus on main data
 4. **Totals and subTotals columns** are Always fixed before the detailed columns
 5. **Alphabetical for Stability:** Use alphabetical sort for consistent report appearance
 6. **Limit Fixed Items:** Too many fixed rows makes the table confusing
 7. **Consider User Expectations:** Sort in a logical order for your audience
-

Tips & Tricks

- **Multiple Sort Levels:** Combine with ranking to show top performers visually
 - **Dynamic Sorting:** Power BI's interactions allow end-users to click columns to resort (with Power BI native features)
 - **Regional Reports:** Use First/Last columns to keep comparison columns visible while scrolling
-

Troubleshooting

Q: Sort doesn't seem to work

A: Ensure you've selected a sort method other than "None"

Q: My first/last rows aren't appearing

A: Check the exact spelling and case of row labels

Q: Column value sort uses wrong column

A: Verify you selected the correct column in "Row Sort Column" setting

For more help, see the [Quick Start Guide](#).

'Table Contents' settings Reference

[Home](#) > [Reference](#) > [Table Contents](#)

'Table Contents' settings Reference

Overview




Table type

Percentage

Vertical percentage ☒

Horizontal percentage ☐

Values ☐

Indices ☐

Mask Pattern

Pattern for masking columns or rows

 THE TABLE CONTENTS SECTION CONTROLS WHAT DATA IS DISPLAYED IN YOUR TABLE AND HOW IT'S AGGREGATED.

Table Type

Setting: Table type (Percentage or Mean)

Default: Percentage

Percentage Tables

Used to analyze distributions, proportions, and response rates.

Available Displays:

- **Values:** Raw count or sum
- **Vertical Percentage (%):** Percentage within each column
- **Horizontal Percentage (%):** Percentage within each row
- **Indice:** Index value (typically 100 = average)

Example: In a survey of 100 respondents:

	Very Satisfied	Satisfied	Neutral
North	45 (60%)	30 (40%)	25 (33%)
South	35 (47%)	45 (60%)	45 (60%)
Total	80 (53%)	75 (50%)	70 (47%)

Mean Tables

Used to analyze averages and their statistical properties.

Available Displays:

- **Mean Values:** Average of the metric
- **Count:** Number of observations used in calculation
- **Standard Deviation:** Measure of variability
- **Indice:** Index based on mean values

Example: Average customer satisfaction score:

Display Options

Values

Label: Show values

Type: Toggle

Default: Off

When enabled, displays the raw count or sum in each cell.

Vertical Percentage

Label: Vertical percentage

Type: Toggle

Default: On

Shows each cell's value as a percentage of its column total. Useful for comparing across categories within groups.

Horizontal Percentage

Label: Horizontal percentage

Type: Toggle

Default: Off

Shows each cell's value as a percentage of its row total. Useful for comparing category distribution within segments.

Indice

Label: Show indice

Type: Toggle

Default: Off

Displays index values (typically with 100 as base). Useful for comparing relative performance against an average.

Calculation: $(\text{Cell Value} / \text{Average}) \times 100$

Masking

 WHY USE MASKING WHEN POWER BI CAN FILTER DATA?

When you filter data in Power BI, the underlying data is removed from the visual, which can affect calculations like totals and percentages. Masking allows you to hide specific data points **while still including them in calculations**, ensuring accurate results.

Mask Pattern

Label: Mask Pattern

Type: Text area

Default: Empty

Available in: Pro, Premium editions

Allows you to mask (hide) data from specific rows or columns using regular expressions.

User will input a pattern to match the rows/columns to be hidden. As an example, if you want to show ONLY Brand A and Brand B, you need to hide everything which is NOT Brand A or B.

```
Label_Brand != BrandA AND Label_Brand != BrandB
```

or better with the IN operator

```
NOT Label_Brand IN (BrandA, BrandB)
```

Therefore, if also you do not want the "No answer" to gender question while still using it in calculations:

```
(NOT Label_Brand IN (BrandA, BrandB)) OR Customer_Gender = "Not Stated"
```

etc ...

```
(NOT Label_Brand IN (BrandA, BrandB)) OR (Customer_Gender IN ("Not Stated", Other))
```



BEWARE OF THE INVERTED LOGIC OF MASKING.

The pattern defines what to HIDE, this can be somewhat counter-intuitive at first.

Valid operators are:

- IN - for multiple values
- AND - for logical conjunction
- OR - for logical disjunction
- NOT - for negation
- = - Equals
- != - Not equals
- < - Less than
- > - Greater than
- LIKE - Pattern matching with % wildcard



<= AND >= DOES NOT EXIST

if you want to filter for years greater than or equal to 2020, you need to use `Year > 2019`

The **LIKE** operator works with the % symbol, for example:

```
Customer_Gender LIKE %ale
```

Will hide M'ale' AND Fem'ale', and therefore show only "Not Stated" and "Other"

To show only Male **AND** Female, you need to invert the logic: `NOT Customer_Gender LIKE %ale`

Will show ONLY Male and Female

Use Cases:

- Hide sensitive data in shared reports
- Remove small brands/categories from view
- Focus on top-performing segments
- Filter out "Other" or "Not answered" categories while still taking them into account for calculations

Series Configuration

For detailed series configuration options (Value Series, Base Series, Mean Series, etc.), see:

- **Percentage Series Usage** — For percentage tables
 - **Mean Series Usage** — For mean tables
-

Best Practices

1. **Choose Table Type First:** Percentage vs Mean fundamentally changes how data is displayed
 2. **Limit Display Fields:** Use 2-3 display options maximum for clarity
 3. **Use Masking Sparingly:** Masked data is still calculated but hidden
 4. **Precision for Business:** Use 0-1 decimal places for most business reporting
 5. **Totals Context:** Show totals to help readers understand the base size
-

Related Settings

- **Totals Settings** — Configure total rows and columns
 - **Series Configuration** — Detailed data mapping
 - **Sorting Options** — Arrange rows and columns
-

Troubleshooting

Q: Values appear as "0%" or very small numbers

A: Check that your base series is correctly mapped in percentage series settings.

Q: Indice values don't look right

A: Ensure you've configured both values and base series correctly.

Q: Mask pattern isn't working

A: Check your regular expression syntax. Use simple patterns like `Total` before complex regex.

For more help, see the [Quick Start Guide](#).

Thresholds & Masking Reference

[Home](#) > [Reference](#) > [Thresholds & Masking](#)

Thresholds & Masking Reference

COMING SOON

Comprehensive guide to threshold settings, warning values, masking rules, and data quality controls.

This section will explain:

- Threshold enablement
- Warning thresholds (visual alerts)
- Mask thresholds (hide values)
- Cell value vs base value rules
- Unweighted base thresholds
- Regex masking patterns
- Empty cells for zero values

See [Table Contents](#) for overview or [Quick Start Guide](#) to start building tables.

Totals & Subtotals Reference

[🏠](#) > [Reference](#) > [Totals & Subtotals](#)

Totals & Subtotals Reference

Overview

Configure total columns, base rows, and subtotals to provide context and summary information in your cross-tabulation tables.

Total Columns

Show Table Total Column

Setting: Show Table Total Column

Type: Toggle

Default: On

Displays a total column that sums all values across the table.

Position: Appears as the first column (leftmost) in the table

Example:

Use Cases:

- Quick reference to overall totals
- Comparing individual segments to total
- Understanding proportional contribution

Show Level 1 Sub-Total

Setting: Show Level 1 Sub-Total

Type: Toggle

Default: On

Displays subtotal columns for the first level of column hierarchy.

When It Appears: Only when you have hierarchical columns (multiple column levels)

Example:

The blue "Total" columns show Level 1 subtotals.

Show Level 2 Sub-Total

Setting: Show Level 2 Sub-Total

Type: Toggle

Default: On

Displays subtotal columns for the second level of column hierarchy.

When It Appears: Only when you have 3+ levels in column hierarchy

Example:

This example shows both Level 1 and Level 2 subtotal columns.

This example shows Level 2 subtotal columns without Level 1.

Base Rows

Base rows display the sample size or denominator used in calculations. Essential for understanding data reliability.

The example shows the three different base rows available.

Show Base Row

Setting: Show Base Row

Type: Toggle

Default: On

Displays a row showing the "Base" series selected in the [Percentage Series setting](#) or [Mean Series setting](#).

What It Shows:

- For percentage tables: The denominator used to calculate percentages
- For mean tables: The count of observations

Example:

Why It Matters:

- Small bases = less reliable percentages
- Helps readers judge statistical significance
- Required for proper interpretation

Show Unweighted Base Row

Setting: Show Unweighted Base Row **Type:** Toggle **Default:** Off

Displays a row showing the unweighted (raw) sample size.

When to Use:

- When your data is weighted in base series
- For transparency in research reporting
- To show actual number of observations/respondents

Example:

Difference from Base:

- **Base:** Reflects weighting adjustments
- **Unweighted:** Raw count of records/respondents

Show Signif Base Row

Setting: Show Signif Base Row

Type: Toggle

Default: Off

Available in: Premium

Displays a separate base row used specifically for significance testing calculations.

WARNING

This setting cannot be enabled unless you have set one significance method in the [Significance Testing settings](#).

When to Use:

- When significance tests use different data than display values
- Complex weighting scenarios
- Specialized statistical testing

Example:

Row Labels

Customize the text labels for base rows.

Base Row Label

Setting: Base Row Label

Type: Text input

Default: "Base Row"

The label that appears for the weighted base row.

Common Labels:

- "Base"
- "Total N"
- "Sample Size"
- "Weighted Base"
- "n="

Example:

Unweighted Base Row Label

Setting: Unweighted Base Row Label

Type: Text input

Default: "Unweighted Base"

The label for the unweighted base row.

Common Labels:

- "Unweighted n"
- "Raw Base"
- "Actual Count"
- "Sample (unwtd)"

Signif Base Row Label

Setting: Signif Base Row Label

Type: Text input

Default: "Signif Base"

Available in: Premium

The label for the significance testing base row.

Common Labels:

- "Signif n"
- "Test Base"
- "Statistical Base"

Row Positioning

Base Rows on Top of Table

Setting: Base Rows on Top

Type: Toggle

Default: On

Controls whether base rows appear at the top or bottom of the table.

On (Default): Base rows appear immediately below headers

Off: Base rows appear at the bottom

Best Practices:

- **Top:** Better for reports where base size is critical (research, surveys)
 - **Bottom:** Cleaner look for executive dashboards
 - **Top:** Standard in market research industry
-

Practical Examples

Example 1: Basic Survey Table

Configuration:

- Show Table Total Column: Yes
- Show Base Row: Yes
- Base Row Label: "Total Respondents"
- Base Rows on Top: Yes

Result:

Example 2: Weighted Research Study

Configuration:

- Show Table Total Column: Yes
- Show Base Row: Yes
- Show Unweighted Base Row: Yes
- Base Row Label: "Weighted Base"
- Unweighted Label: "Unweighted Base"
- Base Rows on Top: Yes

Result:

Example 3: Multiple Row/Columns Analysis

Configuration:

- Show Table Total Column: Yes
- Show Level 1 Sub-Total: Yes
- Show Level 2 Sub-Total: Yes
- Show Base Row: Yes
- Base Rows on Top: Yes

Example 4: Clean Dashboard Style

Configuration:

- Show Table Total Column: No
- Show Base Row: Yes
- Base Row Label: "n="
- Base Rows on Top: No
- Table Style: Market research

Best Practices

1. Always Show Base Rows

Base rows are critical for proper interpretation. Only hide them if:

- Space is extremely limited
- Audience is very familiar with the data
- Bases are identical across all columns

2. Unweighted Bases for Research

When reporting weighted data:

- Always show both weighted and unweighted bases
- Label them clearly to avoid confusion
- Place unweighted base directly below weighted base

3. Label Clarity

Use industry-standard labels:

- **Market Research:** "Base", "Unweighted Base"
- **Academic:** "N", "n (unweighted)"
- **Business:** "Total", "Sample Size"

4. Position Based on Audience

- **Research/Technical:** Bases on top
- **Executive/Business:** Consider bases on bottom
- **Reports with many rows:** Bases on top for reference

5. Subtotals in Hierarchies

Enable Level 1 and Level 2 subtotals when:

- You have 2+ levels of column grouping
- Subtotals provide meaningful insights
- Table isn't too wide already

Common Configurations

Standard Market Research

- Show Table Total: Yes
- Show Base Row: Yes
- Show Unweighted Base: Yes
- Base Label: "Weighted Base"
- Unweighted Label: "Unweighted Base"
- Position: Top

Business Dashboard

- Show Table Total: No (or Yes, depends)
- Show Base Row: Yes
- Base Label: "Total"
- Position: Top or Bottom
- Level 1 Subtotals: As needed

Academic/Scientific

- Show Base Row: Yes
- Show Unweighted Base: No (unless weighted)
- Base Label: "N"
- Position: Top
- Include significance testing base if relevant

Executive Summary

- Show Table Total: Yes
- Show Base Row: Yes
- Base Label: "Sample"
- Position: Bottom
- Minimal detail, clean look

Data Series Configuration

For base rows to display correctly, ensure proper series mapping:

For Percentage Tables

- **Base Series:** Set in "% series usage" settings
- **Unweighted Base Series:** Set in "% series usage"
- **Signif Base Series:** Set in "% series usage" (if using significance)

For Mean Tables

- **Count Series:** Set in "Mean series usage" (acts as base)
- **Unweighted Base Series:** Set in "Mean series usage"

See [Percentage Series](#) and [Mean Series](#) for detailed configuration.

Statistical Context

Why Base Sizes Matter

Small Bases (<30):

- Percentages are unreliable
- Use thresholds to mask or warn
- Consider combining categories

Medium Bases (30-100):

- Percentages acceptable but note limitations
- Significance tests may not detect real differences

Large Bases (100+):

- Reliable percentages
- Significance tests have good power

Weighted vs Unweighted

Weighted Base:

- Adjusted to match population proportions
- Use for percentage calculations
- May differ significantly from raw count

Unweighted Base:

- Actual number of records/respondents
- Use to judge reliability
- Important for transparency

Rule of Thumb: Show both when weighting is applied.

Troubleshooting

Q: Base row doesn't appear

A: Ensure you've mapped the Base Series in percentage/mean series settings

Q: Unweighted base is identical to weighted base

A: Your data likely isn't weighted; consider hiding unweighted row

Q: Base values look wrong

A: Check series mapping; ensure you're using the correct measure

Q: Subtotals don't appear

A: Subtotals only show with hierarchical column structures (2+ levels)

Q: Can I show bases in cells instead of rows?

A: No, bases are always shown as separate rows; consider custom formatting

Q: Base rows break my table layout

A: Try positioning them at bottom, or reduce font size in formatting

Related Settings

- [Table Contents](#) — Overall table configuration
- [Percentage Series](#) — Map base data series
- [Mean Series](#) — Configure count series
- [Thresholds](#) — Mask low base values

For more help, see the [Quick Start Guide](#) or contact support.

Business Cases & Real-World Examples

🏠 > Use Cases > Business Cases & Examples

Business Cases & Real-World Examples

⚠️ CONTENT IN DEVELOPMENT

We're building detailed real-world case studies showing SDM Cross Table Tool in action across different industries and scenarios.

Coming Soon

This section will include detailed examples of:

Market Research & Surveys

- **Brand Awareness Analysis:** Tracking brand recognition across demographics
- **Customer Satisfaction:** NPS score breakdowns by region and customer segment
- **Product Feedback:** Cross-tabulating feature preferences by user type

Business Intelligence

- **Sales Analysis:** Regional performance with year-over-year comparison
- **Employee Surveys:** Engagement scores across departments
- **Financial Analysis:** Revenue breakdowns with variance analysis

Healthcare & Social Research

- **Patient Demographics:** Symptom occurrence by age group and condition
- **Treatment Outcomes:** Success rates across different treatment protocols
- **Public Health:** Disease prevalence by region and population segment

Education

- **Student Performance:** Test score analysis by grade and background
 - **Course Satisfaction:** Feedback cross-tabulation by program level
 - **Enrollment Trends:** Student distribution across programs and cohorts
-

What We'll Show You

Each case study includes:

- **Business Problem:** The challenge being solved
 - **Data Structure:** How the data is organized
 - **Table Configuration:** Step-by-step setup
 - **Key Features Used:** Which SDM Cross Table Tool features were critical
 - **Results:** Insights gained and decisions made
 - **Screenshots:** Visual walkthrough of the solution
-

Suggested Topics

Have a specific use case you'd like to see? Contact us at docs@example.com with your suggestion!

For now, explore our [Feature Reference](#) to understand the capabilities, or check out the [Quick Start Guide](#) to begin building your own examples.