

THE SPQ-B: A BRIEF SCREENING INSTRUMENT FOR SCHIZOTYPAL PERSONALITY DISORDER

Adrian Raine, DPhil, and Deana Benishay, MA

Currently there are no brief screening instruments for *Diagnostic and Statistical Manual of Mental Disorders* (DSM) defined schizotypal personality disorder (SPD). This study reports the development of a brief, 2-minute, 22-item self-report screening instrument, the Schizotypal Personality Questionnaire-Brief (SPQ-B), for SPD. Four independent subject samples provided the basis for test development. The SPQ-B contains a total scale score and three subscales to assess the three main factors of SPD, viz. Cognitive-Perceptual Deficits, Interpersonal Deficits, and Disorganization. Reliability for the scales averaged 0.76, and scale scores correlated significantly with independent clinical ratings of DSM-III-R schizotypal traits (average $r = 0.62$), indicating criterion validity for the scales. The SPQ-B is recommended for use in large-scale screening for SPD prior to a confirmatory clinical interview and also for dimensional research on the correlates of schizotypal features in the normal population.

Schizotypal personality disorder (SPD) represents a serious personality disturbance that borders on the major psychoses (Siever & Gunderson, 1983) and is thought to be closely related to chronic schizophrenia (Siever, Kalus, & Keefe, 1993). Some have thought SPD to be genetically related to schizophrenia (Kendler, Gruenberg, & Strauss, 1981; Kety, Rosenthal, Wender, Schulsinger, & Jacobsen, 1975), although this link has been thought by others to be moderate in strength (Torgersen, Onstad, Skre, & Evardsen, 1993). There has been a recent resurgence of interest in SPD (Raine & Lencz, 1995), which in part reflects the recognition of SPD as important in its own right as a significant personality disorder, but is also based on its promises to shed light on the etiology of schizophrenia, as

From the Department of Psychology, University of Southern California

This research was supported in part by a Research Scientist Development Award from the National Institute of Mental Health to the first author (Grant 1 KO2 MH01114-01), and by a grant from the Biomedical Research Division of Research Resources, NIH (BSRG S07RR07012-21). The authors are grateful to Richard Baker, Melonie Kastman, Deborah Kim, Todd Lencz, Marc Redmon, Angela Scerbo, Norine Smiley, and Nelly Triphon for assistance in data collection.

Address correspondence to the author at Department of Psychology, S.G.M. Building, University of Southern California, Los Angeles, CA 90089-1061.

schizotypals are free of the institutionalization and medication confounds that hinder research on schizophrenic patients (Raine & Lencz, 1995).

Research on SPD is, in turn, hampered by the fact that schizotypals are difficult to detect and recruit in research. Siever and colleagues have recruited relatively large samples of patients with SPD (Siever, 1995), but such research is the exception rather than the rule, and such subjects have been hospital-based as opposed to noninstitutionalized community subjects. Facilitating research on nonpatient populations with SPD would be of considerable value in allowing for more extensive research on SPD free of the confounds surrounding hospitalized populations.

Several self-report scales have been developed to assess psychosis proneness in general, such as the Physical and Social Anhedonia scales (Chapman, Chapman, & Raulin, 1976), Magical Ideation scale (Eckblad & Chapman, 1983), Perceptual Aberration scale (Chapman, Chapman, & Raulin, 1978), the Schizophrenism scale (Venables, Wilkins, Mitchell, Raine, & Bailes, 1990) and the STA scale (Claridge & Broks, 1984). These scales are excellent measures of psychosis proneness in general (Chapman, Chapman, & Kwapil, 1995; Lenzenweger, 1994), but they are relatively long and they do not represent the nine features of schizotypal personality outlined in DSM-IV (APA, 1984), as each usually measures one, or at best three, of the nine DSM-IV defined schizotypal traits. These limitations are of importance because McGlashan (1987) has argued that the core symptoms of SPD are odd communication, paranoid ideation, and social isolation, whereas Torgersen (1985) has argued that these same traits in addition to odd behavior help characterize a form of schizotypy genetically related to schizophrenia. These features are not well measured by the above-mentioned self-report scales, and some are not measured at all.

To address the latter limitation, the Schizotypal Personality Questionnaire (SPQ) was developed as a 74-item self-report scale modeled on DSM-III-R criteria for SPD (Raine, 1991), and included nine subscales to reflect the nine traits of schizotypal personality listed in DSM-III-R (APA, 1987). These traits are unchanged in DSM-IV. A confirmatory factor analysis of these nine scales (Raine et al., 1994) revealed that three main factors best represent schizotypal personality, namely Cognitive-Perceptual Deficits (made up of Ideas of Reference, Magical Thinking, Unusual Perceptual Experiences, and Paranoid Ideation), Interpersonal Deficits (Social Anxiety, No Close Friends, Blunted Affect, Paranoid Ideation), and Disorganization (Odd Behavior, Odd Speech). This three-factor model fitted the data better than single or two-factor models, and the three schizotypal factors appear to parallel the three analogous factors that have been reported for schizophrenic symptomatology (e.g., Arndt, Alliger, & Andreasen, 1991).

The present study describes the development of a briefer, self-report scale of schizotypal personality that may be used as an initial instrument on large samples to screen for DSM-IV-defined SPD. The key goals of this research were to produce an instrument which (1) was short, (2) correlated highly with longer self-report and clinical assessment measures of schizotypal personality, (3) assessed the three main factors of schizotypal personality, (4) had internal reliability, (5) showed test-retest reliability, and (6) evidenced criterion validity as indicated by significant relationships with

clinical measures of SPD. The original SPQ was used as the basis for the development of this new brief instrument.

METHOD

SUBJECT SAMPLES

Four independent samples were used to construct and validate the new short scale as follows:

Sample 1. This sample was used to make the initial selection of items for the new scale. It consisted of 220 undergraduates drawn from an Introduction to Psychology class at the University of Southern California (USC) who had been administered the Schizotypal Personality Questionnaire (SPQ).

Sample 2. This new independent sample was used as a replication sample for initial item selection. It consisted of 162 undergraduates at USC who completed the SPQ.

Sample 3. This sample ($n = 68$) was employed to assess criterion validity for the new scale using a categorical conceptualization of SPD. Subjects in this sample had been initially selected from a pool of undergraduate students who had been administered the Schizotypal Personality Questionnaire (SPQ). Subjects participated in the experiment for course credit. Subjects scoring in the top 10% (score of 41) or bottom 10% (12 or less) of the distribution of scores on the original SPQ were invited back for diagnostic testing and were administered the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID—Spitzer, Williams, & Gibbon, 1987). Presence of each schizotypal trait was assessed on a 3-point scale (1 = absent, 2 = sub-threshold, 3 = threshold); subjects had to have five traits out of nine at threshold level for a DSM-III-R diagnosis of schizotypal personality disorder. Interviews were videotaped and scored by two trained research assistants who independently rated the subject in order to obtain consensus ratings (coefficient kappa = 0.95). Interviewers were blind to group membership and each other's assessment at the time ratings were conducted. Interviews took place on average 2 months following administration of the SPQ (range 1–3 months). Thirteen individuals scoring in the top 10% on the SPQ (out of a total of 22 interviewees) received a DSM-III-R diagnosis of schizotypal personality disorder. None of the 46 subjects taken from the bottom 10% received the diagnosis, and these subjects formed the control group. All 68 subjects (regardless of clinical diagnostic status) were utilized for the psychometric analyses reported below.

Sample 4. This sample was employed to assess criterion validity using a dimensional (i.e., individual difference) conceptualization of SPD. It consisted of 41 volunteers from a sample of undergraduate students enrolled in an Introduction to Psychology class at the University of Southern California. These subjects volunteered in the experiment for course credit.

SCHIZOTYPAL PERSONALITY QUESTIONNAIRE (SPQ)

This questionnaire was administered to all subjects in all samples and provided the basis for the development of the new brief scale (SPQ-B). Full reliability and validity data for the SPQ, as well as comparisons with other schizotypy scales, are provided in Raine (1991) and Chapman, Chapman, and Kwapil (1995). This 74-item self-report questionnaire has been found to have high internal reliability ($\alpha = 0.91$). Convergent validity, as assessed by correlations between the SPQ and other measures of schizotypal personality, ranged from .59 to .81 (Raine, 1991). Test-re-

test reliability was .82. Criterion validity for the SPQ was indicated by a .60 correlation between SPQ scores and a clinical diagnosis of DSM-III-R schizotypal personality disorder, and by a .68 correlation between the SPQ and continuous scores of schizotypal personality disorder derived from diagnostic interviews. The internal reliabilities of the nine SPQ subscales ranged from .71 to .78 (Cronbach's alpha), with a mean of .74.

DIAGNOSTIC INTERVIEW FOR SCHIZOTYPAL PERSONALITY DISORDER

Subjects in samples 3 and 4 were additionally administered the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II—Spitzer, Williams, & Gibbon, 1987). Presence of each schizotypal trait was assessed on a 3-point scale (1 = absent, 2 = subthreshold, 3 = threshold); subjects had to have five traits out of nine at full threshold level for a DSM-III-R diagnosis of schizotypal personality disorder. All nine SPD traits were probed for independent of the subjects' answers on the SCID-II self-report questionnaire. In addition to making a yes/no diagnosis for each subject, scores on the nine traits were summated to provide a dimensional index of schizotypal personality disorder as a parallel to the dimensional format of the SPQ. Scores were also created to reflect the three factors of SPD by summing scores on the relevant subscales for each factor.

Interviews were carried out by a clinical doctoral graduate student trained on the SCID by the first author in conjunction with the NIMH Clinical Research Center for Schizophrenia at UCLA. The interviewer was blind to group membership and SPQ scores at the time ratings were conducted. Interviews were videotaped and scored by a second research assistant who independently rated the subject blind to SPQ scores and the other diagnostician's ratings. In cases of disagreement between the two assessments, consensus ratings were obtained. Interviews took place on average 2 months following administration of the SPQ (range 1–3 months).

Coefficient kappa for agreement between the two independent ratings of the two diagnosticians for presence of DSM-III-R schizotypal personality disorder using the SCID was 0.89. The degree of concordance between the two interviewers for diagnosis of schizotypal personality disorder was high and significant ($\tau = 0.87$, $p < .0005$). The intraclass correlation for rater reliability for the dimensional measure of schizotypal personality disorder was also high and significant ($r = .98$, $p < .0005$).

RESULTS

INITIAL ITEM SELECTION

One goal of scale construction was to assess the three main factors of schizotypal personality with acceptable reliability using only a few items. Consequently, using Sample 1 (220 undergraduates), item-total correlations were calculated for the items making up each factor. Items with the highest correlations with that factor were retained for the new scale. One constraint was that each of the subscales that made up the factor in question contributed two items to the new scale. For example, two items from each of the four SPQ subscales making up the factor of Cognitive-Perceptual Deficits were selected, making a total of eight items to measure that factor in the new scale. Similarly, two items from each of the four SPQ subscales making up the Interpersonal Deficits factor were selected, totaling eight items. Only two SPQ subscales make up the Disorganization

factor; in order to ensure adequate internal reliability for this factor, three items from each subscale were selected to make a total of six items. Consequently, the new SPQ-B scale was based on a total of 22 items. In all cases, individual item-total correlations ranged between .41 and .55 (mean = .50).

The 22 items in the new SPQ-B scale are shown in Table 1. Each question answered affirmatively receives a score of 1, so that scores can range from a minimum of 0 to a maximum of 22. Scores representing each of the three factors were derived by simple summation of scores for each item on the particular subscale. Means and standard deviations (SD) for the scales are as follows: Total scale score, $M = 9.6$, $SD = 5.3$; Cognitive-Perceptual, $M = 3.6$, $SD = 2.3$; Interpersonal, $M = 3.6$, $SD = 2.4$; Disorganized, $M = 2.5$, $SD = 1.9$. Subjects scoring 17 and above made up the top 10% of the distribution of scores; subjects scoring 2 or less made up the bottom 8%, and those scoring 3 or less made up the bottom 14% of scores.

INTERNAL RELIABILITY

Internal reliabilities for the new scale and its three subscales are shown in Table 2. Reliabilities ranged from .72 to .80, with a mean of 0.76, and are consequently viewed as acceptable.

INTERCORRELATIONS WITH LONGER SCALE

The intercorrelations between the new short scales and the longer, original SPQ scales are shown in Table 2. These range from 0.89 to 0.94, with a mean of 0.91. Consequently, the new short scale adequately reflects the factors measured by the original longer instrument.

REPLICATION ON INDEPENDENT SAMPLE

The psychometric properties of the new scale were reassessed in an independent sample (Sample 2, 162 undergraduates) in order to assess replicability of findings. These findings are shown in Table 2. Internal reliabilities in Sample 2 ranged from 0.72 to 0.83 ($M = 0.76$), while inter-correlations with the original SPQ ranged from 0.82 to 0.92 ($M = 0.87$). Consequently, findings from the original sample replicated well to an independent sample.

TEST-RETEST RELIABILITY

Retest data on the new scales were collected from 31 of the subjects who undertook the clinical interview for schizotypal personality disorder. Two-month test-retest reliability for the scales ranged from .86 to .95 ($p < .0001$) with a mean of 0.90.

CRITERION VALIDITY

Sample 3. In order to assess the extent to which the new short self-report scales relate to independent clinical ratings of schizotypal personality disorder, Sample 3 ($n = 68$) was utilized. Dimensional scores for schizotypal

TABLE 1. The 22 Items Making Up the New SPQ-B Scale and Its Three Subscales

Questions should be administered in the order indicated by the number at the beginning of each question. Question numbers from the original SPQ scale are given in parentheses at the end of each item. The response format is Yes/No. All items endorsed Yes score 1 point.

Cognitive-Perceptual (Factor 1)

2. Have you ever had the sense that some person or force is around you, even though you cannot see anyone? (13)
4. Are you sometimes sure that other people can tell what you are thinking? (21)
5. Have you ever noticed a common event or object that seemed to be a special sign for you? (28)
9. Do you often pick up hidden threats or put-downs from what people say or do? (44)
10. When shopping do you get the feeling that other people are taking notice of you? (45)
12. Have you had experiences with astrology, seeing the future, UFOs, ESP, or a sixth sense? (47)
16. Do you ever suddenly feel distracted by distant sounds that you are not normally aware of? (61)
17. Do you often have to keep an eye out to stop people from taking advantage of you? (65)

Interpersonal (Factor 2)

1. People sometimes find me aloof and distant. (8)
7. I feel I have to be on my guard even with friends. (36)
11. I feel very uncomfortable in social situations involving unfamiliar people. (46)
14. Have you found that it is best not to let other people know too much about you? (52)
15. I tend to keep in the background on social occasions. (57)
18. Do you feel that you are unable to get "close" to people? (66)
21. I feel very uneasy talking to people I do not know well. (71)
22. I tend to keep my feelings to myself. (73)

Disorganized (Factor 3)

3. People sometimes comment on my unusual mannerisms and habits. (14)
6. Some people think that I am a very bizarre person. (32)
8. Some people find me a bit vague and elusive during a conversation. (42)
13. I sometimes use words in unusual ways. (50)
19. I am an odd, unusual person. (67)
20. I find it hard to communicate clearly what I want to say to people. (69)

personality disorder and its three subfactors derived from the diagnostic interview were correlated with the new SPQ scales. Results of these analyses are shown in Table 3. It can be seen that all self-report scales significantly correlated with their respective dimensional scale derived from the clinical interview ($p < .005$), with correlations ranging from .34 to .73 ($M = 0.62$).

Sample 4. In order to assess the replicability of criterion validity for the

TABLE 2. Internal Reliabilities (Coefficient Alpha) for the New Scale and Its Three Subscales, and Intercorrelations Between the New Short Scales and the Original SPQ Scales. Psychometric Properties Are Given for Both the Sample on Which Test Construction Was Based (Sample 1) and an Independent Replication Sample (Sample 2)

	Internal Reliability			
	Sample 1		Sample 2	
Total score	.80		.83	
F1 (Cognitive-Perceptual)	.72		.72	
F2 (Interpersonal)	.78		.76	
F3 (Disorganized)	.75		.73	

Inter-correlations between original scales and new short scales								
	Sample 1				Sample 2			
	Long F1	Long F2	Long F3	Long Total	F1	F2	F3	Total
Short F1	.89				.85			
Short F2		.90				.88		
Short F3			.90				.82	
Short Total				.94				.92

new SPQ scales using a different method, Sample 4 (41 randomly selected undergraduates assessed on both the SPQ and SCID-II) was utilized. SPQ scores were correlated with dimensional clinical interview scores. Results of this analysis are shown in Table 3. Intercorrelations ranged from .37 to .73 ($M = .56$) and were all statistically significant ($p < .05$).

DISCUSSION

Results of this study confirm the notion that a quick screening instrument for schizotypal personality can be developed that has acceptable reliability and validity. The new instrument is short and takes only 2 minutes on average to complete, but internal reliability and test-retest reliability proved to be reasonable ($r = 0.72$ to 0.95), and good criterion validity (mean $r = 0.62$) was also demonstrated. Although there may be some bias in criterion validity in study 3 because subjects were initially selected as being high- or low-scoring SPQ subjects, the fact that the correlations between self-report and clinical measures of SPD in an unselected sample of subjects (Sample 4) are of the same magnitude as for Sample 3 indicates support for the criterion validity of the SPQ-B. This new scale is the only short instrument currently available using a DSM conceptualization of schizotypal personality disorder.

The psychometric properties of the SPQ-B indicate that there are two main ways in which it may be used, ways reflecting both dimensional (individual difference) and categorical (clinical) approaches to schizotypal personality

TABLE 3. Intercorrelations Between New SPQ Self-Report Scales and Dimensional Clinical Interview Measures of Schizotypal Personality Disorder Derived from Sample 3 ($n = 68$) and Sample 4 ($n = 41$)

Clinical Measures	Self report measures			
	F1	F2	F3	Total
Sample 3				
Cognitive-Perceptual (F1)	.73 ^a			
Interpersonal (F2)		.68 ^a		
Disorganized (F3)			.34 ^b	
Total				.72 ^a
Sample 4				
Cognitive-Perceptual (F1)	.73 ^c			
Interpersonal (F2)		.55 ^c		
Disorganized (F3)			.37 ^d	
Total				.60 ^c

^a $p < .0001$

^b $p < .005$

^c $p < .01$

^d $p < .05$

(Frances, 1993; Gunderson, Links, & Reich, 1991). First, it can be used to screen large numbers, either by telephone or mail, for predisposition to schizotypal personality disorder prior to a later confirmatory diagnostic interview for DSM-IV SPD. The brevity of the SPQ-B may be expected to result in a higher mail return rate than longer instruments, thus increasing the study's validity. Based on experience with its parent interview, the SPQ (Raine, 1991), it is anticipated that most subjects with SPD will lie in the top 10% of the distribution of scores of the SPQ-B (score of 17 or more). This strategy is currently being applied with this instrument to mass-screen thousands of subjects in China for schizotypal personality disorder (S. A. Mednick, personal communication, July 17, 1994).

Second, the psychometric properties indicate that the SPQ-B may also be used in dimensional research in which individual differences in schizotypal personality are correlated with individual differences in external measures such as genetic, biochemical, psychophysiological, and neuropsychological variables (Kendler et al., 1991; Lenzenweger, Cornblatt, & Putnick, 1991; Siever, 1995; Siever, Keefe, Bernstein, & Coccaro, 1990). In particular, findings indicate that the total score and two of the subscales of the SPQ-B have sufficient reliability and validity to measure the three main factors of schizotypal personality; as such, the SPQ-B may be used to research the individual correlates of these three subscales.

One limitation of the SPQ-B relative to its parent instrument, the SPQ, is that it is not capable of providing reliable and valid indices of the nine individual features of SPD. Consequently, it is recommended that studies intending to assess these individual schizotypal traits, or having more time available for test administration should use the SPQ in preference to the SPQ-B. A second limitation of the SPQ-B is that the criterion validity for

the Disorganization factor (average $r = .36$) was lower than for either the Cognitive-Perceptual factor ($r = .73$) or the Interpersonal Factor ($r = .62$). This may reflect both the difficulty in measuring signs (as opposed to symptoms) using self-report methods and also the more limited empirical and conceptual basis to this relatively new factor. Research findings for this subfactor should take this caveat into account. Alternatively, the longer SPQ questionnaire provides much better criterion validity for the two signs making up the Disorganization factor (Raine, 1991). Consequently, in research where Disorganization is of central interest, all Disorganization items from the original SPQ scale may be used to supplement the SPQ-B. A third limitation of the SPQ-B is that, like all other self-report scales developed to date, it is primarily based on college students. We are currently using the SPQ and SPQ-B on community subjects to further test the psychometric properties of these scales on noncollege samples.

In other ways the reliability and validity coefficients for the SPQ-B were surprisingly good given the short length of this new instrument and the subscales. This may be ascribed to the fact that the original SPQ demonstrated good psychometric properties (Raine, 1991), and that by choosing the most reliable of the items from the SPQ to make up the SPQ-B, the psychometric properties of the new screening instrument were maximized. It is conceivable, therefore, that stronger relationships might be obtained with external variables using the total score of the SPQ-B than with the total score from the SPQ. It is recommended, therefore, that investigators who have employed the SPQ in their research on the correlates of schizotypy might usefully derive SPQ-B scores from their data to explore this possibility.

REFERENCES

- American Psychiatric Association (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed. rev.). Washington, DC: American Psychiatric Association.
- American Psychiatric Association (1987). *Diagnostic and statistical manual of mental disorders* (4th ed. revised). Washington, DC: American Psychiatric Association.
- Arndt, S., Alliger, R. J., & Andreasen, N. C. (1991). The distinction of positive and negative symptoms: The failure of a two-dimensional model. *British Journal of Psychiatry*, 158, 317-322.
- Chapman, J. P., Chapman, L. J., & Kwapil, T. R. (1995). Scales for the measurement of schizotypy. In A. Raine, T. Lencz, & S. A. Mednick (Eds.), *Schizotypal personality* (pp. 79-106). Cambridge: Cambridge University Press.
- Chapman, L. J., Chapman, J. P., & Raulin, M. L. (1976). Scales for physical and social anhedonia. *Journal of Abnormal Psychology*, 85, 374-382.
- Chapman, L. J., Chapman, J. P., & Raulin, M. L. (1978). Body-image aberration in schizophrenia. *Journal of Abnormal Psychology*, 87, 399-407.
- Claridge, G., & Broks, P. (1984). Schizotypy and hemisphere function: I. Theoretical considerations and the measurement of schizotypy. *Personality and Individual Differences*, 6, 633-648.
- Eckblad, M., & Chapman, L. J. (1983). Magical ideation as an indicator of schizotypy. *Journal of Consulting and Clinical Psychology*, 51, 215-225.
- Frances, A. (1993). Dimensional diagnosis of personality: Not whether, but when and which. *Psychological Inquiry*, 4, 110-111.
- Gunderson, J. G., Links, P. S., & Reich, J. H.

- (1991). Competing models of personality disorders. *Journal of Personality Disorders*, 5, 60-68.
- Kendler, K. S., Gruenberg, A. M., & Strauss, J. S. (1981). An independent analysis of the Copenhagen sample of the Danish adoption study of schizophrenia: II. The relationship between schizotypal personality disorder and schizophrenia. *Archives of General Psychiatry*, 38, 982-984.
- Kendler, K. S., Ochs, A. L., Gorman, A. M., Hewitt, J. K., Ross, D. E., & Mirsky, A. F. (1991). The structure of schizotypy: A pilot multitrait twin study. *Psychiatry Research*, 36, 19-36.
- Kety, S. S., Rosenthal, D., Wender, P. H., Schulsinger, F., & Jacobsen, B. (1975). Mental illness in the biological and adoptive families of adopted individuals who have become schizophrenic: A preliminary report based on psychiatric interviews. In R. Fieve, D. Rosenthal, & H. Brill (Eds.) *Genetic research in psychiatry* (pp. 147-165). Baltimore: Johns Hopkins University.
- Lenzenweger, M. F. (1994). Psychometric high-risk paradigm, perceptual aberrations, and schizotypy: An update. *Schizophrenia Bulletin*, 20, 121-135.
- Lenzenweger, M. F., Cornblatt, B. A., & Putnick, M. (1991). Schizotypy and sustained attention. *Journal of Abnormal Psychology*, 100, 84-89.
- McGlashan, T. H. (1987). Testing DSM-III symptoms criteria for schizotypal and borderline personality disorders. *Archives of General Psychiatry* 44 143-148.
- Raine, A. (1991). The SPQ: A scale for the assessment of schizotypal personality based on DSM-III-R criteria. *Schizophrenia Bulletin*, 17, 555-564.
- Raine, A., & Lencz, T. (1995). Theoretical and conceptual issues in schizotypal personality research. In A. Raine, T. Lencz, & S. A. Mednick (Eds.), *Schizotypal personality* (pp. 3-18). Cambridge: Cambridge University Press.
- Raine, A., Reynolds, C., Lencz, T., Scerbo, A., Triphon, N., & Kim, D. (1994). Cognitive-perceptual, interpersonal, and disorganized features of schizotypal personality. *Schizophrenia Bulletin*, 20, 191-201.
- Siever, L. J. (1995). Brain structure/function and the dopamine system in schizotypal personality disorder. In A. Raine, T. Lencz, & S. A. Mednick (Eds.), *Schizotypal personality* (pp. 272-288). Cambridge: Cambridge University Press.
- Siever, L. J., & Gunderson, J. G. (1983). The search for a schizotypal personality: Historical origins and current status. *Comprehensive Psychiatry*, 24, 199-212.
- Siever, L. J., Kalus, O. F., & Keefe, R. S. (1993). The boundaries of schizophrenia. *Psychiatric Clinics of North America*, 16, 217-244.
- Siever, L. J., Keefe, R., Bernstein, D. P., & Coccato, E. F. (1990). Eye tracking impairment in clinically identified patients with schizotypal personality disorder. *American Journal of Psychiatry* 147 740-745.
- Spitzer, R. L., Williams, J. B. W., & Gibbon, M. (1987). *Structured clinical interview for DSM-III-R personality disorders: SCID-II*. New York: New York State Psychiatric Institution.
- Torgersen, S. (1985). Relationship of schizotypal personality disorder to schizophrenia: Genetics. *Schizophrenia Bulletin*, 11, 554-563.
- Torgersen, S., Onstad, S., Skre, I., & Edvardsen, J. (1993). "True" schizotypal personality disorder: A study of co-twins and relatives of schizophrenic probands. *American Journal of Psychiatry*, 150, 1661-1667.
- Venables, P. H., Wilkins, S., Mitchell, D. A., Raine, A., & Bailes, K. (1990). A scale for the measurement of schizotypy. *Personality and Individual Differences*, 11, 481-495.

This article has been cited by:

1. Axel Krug, Markus Wöhr, Dominik Seffer, Henrike Rippberger, A. Özge Sungur, Bruno Dietsche, Frederike Stein, Sugirthan Sivalingam, Andreas J. Forstner, Stephanie H. Witt, Helene Dukal, Fabian Streit, Anna Maaser, Stefanie Heilmann-Heimbach, Till F. M. Andlauer, Stefan Herms, Per Hoffmann, Marcella Rietschel, Markus M. Nöthen, Martin Lackinger, Gerhard Schratt, Michael Koch, Rainer K. W. Schwarting, Tilo Kircher. 2020. Advanced paternal age as a risk factor for neurodevelopmental disorders: a translational study. *Molecular Autism* **11**:1. . [[Crossref](#)]
2. Nathan Caruana, Christine Inkley, Marwa El Zein. 2020. Gaze direction biases emotion categorisation in schizophrenia. *Schizophrenia Research: Cognition* **21**, 100181. [[Crossref](#)]
3. William Langston, Tyler Hubbard, Christof Fehrman, Micah D'Archangel, Kevin Anderson. 2020. The role of personality in having a ghost experience and the role of personality and experience in the development of ghost belief. *Personality and Individual Differences* **163**, 110077. [[Crossref](#)]
4. Kohinoor M. Darda, Emily E. Butler, Richard Ramsey. 2020. Individual differences in social and non-social cognitive control. *Cognition* **202**, 104317. [[Crossref](#)]
5. Jerome H. Taylor, Monica E. Calkins, Raquel E. Gur. 2020. Markers of Psychosis Risk in the General Population. *Biological Psychiatry* **88**:4, 337-348. [[Crossref](#)]
6. Jonathan Bronchain, Henri Chabrol. 2020. Exploring the Relationship Between Schizotypal Traits and Dispositional Mindfulness From a Network Perspective. *Journal of Nervous & Mental Disease* **208**:8, 608-612. [[Crossref](#)]
7. Lorenzo Pelizza, Sara Garlassi, Silvia Azzali, Federica Paterlini, Ilaria Scazza, Luigi Rocco Chiri, Michele Poletti, Simona Pupo, Andrea Raballo. 2020. Anhedonia in young people with first episode psychosis: a longitudinal study. *Nordic Journal of Psychiatry* **74**:6, 381-389. [[Crossref](#)]
8. Andrew Denovan, Neil Dagnall, Ken Drinkwater, Andrew Parker, Nick Neave. 2020. Conspiracist beliefs, intuitive thinking, and schizotypal facets: A further evaluation. *Applied Cognitive Psychology* **53**. . [[Crossref](#)]
9. Kathryn C. Kemp, Georgina M. Gross, Thomas R. Kwapil. 2020. Psychometric Properties of the Multidimensional Schizotypy Scale and Multidimensional Schizotypy Scale–Brief: Item and Scale Test–Retest Reliability and Concordance of Original and Brief Forms. *Journal of Personality Assessment* **102**:4, 508-515. [[Crossref](#)]
10. Susanne Bejerot, Johan Wallén, Irina Manouilenko, Eva Hesselmark, Marie Elwin. 2020. Schizotypal traits in Swedish speaking psychiatric patients and non-psychiatric controls. *Nordic Journal of Psychiatry* **74**:5, 327-331. [[Crossref](#)]
11. Yixiao Dong, Denis Dumas. 2020. Are personality measures valid for different populations? A systematic review of measurement invariance across cultures, gender, and age. *Personality and Individual Differences* **160**, 109956. [[Crossref](#)]
12. Bence Palfi, G. Moga, P. Lush, R. B. Scott, Z. Dienes. 2020. Can hypnotic suggestibility be measured online?. *Psychological Research* **84**:5, 1460-1471. [[Crossref](#)]
13. Kirstie J.M. O'Hare, Tellervo Korhonen, Antti Latvala, Jaakko Kaprio, Richard J. Linscott. 2020. Association of subclinical psychosis with suicidal ideation: A twin study. *Schizophrenia Research* . [[Crossref](#)]

14. Babatola Dominic Olawa, Erhabor Sunday Idemudia. 2020. Association between schizotypal personality trait and dispositional optimism among prisoners: Findings from some selected male prisoners in a Nigerian prison. *International Journal of Mental Health* 3, 1-17. [[Crossref](#)]
15. Jedidiah Siev, Jessica Rasmussen, Alexandra D. W. Sullivan, Sabine Wilhelm. 2020. Clinical features of scrupulosity: Associated symptoms and comorbidity. *Journal of Clinical Psychology* 29. . [[Crossref](#)]
16. Talia R. Berson, Kathryn C. Kemp, Alyssa J. Bathery, Neus Barrantes-Vidal, Thomas R. Kwapil. 2020. The Association of Bipolar Spectrum Psychopathology with Psychotic-Like and Schizotypic Symptoms. *Journal of Psychopathology and Behavioral Assessment* 5. . [[Crossref](#)]
17. Koby Cohen, Shiri Rosenzweig, Paola Rosca, Albert Pinhasov, Abraham Weizman, Aviv Weinstein. 2020. Personality Traits and Psychotic Proneness Among Chronic Synthetic Cannabinoid Users. *Frontiers in Psychiatry* 11. . [[Crossref](#)]
18. Fong-Gang Wang, Mei-Ling Lou, Siang-Han Lu, Wen-Jiuan Yen, Ching-Lun Tsai, Wei-Fen Ma. 2020. A preliminary study on the effectiveness of a stress management program for healthcare-related undergraduates with at-risk mental state. *Perspectives in Psychiatric Care* 27. . [[Crossref](#)]
19. Akina Yamaoka, Shintaro Yukawa. 2020. Mind wandering in creative problem-solving: Relationships with divergent thinking and mental health. *PLOS ONE* 15:4, e0231946. [[Crossref](#)]
20. Catherine Bortolon, Cindy Lebrun, Julien Laloyaux. 2020. The Bergen-Montpellier grandiose ideas questionnaire – B-MGI: a new tool for measuring grandiose delusions. *Psychosis* 156, 1-12. [[Crossref](#)]
21. Alexander Steinke, Florian Lange, Caroline Seer, Merle K. Hendel, Bruno Kopp. 2020. Computational Modeling for Neuropsychological Assessment of Bradyphrenia in Parkinson's Disease. *Journal of Clinical Medicine* 9:4, 1158. [[Crossref](#)]
22. Lorenzo Pelizza, Michele Poletti, Silvia Azzali, Federica Paterlini, Sara Garlassi, Ilaria Scazza, Luigi R. Chiri, Simona Pupo, Eva Gebhardt, Andrea Raballo. 2020. Anhedonia in adolescents at ultra-high risk (UHR) of psychosis: findings from a 1-year longitudinal study. *European Archives of Psychiatry and Clinical Neuroscience* 270:3, 337-350. [[Crossref](#)]
23. Ali Mohammadzadeh. 2020. Factor structure, reliability and validity of the short hypomanic personality scale in iranian adolescents. *Current Psychology* 39:2, 600-607. [[Crossref](#)]
24. Anna R Docherty, Andrey A Shabalin, Daniel E Adkins, Frank Mann, Robert F Krueger, Silviu-Alin Bacanu, Archie Campbell, Caroline Hayward, David J Porteous, Andrew M McIntosh, Kenneth S Kendler. 2020. Molecular Genetic Risk for Psychosis Is Associated With Psychosis Risk Symptoms in a Population-Based UK Cohort: Findings From Generation Scotland. *Schizophrenia Bulletin* 37. . [[Crossref](#)]
25. Graham Pluck, Patricia Bravo Mancero, Paola Alexandra Ortiz Encalada, Angélica María Urquiza Alcívar, Claudio E. Maldonado Gavilanez, Paola Chacon. 2020. Differential associations of neurobehavioral traits and cognitive ability to academic achievement in higher education. *Trends in Neuroscience and Education* 18, 100124. [[Crossref](#)]

26. Jennifer Jacquet, Lionel Delpech, Jonathan Bronchain, Patrick Raynal. 2020. Creative Competencies and Cognitive Processes Associated with Creativity are Linked with Positive Schizotypy. *Creativity Research Journal* 1-9. [[Crossref](#)]
27. Javier Rodríguez-Ferreiro, Mari Aguilera, Robert Davies. 2020. Positive Schizotypy Increases the Acceptance of Unpresented Materials in False Memory Tasks in Non-clinical Individuals. *Frontiers in Psychology* 11. . [[Crossref](#)]
28. M. Ladea, A. Szöke, M. Bran, G. Baudin, R. Slavu, M.C. Pirlog, V. Briciu, I. Udristoiu, F. Schürhoff, A. Ferchiou. 2020. Schizotypal Personality Questionnaire-Brief: Effect of invalid responding on factor structure analysis and scores of schizotypy. *L'Encéphale* 46:1, 7-12. [[Crossref](#)]
29. Bess Y. H Lam, A. Raine, Tatia M. C. Lee. Schizotypal Personality Questionnaire (SPQ) 4595-4599. [[Crossref](#)]
30. Javier Rodríguez-Ferreiro, Mari Aguilera, Rob Davies. 2020. Semantic priming and schizotypal personality: reassessing the link between thought disorder and enhanced spreading of semantic activation. *PeerJ* 8, e9511. [[Crossref](#)]
31. Patrick Raynal, Tiffany Melioli, Henri Chabrol. 2019. Personality disorder traits in young adults with subclinical obsessive-compulsive symptoms: Not just traits related to obsessive-compulsive personality. *Bulletin of the Menninger Clinic* 83:4, 433-452. [[Abstract](#)] [[PDF](#)] [[PDF with links](#)]
32. Sophie Stumm, Hannah Scott. 2019. Imagination links with schizotypal beliefs, not with creativity or learning. *British Journal of Psychology* 110:4, 707-726. [[Crossref](#)]
33. Shingo Murata, Hikaru Yanagida, Kentaro Katahira, Shinsuke Suzuki, Tetsuya Ogata, Yuichi Yamashita. Large-scale Data Collection for Goal-directed Drawing Task with Self-report Psychiatric Symptom Questionnaires via Crowdsourcing 3859-3865. [[Crossref](#)]
34. Lénie J Torregrossa, Matthew A Snodgrass, Seok Jin Hong, Heathman S Nichols, Enrico Glerean, Lauri Nummenmaa, Sohee Park. 2019. Anomalous Bodily Maps of Emotions in Schizophrenia. *Schizophrenia Bulletin* 45:5, 1060-1067. [[Crossref](#)]
35. Heike Tost, Markus Reichert, Urs Braun, Iris Reinhard, Robin Peters, Sven Lautenbach, Andreas Hoell, Emanuel Schwarz, Ulrich Ebner-Priemer, Alexander Zipf, Andreas Meyer-Lindenberg. 2019. Neural correlates of individual differences in affective benefit of real-life urban green space exposure. *Nature Neuroscience* 22:9, 1389-1393. [[Crossref](#)]
36. Genevieve Z Steiner, Francesca M Fernandez, Madilyn Coles, Diana Karamacoska, Emma Barkus, Samantha J Broyd, Nadia Solowij, Owen T Watson, Christine L Chiu, Joanne M Lind, Robert J Barry. 2019. Interrogating the Relationship Between Schizotypy, the Catechol-O-Methyltransferase (COMT) Val158Met Polymorphism, and Neuronal Oscillatory Activity. *Cerebral Cortex* 29:7, 3048-3058. [[Crossref](#)]
37. Jessica I. Fleck, Lisa Payne, Carolyne Halko, Morgan Purcell. 2019. Should we pay attention to eye movements? The impact of bilateral eye movements on behavioral and neural responses during the Attention Network Test. *Brain and Cognition* 132, 56-71. [[Crossref](#)]
38. Kadi Tulver, Jaan Aru, Renate Rutiku, Talis Bachmann. 2019. Individual differences in the effects of priors on perception: A multi-paradigm approach. *Cognition* 187, 167-177. [[Crossref](#)]

39. David Dodell-Feder, Abhishek Saxena, Lauren Rutter, Laura Germaine. 2019. The network structure of schizotypal personality traits in a population-based sample. *Schizophrenia Research* **208**, 258-267. [[Crossref](#)]
40. Tina Meller, Simon Schmitt, Frederike Stein, Katharina Brosch, Johannes Mosebach, Dilara Yüksel, Dario Zaremba, Dominik Grotegerd, Katharina Dohm, Susanne Meinert, Katharina Förster, Ronny Redlich, Nils Opel, Jonathan Repple, Tim Hahn, Andreas Jansen, Till F.M. Andlauer, Andreas J. Forstner, Stefanie Heilmann-Heimbach, Fabian Streit, Stephanie H. Witt, Marcella Rietschel, Bertram Müller-Myhsok, Markus M. Nöthen, Udo Dannlowski, Axel Krug, Tilo Kircher, Igor Nenadić. 2019. Associations of schizophrenia risk genes ZNF804A and CACNA1C with schizotypy and modulation of attention in healthy subjects. *Schizophrenia Research* **208**, 67-75. [[Crossref](#)]
41. William H. Menton, Adam H. Crighton, Anthony M. Tarescavage, Ryan J. Marek, Adam D. Hicks, Yossef S. Ben-Porath. 2019. Equivalence of Laptop and Tablet Administrations of the Minnesota Multiphasic Personality Inventory-2 Restructured Form. *Assessment* **26**:4, 661-669. [[Crossref](#)]
42. Der-Yun Hsiung, Ching-Lun Tsai, Ling-Chun Chiang, Wei-Fen Ma. 2019. Screening nursing students to identify those at high risk of poor mental health: a cross-sectional survey. *BMJ Open* **9**:6, e025912. [[Crossref](#)]
43. . S 584-640. [[Crossref](#)]
44. Jianghong Liu, Keri Ka-Yee Wong, Fanghong Dong, Adrian Raine, Catherine Tuvblad. 2019. The Schizotypal Personality Questionnaire – Child (SPQ-C): Psychometric properties and relations to behavioral problems with multi-informant ratings. *Psychiatry Research* **275**, 204-211. [[Crossref](#)]
45. Mohammad Atari, Reza Afhami, Viren Swami. 2019. Psychometric assessments of Persian translations of three measures of conspiracist beliefs. *PLOS ONE* **14**:4, e0215202. [[Crossref](#)]
46. Amit Regev Krugwasser, Eiran V. Harel, Roy Salomon. 2019. The boundaries of the self: The sense of agency across different sensorimotor aspects. *Journal of Vision* **19**:4, 14. [[Crossref](#)]
47. Pooja R. Pal, Daniel Shepherd, Nazimah Hamid, Michael J. Hautus. 2019. The potential for retronasally delivered olfactory stimuli to assess psychiatric conditions. *Current Psychology* **29**. . [[Crossref](#)]
48. Nathan Caruana, Timo Stein, Tamara Watson, Nikolas Williams, Kiley Seymour. 2019. Intact prioritisation of unconscious face processing in schizophrenia. *Cognitive Neuropsychiatry* **24**:2, 135-151. [[Crossref](#)]
49. Jordi Soler, Bárbara Arias, Jorge Moya, Manuel Ignacio Ibáñez, Generós Ortet, Lourdes Fañanás, Mar Fatjó-Vilas. 2019. The interaction between the ZNF804A gene and cannabis use on the risk of psychosis in a non-clinical sample. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* **89**, 174-180. [[Crossref](#)]
50. Ali Mohammadzadeh, Marzieh Monazzami. 2019. Validation of the Hypomanic Personality Scale (HPS) in Iranian adolescents. *Personality and Mental Health* **13**:1, 15-23. [[Crossref](#)]
51. H. Acosta, B. Straube, T. Kircher. 2019. Schizotypy and mentalizing: An fMRI study. *Neuropsychologia* **124**, 299-310. [[Crossref](#)]

52. Javier Rodríguez-Ferreiro, Mari Aguilera. 2019. Schizotypal personality and semantic functioning: Revisiting category fluency effects in a subclinical sample. *Psychiatry Research* **271**, 365-369. [[Crossref](#)]
53. Vahid Khosravani, Ali Mohammadzadeh, Lida Sheidaei Oskouyi. 2019. Early maladaptive schemas in patients with schizophrenia and non-patients with high and low schizotypal traits and their differences based on depression severity. *Comprehensive Psychiatry* **88**, 1-8. [[Crossref](#)]
54. Julien Laloyaux, Frank Larøi, Filip Nuyens, Joël Billieux. 2018. Subtyping attenuated psychotic symptoms: A cluster analytic approach. *Journal of Clinical Psychology* **74**:12, 2117-2133. [[Crossref](#)]
55. Georgina M. Gross, Thomas R. Kwapil, Chris J. Burgin, Michael L. Raulin, Paul J. Silvia, Kathryn C. Kemp, Neus Barrantes-Vidal. 2018. Validation of the Multidimensional Schizotypy Scale-Brief in Two Large Samples. *Journal of Psychopathology and Behavioral Assessment* **40**:4, 669-677. [[Crossref](#)]
56. Kathryn C. Kemp, Georgina M. Gross, Neus Barrantes-Vidal, Thomas R. Kwapil. 2018. Association of positive, negative, and disorganized schizotypy dimensions with affective symptoms and experiences. *Psychiatry Research* **270**, 1143-1149. [[Crossref](#)]
57. Maral Aghvinian, Mark J. Sergi. 2018. Social functioning impairments in schizotypy when social cognition and neurocognition are not impaired. *Schizophrenia Research: Cognition* **14**, 7-13. [[Crossref](#)]
58. Ela Polek, Peter B. Jones, Pasco Fearon, Jeannette Brodbeck, Michael Moutoussis, NSPN Consortium, Ray Dolan, Peter Fonagy, Edward T. Bullmore, Ian M. Goodyer. 2018. Personality dimensions emerging during adolescence and young adulthood are underpinned by a single latent trait indexing impairment in social functioning. *BMC Psychiatry* **18**:1. . [[Crossref](#)]
59. Alexander P. Christensen, Yoed N. Kenett, Tomaso Aste, Paul J. Silvia, Thomas R. Kwapil. 2018. Network structure of the Wisconsin Schizotypy Scales-Short Forms: Examining psychometric network filtering approaches. *Behavior Research Methods* **50**:6, 2531-2550. [[Crossref](#)]
60. Varoth Chotpitayasunondh, Karen M. Douglas. 2018. Measuring phone snubbing behavior: Development and validation of the Generic Scale of Phubbing (GSP) and the Generic Scale of Being Phubbed (GSBP). *Computers in Human Behavior* **88**, 5-17. [[Crossref](#)]
61. Jonathan Bronchain, Henri Chabrol, Patrick Raynal. 2018. Could schizotypy protect against the negative outcomes of borderline traits on alcohol consumption? A cluster analytic study. *Psychiatry Research* **269**, 21-24. [[Crossref](#)]
62. Maximilian Oezgen, Phillip Grant. 2018. Odd and disorganized-Comparing the factor structure of the three major schizotypy inventories. *Psychiatry Research* **267**, 289-295. [[Crossref](#)]
63. Wan-Ju Cheng, Chun-Hsin Chen, Chih-Ken Chen, Ming-Chyi Huang, Robert H. Pietrzak, John H. Krystal, Ke Xu. 2018. Similar psychotic and cognitive profile between ketamine dependence with persistent psychosis and schizophrenia. *Schizophrenia Research* **199**, 313-318. [[Crossref](#)]
64. Eduardo Fonseca-Pedrero, Javier Ortuño-Sierra, Beatriz Lucas-Molina, Martin Debbané, Raymond C.K. Chan, David C. Cicero, Lisa C. Zhang, Colleen Brenner,

- Emma Barkus, Richard J. Linscott, Thomas Kwapil, Neus Barrantes-Vidal, Alex Cohen, Adrian Raine, Michael T. Compton, Erin B. Tone, Julie Suhr, Julio Bobes, Axit Fumero, Stella Giakoumaki, Ioannis Tsaousis, Antonio Preti, Michael Chmielewski, Julien Laloyaux, Anwar Mechri, Mohamed Aymen Lahmar, Viviana Wuthrich, Frank Larøi, Johanna C. Badcock, Assen Jablensky, David Barron, Viren Swami, Ulrich S. Tran, Martin Voracek. 2018. Brief assessment of schizotypal traits: A multinational study. *Schizophrenia Research* **197**, 182-191. [[Crossref](#)]
65. Tyler M. Moore, Monica E. Calkins, Steven P. Reise, Ruben C. Gur, Raquel E. Gur. 2018. Development and public release of a computerized adaptive (CAT) version of the Schizotypal Personality Questionnaire. *Psychiatry Research* **263**, 250-256. [[Crossref](#)]
66. Georgina M. Gross, Thomas R. Kwapil, Michael L. Raulin, Paul J. Silvia, Neus Barrantes-Vidal. 2018. The multidimensional schizotypy scale-brief: Scale development and psychometric properties. *Psychiatry Research* **261**, 7-13. [[Crossref](#)]
67. Johannes T Krautheim, Benjamin Straube, Udo Dannlowski, Martin Pyka, Henriette Schneider-Hassloff, Rebecca Drexler, Axel Krug, Jens Sommer, Marcella Rietschel, Stephanie H Witt, Tilo Kircher. 2018. Outgroup emotion processing in the vACC is modulated by childhood trauma and CACNA1C risk variant. *Social Cognitive and Affective Neuroscience* **13**:3, 341-348. [[Crossref](#)]
68. David Barron, Kevin D. Morgan, Tony Towell, Jas L. Jaafar, Viren Swami. 2018. Psychometric properties of the Malay Schizotypal Personality Questionnaire: Measurement invariance and latent mean comparisons in Malaysian adults. *Asia-Pacific Psychiatry* **10**:1, e12293. [[Crossref](#)]
69. John H. Riskind, Dylan K. Richards. 2018. The Effect of Germ Movement on the Construal of Mental States in Germs: The Moderating Role of Contamination Fear. *Cognitive Therapy and Research* **42**:1, 36-47. [[Crossref](#)]
70. E. Fonseca-Pedrero, M. Debbané, J. Ortuño-Sierra, R. C. K. Chan, D. C. Cicero, L. C. Zhang, C. Brenner, E. Barkus, R. J. Linscott, T. Kwapil, N. Barrantes-Vidal, A. Cohen, A. Raine, M. T. Compton, E. B. Tone, J. Suhr, J. Muñoz, A. Fumero, S. Giakoumaki, I. Tsaousis, A. Preti, M. Chmielewski, J. Laloyaux, A. Mechri, M. A. Lahmar, V. Wuthrich, F. Larøi, J. C. Badcock, A. Jablensky. 2018. The structure of schizotypal personality traits: a cross-national study. *Psychological Medicine* **48**:3, 451-462. [[Crossref](#)]
71. Eduardo Fonseca-Pedrero, Serafin Lemos-Giráldez, Mercedes Paino, Susana Sierra-Baigrie, José Muñoz. Schizotypy 3238-3254. [[Crossref](#)]
72. Angelo B. Cedeño. The Association Between Cannabis Use and Schizotypy 157-166. [[Crossref](#)]
73. Rebeka Maróthi, Szabolcs Kéri. 2018. Enhanced mental imagery and intact perceptual organization in schizotypal personality disorder. *Psychiatry Research* **259**, 433-438. [[Crossref](#)]
74. Shiu F. Wong, Jessica R. Grisham. 2018. Factors leading to immersion in obsessions. *Journal of Experimental Psychopathology* **9**:1, 204380871877898. [[Crossref](#)]
75. A. Ferchiou, L. Todorov, M. Lajnef, G. Baudin, B. Pignon, J.-R. Richard, M. Leboyer, A. Szöke, F. Schürhoff. 2017. Analyse de la structure factorielle de la version brève du questionnaire de personnalité schizotypique (SPQ-B) – format Likert – en population générale en France. *L'Encéphale* **43**:6, 558-563. [[Crossref](#)]

76. Shujuan Liu, David Mellor, Mathew Ling, José L. Saiz, Eugenia V. Vinet, Xiaoyan Xu, Solomon Renati, Linda K. Byrne. 2017. The Schizotypal Personality Questionnaire-Brief lacks measurement invariance across three countries. *Psychiatry Research* **258**, 544-550. [[Crossref](#)]
77. Catherine A. Quinn, Hollie Wilson, Wendell Cockshaw, Emma Barkus, Leanne Hides. 2017. Development and validation of the cannabis experiences questionnaire – Intoxication effects checklist (CEQ-I) short form. *Schizophrenia Research* **189**, 91-96. [[Crossref](#)]
78. Shu Imaizumi, Tomohisa Asai, Shinichi Koyama. 2017. Agency over Phantom Limb Enhanced by Short-Term Mirror Therapy. *Frontiers in Human Neuroscience* **11**. . [[Crossref](#)]
79. Matthew R. Moore, Elizabeth A. Franz. 2017. Resting-state mu activity modulations are associated with aloofness. *Personality and Individual Differences* **116**, 366-371. [[Crossref](#)]
80. Claire A. A. Mitchell, Murray T. Maybery, Suzanna N. Russell-Smith, Daniel Collerton, Gilles E. Gignac, Flavie Waters. 2017. The Structure and Measurement of Unusual Sensory Experiences in Different Modalities: The Multi-Modality Unusual Sensory Experiences Questionnaire (MUSEQ). *Frontiers in Psychology* **8**. . [[Crossref](#)]
81. Eduardo Fonseca-Pedrero, Alex Cohen, Javier Ortuño-Sierra, Alicia Pérez de Albeniz, José Muñiz. 2017. Dimensional Structure and Measurement Invariance of the Schizotypal Personality Questionnaire – Brief Revised (SPQ-BR) Scores Across American and Spanish Samples. *Journal of Personality Disorders* **31**:4, 522-541. [[Abstract](#)] [[PDF](#)] [[PDF with links](#)]
82. Ufuk Çeşmeci, Rabia Nazik Yüksel, Hasan Kaya, Nesrin Dilbaz. 2017. Schizotypality and neurological soft signs in patients with obsessive-compulsive disorder. *Psychiatry and Clinical Psychopharmacology* **27**:3, 228-234. [[Crossref](#)]
83. Neil Dagnall, Andrew Denovan, Kenneth Drinkwater, Andrew Parker, Peter J. Clough. 2017. Urban Legends and Paranormal Beliefs: The Role of Reality Testing and Schizotypy. *Frontiers in Psychology* **8**. . [[Crossref](#)]
84. Sara Siddi, Donatella Rita Petretto, Antonio Preti. 2017. Neuropsychological correlates of schizotypy: a systematic review and meta-analysis of cross-sectional studies. *Cognitive Neuropsychiatry* **22**:3, 186-212. [[Crossref](#)]
85. Tomohisa Asai. 2017. Know thy agency in predictive coding: Meta-monitoring over forward modeling. *Consciousness and Cognition* **51**, 82-99. [[Crossref](#)]
86. Shiu F. Wong, Jessica R. Grisham. 2017. Inverse reasoning processes in obsessive-compulsive disorder. *Journal of Anxiety Disorders* **47**, 75-82. [[Crossref](#)]
87. Docia L. Demmin, Jordan E. DeVlyder, Matthew R. Hilimire. 2017. Screening for sub-threshold psychotic experiences and perceived need for psychological services. *Early Intervention in Psychiatry* **11**:2, 139-146. [[Crossref](#)]
88. Tanya L. Procyshyn, Jason Spence, Silven Read, Neil V. Watson, Bernard J. Crespi. 2017. The Williams syndrome prosociality gene GTF2I mediates oxytocin reactivity and social anxiety in a healthy population. *Biology Letters* **13**:4, 20170051. [[Crossref](#)]
89. Benjamin Buck, Neil Hester, David L. Penn, Kurt Gray. 2017. Differential patterns in mind perception in subclinical paranoia: relationships to self-reported empathy. *Cognitive Neuropsychiatry* **22**:2, 137-144. [[Crossref](#)]

90. Caroline Seer, Florian Lange, Sebastian Loens, Florian Wegner, Christoph Schrader, Dirk Dressler, Reinhard Dengler, Bruno Kopp. 2017. Dopaminergic modulation of performance monitoring in Parkinson's disease: An event-related potential study. *Scientific Reports* 7:1. . [\[Crossref\]](#)
91. Dejan Stevanovic, Peyman Jafari, Rajna Knez, Tomislav Franic, Olayinka Atilola, Nikolina Davidovic, Zahra Bagheri, Aneta Lakic. 2017. Can we really use available scales for child and adolescent psychopathology across cultures? A systematic review of cross-cultural measurement invariance data. *Transcultural Psychiatry* 54:1, 125-152. [\[Crossref\]](#)
92. Mia Tharp, Nicholas S. Holtzman, Fade R. Eadeh. 2017. Mind Perception and Individual Differences: A Replication and Extension. *Basic and Applied Social Psychology* 39:1, 68-73. [\[Crossref\]](#)
93. Bess Y. H Lam, A. Raine, Tatia M. C. Lee. Schizotypal Personality Questionnaire (SPQ) 1-5. [\[Crossref\]](#)
94. Human-Friedrich Unterrainer. Functional and Dysfunctional Religious/Spiritual Beliefs in Psychotic Disorders 167-180. [\[Crossref\]](#)
95. Magdalena E. Kegel, Viktoria Johansson, Lennart Wetterberg, Maria Bhat, Lilly Schwieler, Tyrone D. Cannon, Ina Schuppe-Koistinen, Göran Engberg, Mikael Landén, Christina M. Hultman, Sophie Erhardt. 2017. Kynurenic acid and psychotic symptoms and personality traits in twins with psychiatric morbidity. *Psychiatry Research* 247, 105-112. [\[Crossref\]](#)
96. Wayne M. Dinn, Ayse Aycicegi-Dinn, Fatma Göral, Sacit Karamursel, Ejder Akgun Yildirim, Munevver Hacioglu-Yildirim, David A. Gansler, Deniz Doruk, Felipe Fregni. 2016. Treatment-resistant obsessive-compulsive disorder: Insights from an open trial of transcranial direct current stimulation (tDCS) to design a RCT. *Neurology, Psychiatry and Brain Research* 22:3-4, 146-154. [\[Crossref\]](#)
97. Patrick Raynal, Nelly Goutaudier, Victoria Nidetch, Henri Chabrol. 2016. Typology of schizotypy in non-clinical young adults: Psychopathological and personality disorder traits correlates. *Psychiatry Research* 246, 182-187. [\[Crossref\]](#)
98. Jeeyoung Lim. 2016. The Mediation Effect Verification of Narcissistic Personality Traits and Schizophrenic Personality Traits on the Relationship between Smartphone Addiction and Relational Aggression of Middle School Girls. *The Journal of the Korea Contents Association* 16:11, 199-210. [\[Crossref\]](#)
99. Bess Y H Lam, Adrian Raine, Tatia M C Lee. 2016. Effect of theory of mind and peer victimization on the schizotypy-aggression relationship. *npj Schizophrenia* 2:1. . [\[Crossref\]](#)
100. P. Raynal, T. Melioli, N. Goutaudier, H. Chabrol. 2016. Is the link between autistic traits and ability to succeed in science independent of other psychopathological dimensions?. *European Review of Applied Psychology* 66:6, 301-307. [\[Crossref\]](#)
101. Doron Lavan, Stephanie Watt, Simon F. Crowe. 2016. Caffeine and Stress Promote a More Liberal Bias on Tasks Assessing Hallucination-Like Experiences and False Memory in a Nonclinical Sample. *Journal of Caffeine Research* 6:3, 126-133. [\[Crossref\]](#)
102. Patrick Raynal, Tiffany Melioli, Henri Chabrol. 2016. Personality profiles in young adults with disordered eating behavior. *Eating Behaviors* 22, 119-123. [\[Crossref\]](#)

103. Lisa Konrath, Danièle Beckius, Ulrich S. Tran. 2016. Season of birth and population schizotypy: Results from a large sample of the adult general population. *Psychiatry Research* **242**, 245-250. [[Crossref](#)]
104. Auria Albacete, Clara Bosque, Nuria Custal, José M. Crespo, Ester Gilabert, Angela Albiach, José M. Menchón, Fernando Contreras. 2016. Emotional intelligence in non-psychotic first-degree relatives of people with schizophrenia. *Schizophrenia Research* **175**:1-3, 103-108. [[Crossref](#)]
105. Valerie Yeung Shi Chung, Jonathan McGuire, Robyn Langdon. 2016. The Relationship Between Schizotypy and Reactive Aggression in Western Adults Is Mediated by Victimization. *The Journal of Nervous and Mental Disease* **204**:8, 630-635. [[Crossref](#)]
106. Neil Dagnall, Andrew Denovan, Kenneth Drinkwater, Andrew Parker, Peter Clough. 2016. Toward a Better Understanding of the Relationship between Belief in the Paranormal and Statistical Bias: The Potential Role of Schizotypy. *Frontiers in Psychology* **7**. . [[Crossref](#)]
107. Marjaana Lindeman, Jari Lipsanen. 2016. Diverse Cognitive Profiles of Religious Believers and Nonbelievers. *The International Journal for the Psychology of Religion* **26**:3, 185-192. [[Crossref](#)]
108. Usha Barahmand, Ruhollah Heydari Sheikh Ahmad. 2016. Psychotic-Like Experiences and Psychological Distress. *Journal of the American Psychiatric Nurses Association* **22**:4, 312-319. [[Crossref](#)]
109. Guillaume Sierro, Jérôme Rossier, Oliver J. Mason, Christine Mohr. 2016. French Validation of the O-LIFE Short Questionnaire. *European Journal of Psychological Assessment* **32**:3, 195-203. [[Crossref](#)]
110. I Koychev, D Joyce, E Barkus, U Ettinger, A Schmechtig, C T Dourish, G R Dawson, K J Craig, J F W Deakin. 2016. Cognitive and oculomotor performance in subjects with low and high schizotypy: implications for translational drug development studies. *Translational Psychiatry* **6**:5, e811-e811. [[Crossref](#)]
111. Charlie A. Davidson, Lesa Hoffman, William D. Spaulding. 2016. Schizotypal personality questionnaire – brief revised (updated): An update of norms, factor structure, and item content in a large non-clinical young adult sample. *Psychiatry Research* **238**, 345-355. [[Crossref](#)]
112. Wulf Rössler, Vladeta Ajdacic-Gross, Stephanie Rodgers, Helene Haker, Mario Müller. 2016. Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. *Schizophrenia Research* **172**:1-3, 46-53. [[Crossref](#)]
113. Kari Aaltonen, Petri Näätänen, Martti Heikkinen, Maaria Koivisto, Ilya Baryshnikov, Boris Karpov, Jorma Oksanen, Tarja Melartin, Kirsi Suominen, Grigori Joffe, Tiina Paunio, Erkki Isometsä. 2016. Differences and similarities of risk factors for suicidal ideation and attempts among patients with depressive or bipolar disorders. *Journal of Affective Disorders* **193**, 318-330. [[Crossref](#)]
114. Laura Choteau, Patrick Raynal, Nelly Goutaudier, Henri Chabrol. 2016. Psychopathological traits in college students from top-ranking french schools: Do autistic features impair success in science when associated with schizotypal traits?. *Psychiatry Research* **237**, 218-223. [[Crossref](#)]

115. Krisztina Kocsis-Bogár, Zsófia Nemes, Dóra Perczel-Forintos. 2016. Factorial structure of the Hungarian version of Oxford-Liverpool Inventory of Feelings and Experiences and its applicability on the schizophrenia-schizotypy continuum. *Personality and Individual Differences* **90**, 130-136. [[Crossref](#)]
116. Wayne M. Dinn, Ayse Aycicegi-Dinn, Fatma Göral, Ola Darkal, Ejder Akgun Yildirim, Munevver Hacioglu. 2016. Treatment-Resistant Obsessive-Compulsive Disorder: Neurocognitive and Clinical Correlates. *Procedia - Social and Behavioral Sciences* **217**, 1189-1198. [[Crossref](#)]
117. Eduardo Fonseca-Pedrero, Serafin Lemos-Giráldez, Mercedes Paino, Susana Sierra-Baigrie, José Muñiz. Schizotypy 1-17. [[Crossref](#)]
118. Chi C. Chan, Christopher C. Spencer, Chloe West, Carina Viegas, Jeffrey S. Bedwell. 2015. Metacognitive processes in psychometrically defined schizotypy. *Psychiatry Research* **230**:2, 279-286. [[Crossref](#)]
119. Karen Goodall, Robert Rush, Lisa Grünwald, Stephen Darling, Niko Tiliopoulos. 2015. Attachment as a partial mediator of the relationship between emotional abuse and schizotypy. *Psychiatry Research* **230**:2, 531-536. [[Crossref](#)]
120. Todd C. Leroux. 2015. U.S. Military Discharges and Pre-existing Personality Disorders: A Health Policy Review. *Administration and Policy in Mental Health and Mental Health Services Research* **42**:6, 748-755. [[Crossref](#)]
121. Kirstie Soar, Lynne Dawkins, Frederick Page, Joseph Wooldridge. 2015. Recreational cocaine use is associated with attenuated latent inhibition. *Addictive Behaviors* **50**, 34-39. [[Crossref](#)]
122. Ioannis Tsaousis, Chrysoula Zouraraki, Penny Karamaouna, Leda Karagiannopoulou, Stella G. Giakoumaki. 2015. The validity of the Schizotypal Personality Questionnaire in a Greek sample: Tests of measurement invariance and latent mean differences. *Comprehensive Psychiatry* **62**, 51-62. [[Crossref](#)]
123. Sarah Terrien, Nicolas Stefaniak, Yannick Morvan, Chrystel Besche-Richard. 2015. Factor structure of the French version of the Hypomanic Personality Scale (HPS) in non-clinical young adults. *Comprehensive Psychiatry* **62**, 105-113. [[Crossref](#)]
124. Marie Pilton, Filippo Varese, Katherine Berry, Sandra Bucci. 2015. The relationship between dissociation and voices: A systematic literature review and meta-analysis. *Clinical Psychology Review* **40**, 138-155. [[Crossref](#)]
125. Jan van der Tempel, James E. Alcock. 2015. Relationships between conspiracy mentality, hyperactive agency detection, and schizotypy: Supernatural forces at work?. *Personality and Individual Differences* **82**, 136-141. [[Crossref](#)]
126. Wulf Rössler, Vladeta Ajdacic-Gross, Mario Müller, Stephanie Rodgers, Wolfram Kawohl, Helene Haker, Michael P. Hengartner. 2015. Association between processing speed and subclinical psychotic symptoms in the general population: Focusing on sex differences. *Schizophrenia Research* **166**:1-3, 316-321. [[Crossref](#)]
127. Rikke Lund, Erik Lykke Mortensen, Ulla Christensen, Helle Bruunsgaard, Poul Holm-Pedersen, Nils-Erik Fiehn, Drude Molbo, Eva Jepsen, Åse Marie Hansen, Merete Osler. 2015. Cohort Profile: The Copenhagen Aging and Midlife Biobank (CAMB). *International Journal of Epidemiology* **24**, dyv149. [[Crossref](#)]

128. Emily E. Butler, Robert Ward, Richard Ramsey. 2015. Investigating the Relationship between Stable Personality Characteristics and Automatic Imitation. *PLOS ONE* **10**:6, e0129651. [[Crossref](#)]
129. Sanaâ Belayachi, J. Laloyaux, F. Larøi, M. Van der Linden. 2015. Internal Encoding Style and Schizotypy: Toward a Conceptually Driven Account of Positive Symptoms. *Journal of Personality Disorders* **29**:3, 303-315. [[Abstract](#)] [[PDF](#)] [[PDF with links](#)]
130. Bernard J. Crespi, Peter L. Hurd. 2015. Genetically based correlates of serum oxytocin and testosterone in autism and schizotypy. *Personality and Individual Differences* **79**, 39-43. [[Crossref](#)]
131. Lucía Moreno-Izco, Ana M. Sánchez-Torres, Ruth Lorente-Omeñaca, Lourdes Fañanás, Araceli Rosa, Paola Salvatore, Victor Peralta, Manuel J. Cuesta. 2015. Ten-year stability of self-reported schizotypal personality features in patients with psychosis and their healthy siblings. *Psychiatry Research* **227**:2-3, 283-289. [[Crossref](#)]
132. Lauren Spriggs, Leanne Hides. 2015. Patterns of cannabis use, psychotic-like experiences and personality styles in young cannabis users. *Schizophrenia Research* **165**:1, 3-8. [[Crossref](#)]
133. K. S. Kendler, S. H. Aggen, M. C. Neale, G. P. Knudsen, R. F. Krueger, K. Tambs, N. Czajkowski, E. Ystrom, R. E. Ørstavik, T. Reichborn-Kjennerud. 2015. A longitudinal twin study of cluster A personality disorders. *Psychological Medicine* **45**:7, 1531-1538. [[Crossref](#)]
134. Marc J. Weintraub, Amy Weisman de Mamani. 2015. Effects of sub-clinical psychosis and cognitive insight on psychological well-being: A structural equation model. *Psychiatry Research* **226**:1, 149-155. [[Crossref](#)]
135. Paul Karoly, Chung Jung Mun, Morris Okun. 2015. Motivational predictors of psychometrically-defined schizotypy in a non-clinical sample: Goal process representation, approach-avoid temperament, and aberrant salience. *Psychiatry Research* **226**:1, 295-300. [[Crossref](#)]
136. O. J. Mason. 2015. The Assessment of Schizotypy and Its Clinical Relevance. *Schizophrenia Bulletin* **41**:suppl 2, S374-S385. [[Crossref](#)]
137. Neil Dagnall, Kenneth Drinkwater, Andrew Parker, Andrew Denovan, Megan Parton. 2015. Conspiracy theory and cognitive style: a worldview. *Frontiers in Psychology* **6**. . [[Crossref](#)]
138. Ulrich S. Tran, Stefan Stieger, Martin Voracek. 2015. Mixed-footedness is a more relevant predictor of schizotypy than mixed-handedness. *Psychiatry Research* **225**:3, 446-451. [[Crossref](#)]
139. Aldo Córdova-Palomera, Raffaella Calati, Bárbara Arias, Manuel-Ignacio Ibáñez, Jorge Moya, Generós Ortet, Benedicto Crespo-Facorro, Lourdes Fañanás. 2015. Season of birth and subclinical psychosis: Systematic review and meta-analysis of new and existing data. *Psychiatry Research* **225**:3, 227-235. [[Crossref](#)]
140. Wulf Rössler, Vladeta Ajdacic-Gross, Mario Müller, Stephanie Rodgers, Helene Haker, Michael P. Hengartner. 2015. Assessing sub-clinical psychosis phenotypes in the general population — A multidimensional approach. *Schizophrenia Research* **161**:2-3, 194-201. [[Crossref](#)]
141. ###, Young-Ho Lee. 2015. A Validation Study of the Korean Version of the Inventory of Personality Organization. *Korean Journal of Clinical Psychology* **34**:1, 77-102. [[Crossref](#)]

142. Shannon Xavier, Michael W. Best, Emily Schorr, Christopher R. Bowie. 2015. Neurocognition, functional competence and self-reported functional impairment in psychometrically defined schizotypy. *Cognitive Neuropsychiatry* **20**:1, 53-63. [[Crossref](#)]
143. David Barron, Viren Swami, Tony Towell, Gerard Hutchinson, Kevin D. Morgan. 2015. Examination of the Factor Structure of the Schizotypal Personality Questionnaire among British and Trinidadian Adults. *BioMed Research International* **2015**, 1-7. [[Crossref](#)]
144. Sophie van Rijn, Pieter Kroonenberg, Tim Ziermans, Hanna Swaab. 2015. The Dimensional Structure of the Schizotypal Personality Questionnaire Adapted for Children (SPQ-C-D): An Evaluation in the Dutch Population and a Comparison to Adult Populations. *Advances in Psychiatry* **2015**, 1-8. [[Crossref](#)]
145. Vladeta Ajdacic-Gross, Mario Müller, Stephanie Rodgers, Inge Warnke, Michael P. Hengartner, Karin Landolt, Florence Hagenmuller, Magali Meier, Lee-Ting Tse, Aleksandra Aleksandrowicz, Marco Passardi, Daniel Knöpfli, Herdis Schönfelder, Jochen Eisele, Nicolas Rüsch, Helene Haker, Wolfram Kawohl, Wulf Rössler. 2014. The ZInEP Epidemiology Survey: background, design and methods. *International Journal of Methods in Psychiatric Research* **23**:4, 451-468. [[Crossref](#)]
146. Human-Friedrich Unterrainer, Andrew James Lewis. 2014. The Janus face of schizotypy: Enhanced spiritual connection or existential despair?. *Psychiatry Research* **220**:1-2, 233-236. [[Crossref](#)]
147. Michael Pascal Hengartner, Filip De Fruyt, Stephanie Rodgers, Mario Müller, Wulf Rössler, Vladeta Ajdacic-Gross. 2014. An integrative examination of general personality dysfunction in a large community sample. *Personality and Mental Health* **8**:4, 276-289. [[Crossref](#)]
148. R. Bouvet, H. Djeriouat, N. Goutaudier, J. Py, H. Chabrol. 2014. Validation française de la Revised Paranormal Belief Scale. *L'Encéphale* **40**:4, 308-314. [[Crossref](#)]
149. Bianca Backasch, Jens Sommer, Farahnaz Klöhn-Saghatolislam, Matthias J. Müller, Tilo T.J. Kircher, Dirk T. Leube. 2014. Dysconnectivity of the inferior frontal gyrus: Implications for an impaired self-other distinction in patients with schizophrenia. *Psychiatry Research: Neuroimaging* **223**:3, 202-209. [[Crossref](#)]
150. Eduardo Fonseca-Pedrero, Ascensión Fumero, Mercedes Paino, Adelia de Miguel, Javier Ortuño-Sierra, Serafin Lemos-Giráldez, José Muñiz. 2014. Schizotypal Personality Questionnaire: New sources of validity evidence in college students. *Psychiatry Research* **219**:1, 214-220. [[Crossref](#)]
151. Talitha C. Ford, David P. Crewther. 2014. Factor Analysis Demonstrates a Common Schizoid Phenotype within Autistic and Schizotypal Tendency: Implications for Neuroscientific Studies. *Frontiers in Psychiatry* **5**. . [[Crossref](#)]
152. Diane C. Gooding, Alex S. Cohen, Madeline J. Pflum. 2014. Hedonic capacity and schizotypy: Evidence for the criterion validity of the ACIPS. *Comprehensive Psychiatry* **55**:6, 1455-1461. [[Crossref](#)]
153. H.F. Unterrainer, M.J.-L. Chen, J.H. Gruzelier. 2014. EEG-neurofeedback and psychodynamic psychotherapy in a case of adolescent anhedonia with substance misuse: Mood/theta relations. *International Journal of Psychophysiology* **93**:1, 84-95. [[Crossref](#)]

154. Alex S. Cohen, Tracey L. Auster, Rebecca K. MacAulay, Jessica E. McGovern. 2014. The paradox of schizotypy: Resemblance to prolonged severe mental illness in subjective but not objective quality of life. *Psychiatry Research* **217**:3, 185-190. [[Crossref](#)]
155. Yi-Kang Zhu, Chun-Bo Li, Jin Jin, Ji-Jun Wang, Bernd Lachmann, Rayna Sariyska, Christian Montag. 2014. The 2D:4D ratio of the hand and schizotypal personality traits in schizophrenia patients and healthy control persons. *Asian Journal of Psychiatry* **9**, 67-72. [[Crossref](#)]
156. A Loukola, J Wedenoja, K Keskitalo-Vuokko, U Broms, T Korhonen, S Ripatti, A-P Sarin, J Pitkaniemi, L He, A Häppölä, K Heikkilä, Y-L Chou, M L Pergadia, A C Heath, G W Montgomery, N G Martin, P A F Madden, J Kaprio. 2014. Genome-wide association study on detailed profiles of smoking behavior and nicotine dependence in a twin sample. *Molecular Psychiatry* **19**:5, 615-624. [[Crossref](#)]
157. Frieder M. Paulus, Johannes Bedenbender, Sören Krach, Martin Pyka, Axel Krug, Jens Sommer, Miriam Mette, Markus M. Nöthen, Stephanie H. Witt, Marcella Rietschel, Tilo Kircher, Andreas Jansen. 2014. Association of rs1006737 in CACNA1C with alterations in prefrontal activation and fronto-hippocampal connectivity. *Human Brain Mapping* **35**:4, 1190-1200. [[Crossref](#)]
158. Tracey L. Auster, Alex S. Cohen, Dallas A. Callaway, Laura A. Brown. 2014. Objective and Subjective Olfaction Across the Schizophrenia Spectrum. *Psychiatry: Interpersonal and Biological Processes* **77**:1, 57-66. [[Abstract](#)] [[PDF](#)] [[PDF with links](#)]
159. Judith Rietdijk, Marjolein Fokkema, Daniel Stahl, Lucia Valmaggia, Helga K. Ising, Sara Dragt, Rianne M. C. Klaassen, Dorien H. Nieman, Rachel Loewy, Pim Cuijpers, Philippe Delespaul, Don H. Linszen, Mark van der Gaag. 2014. The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. *Social Psychiatry and Psychiatric Epidemiology* **49**:3, 349-358. [[Crossref](#)]
160. Wulf Rössler, Michael P. Hengartner, Vladeta Ajdacic-Gross, Helene Haker, Jules Angst. 2014. Impact of childhood adversity on the onset and course of subclinical psychosis symptoms — Results from a 30-year prospective community study. *Schizophrenia Research* **153**:1-3, 189-195. [[Crossref](#)]
161. Eduardo Fonseca-Pedrero, Diane C. Gooding, Mercedes Paino, Serafin Lemos-Giráldez, José Muñiz. Measuring Anhedonia in Schizophrenia-Spectrum Disorders: A Selective Update 19-54. [[Crossref](#)]
162. Michael H. Connors, Peter W. Halligan, Amanda J. Barnier, Robyn Langdon, Rochelle E. Cox, Jocelyn Elliott, Vince Polito, Max Coltheart. 2014. Hypnotic analogues of delusions: The role of delusion proneness and schizotypy. *Personality and Individual Differences* **57**, 48-53. [[Crossref](#)]
163. S. Alemany, B. Arias, M. Fatjó-Vilas, H. Villa, J. Moya, M. I. Ibáñez, G. Ortet, C. Gastó, L. Fañanás. 2014. Psychosis-inducing effects of cannabis are related to both childhood abuse and COMT genotypes. *Acta Psychiatrica Scandinavica* **129**:1, 54-62. [[Crossref](#)]
164. Adrian Furnham, Rebecca Milner, Reece Akhtar, Filip De Fruyt. 2014. A Review of the Measures Designed to Assess DSM-5 Personality Disorders. *Psychology* **05**:14, 1646-1686. [[Crossref](#)]
165. Javier Ortuño-Sierra, Deborah Badoud, Francesca Knecht, Mercedes Paino, Stephan Eliez, Eduardo Fonseca-Pedrero, Martin Debbané. 2013. Testing Measurement

Invariance of the Schizotypal Personality Questionnaire-Brief Scores across Spanish and Swiss Adolescents. *PLoS ONE* **8**:12, e82041. [[Crossref](#)]

166. Sean C. Morrison, Laura A. Brown, Alex S. Cohen. 2013. A multidimensional assessment of social cognition in psychometrically defined schizotypy. *Psychiatry Research* **210**:3, 1014-1019. [[Crossref](#)]
167. Arthur Ryan, Allison Macdonald, Elaine Walker. 2013. The Treatment of Adolescents With Schizotypal Personality Disorder and Related Conditions: A Practice-Oriented Review of the Literature. *Clinical Psychology: Science and Practice* **20**:4, 408-424. [[Crossref](#)]
168. Wulf Rössler, Michael P. Hengartner, Vladeta Ajdacic-Gross, Helene Haker, Jules Angst. 2013. Deconstructing sub-clinical psychosis into latent-state and trait variables over a 30-year time span. *Schizophrenia Research* **150**:1, 197-204. [[Crossref](#)]
169. Bianca Backasch, Benjamin Straube, Martin Pyka, Farahnaz Klöhn-Saghatolislam, Matthias J. Müller, Tilo T. J. Kircher, Dirk T. Leube. 2013. Hyperintentionality during automatic perception of naturalistic cooperative behavior in patients with schizophrenia. *Social Neuroscience* **8**:5, 489-504. [[Crossref](#)]
170. Wayne M. Dinn, Simge Sisman, Ayse Aycicegi-Dinn. 2013. Neurocognitive and Clinical Correlates of Compulsive Hoarding. *Procedia - Social and Behavioral Sciences* **82**, 355-359. [[Crossref](#)]
171. David Boyda, Mark Shevlin, John Mallett, Jamie Murphy, James Houston. 2013. Confirmatory factor analysis of the Schizotypal Personality Questionnaire – brief: An alternative models approach. *Psychosis* **5**:2, 187-196. [[Crossref](#)]
172. Blair H Smith, Archie Campbell, Pamela Linksted, Bridie Fitzpatrick, Cathy Jackson, Shona M Kerr, Ian J Deary, Donald J MacIntyre, Harry Campbell, Mark McGilchrist, Lynne J Hocking, Lucy Wisely, Ian Ford, Robert S Lindsay, Robin Morton, Colin N A Palmer, Anna F Dominiczak, David J Porteous, Andrew D Morris. 2013. Cohort Profile: Generation Scotland: Scottish Family Health Study (GS:SFHS). The study, its participants and their potential for genetic research on health and illness. *International Journal of Epidemiology* **42**:3, 689-700. [[Crossref](#)]
173. W. Rössler, M.P. Hengartner, V. Ajdacic-Gross, H. Haker, J. Angst. 2013. Lifetime and 12-month prevalence rates of sub-clinical psychosis symptoms in a community cohort of 50-year-old individuals. *European Psychiatry* **28**:5, 302-307. [[Crossref](#)]
174. Natalie L. Dinsdale, Peter L. Hurd, Akio Wakabayashi, Mick Elliot, Bernard J. Crespi. 2013. How Are Autism and Schizotypy Related? Evidence from a Non-Clinical Population. *PLoS ONE* **8**:5, e63316. [[Crossref](#)]
175. Anne Schmechtig, Jane Lees, Lois Grayson, Kevin J. Craig, Rukiya Dadhiwala, Gerard R. Dawson, J. F. William Deakin, Colin T. Dourish, Ivan Koychev, Katrina McMullen, Ellen M. Migo, Charlotte Perry, Lawrence Wilkinson, Robin Morris, Steve C. R. Williams, Ulrich Ettinger. 2013. Effects of risperidone, amisulpride and nicotine on eye movement control and their modulation by schizotypy. *Psychopharmacology* **227**:2, 331-345. [[Crossref](#)]
176. Tomohisa Asai, Yoshihiko Tanno. 2013. Why must we attribute our own action to ourselves? Auditory hallucination like-experiences as the results both from the explicit self-other attribution and implicit regulation in speech. *Psychiatry Research* **207**:3, 179-188. [[Crossref](#)]

177. Charlotte A. Chun, Kyle S. Minor, Alex S. Cohen. 2013. Neurocognition in Psychometrically Defined College Schizotypy Samples: We Are NOT Measuring the "Right Stuff". *Journal of the International Neuropsychological Society* **19**:3, 324-337. [[Crossref](#)]
178. Michael T. Schetsche. Pathologization as Strategy for Securing the Wirklichkeit The Example of Paranormal Experiences 271-286. [[Crossref](#)]
179. Axel Krug, Sören Krach, Andreas Jansen, Vanessa Nieratschker, Stephanie H. Witt, N. Jon Shah, Markus M. Nöthen, Marcella Rietschel, Tilo Kircher. 2013. The Effect of Neurogranin on Neural Correlates of Episodic Memory Encoding and Retrieval. *Schizophrenia Bulletin* **39**:1, 141-150. [[Crossref](#)]
180. Maureen P. Daly, Sonia Afroz, Deborah J. Walder. 2012. Schizotypal traits and neurocognitive functioning among nonclinical young adults. *Psychiatry Research* **200**:2-3, 635-640. [[Crossref](#)]
181. Gina M. Najolia, Julia D. Buckner, Alex S. Cohen. 2012. Cannabis use and schizotypy: The role of social anxiety and other negative affective states. *Psychiatry Research* **200**:2-3, 660-668. [[Crossref](#)]
182. Emily Kline, Camille Wilson, Sabrina Ereshefsky, Katie L. Nugent, Steven Pitts, Gloria Reeves, Jason Schiffman. 2012. Schizotypy, psychotic-like experiences and distress: An interaction model. *Psychiatry Research* **200**:2-3, 647-651. [[Crossref](#)]
183. Katharine Elizabeth Chisholm, Paul Patterson, Carole Torgerson, Erin Turner, Max Birchwood. 2012. A randomised controlled feasibility trial for an educational school-based mental health intervention: study protocol. *BMC Psychiatry* **12**:1. . [[Crossref](#)]
184. Nicholas T. Van Dam, Gillinder Bedi, Mitch Earleywine. 2012. Characteristics of clinically anxious versus non-anxious regular, heavy marijuana users. *Addictive Behaviors* **37**:11, 1217-1223. [[Crossref](#)]
185. Melanie L. Beaussart, Scott Barry Kaufman, James C. Kaufman. 2012. Creative Activity, Personality, Mental Illness, and Short-Term Mating Success. *The Journal of Creative Behavior* **46**:3, 151-167. [[Crossref](#)]
186. Angela F. Nederlof, Peter Muris, Johannes E. Hovens. 2012. Psychotic-like experiences and aggressive behavior in a non-clinical sample. *Personality and Individual Differences* **53**:1, 33-37. [[Crossref](#)]
187. Annis Lai-chu Fung, Adrian Raine. 2012. Peer Victimization as a Risk Factor for Schizotypal Personality in Childhood and Adolescence. *Journal of Personality Disorders* **26**:3, 428-434. [[Abstract](#)] [[PDF](#)] [[PDF with links](#)]
188. Annis Lai-chu Fung, Adrian Raine. 2012. Peer Victimization as a Risk Factor for Schizotypal Personality in Childhood and Adolescence. *Journal of Personality Disorders* **39**, 1-7. [[Crossref](#)]
189. Deborah J. Walder, Marta Statucka, Maureen P. Daly, Kathleen Axen, Margalit Haber. 2012. Biological sex and menstrual cycle phase modulation of cortisol levels and psychiatric symptoms in a non-clinical sample of young adults. *Psychiatry Research* **197**:3, 314-321. [[Crossref](#)]
190. S. A. Surguladze, E. D. Chkonia, A. R. Kezeli, M. O. Roinishvili, D. Stahl, A. S. David. 2012. The McCollough Effect and Facial Emotion Discrimination in Patients With Schizophrenia and Their Unaffected Relatives. *Schizophrenia Bulletin* **38**:3, 599-607. [[Crossref](#)]

191. Stephanie Aldebot Sacks, Amy Gina Weisman de Mamani, Cristina Phoenix Garcia. 2012. Associations between cognitive biases and domains of schizotypy in a non-clinical sample. *Psychiatry Research* **196**:1, 115-122. [[Crossref](#)]
192. Julie D. Henry, Peter G. Rendell, Phoebe Rogers, Mareike Altgassen, Matthias Kliegel. 2012. Prospective memory in schizophrenia and schizotypy. *Cognitive Neuropsychiatry* **17**:2, 133-150. [[Crossref](#)]
193. Eduardo Fonseca-Pedrero, Serafin Lemos-Giráldez, Mercedes Paino, Susana Sierra-Baigrie, José Muñiz. 2012. Relationship between Schizotypal and Borderline Traits in College Students. *The Spanish journal of psychology* **15**:1, 306-314. [[Crossref](#)]
194. Gillian Hamilton, Kathryn L. Evans, Donald J. MacIntyre, Ian J. Deary, Anna Dominiczak, Blair H. Smith, Andrew D. Morris, David J. Porteous, Pippa A. Thomson. 2012. Alzheimer's disease risk factor complement receptor 1 is associated with depression. *Neuroscience Letters* **510**:1, 6-9. [[Crossref](#)]
195. Emily Kline, Camille Wilson, Sabrina Ereshefsky, Thomas Tsuji, Jason Schiffman, Steven Pitts, Gloria Reeves. 2012. Convergent and discriminant validity of attenuated psychosis screening tools. *Schizophrenia Research* **134**:1, 49-53. [[Crossref](#)]
196. Tomohisa Asai, Zhu Mao, Eriko Sugimori, Yoshihiko Tanno. 2011. Rubber hand illusion, empathy, and schizotypal experiences in terms of self-other representations. *Consciousness and Cognition* **20**:4, 1744-1750. [[Crossref](#)]
197. Beate P. Winterstein, Paul J. Silvia, Thomas R. Kwapil, James C. Kaufman, Roni Reiter-Palmon, Benjamin Wigert. 2011. Brief assessment of schizotypy: Developing short forms of the Wisconsin Schizotypy Scales. *Personality and Individual Differences* **51**:8, 920-924. [[Crossref](#)]
198. Eduardo Fonseca-Pedrero, Mercedes Paino, Serafin Lemos-Giráldez, Susana Sierra-Baigrie, José Muñiz. 2011. Measurement invariance of the Schizotypal Personality Questionnaire-Brief across gender and age. *Psychiatry Research* **190**:2-3, 309-315. [[Crossref](#)]
199. Eriko Sugimori, Tomohisa Asai, Yoshihiko Tanno. 2011. Sense of agency over thought: External misattribution of thought in a memory task and proneness to auditory hallucination. *Consciousness and Cognition* **20**:3, 688-695. [[Crossref](#)]
200. Adrian Raine, Annis Lai-chu Fung, Bess Yin Hung Lam. 2011. Peer Victimization Partially Mediates the Schizotypy-Aggression Relationship in Children and Adolescents. *Schizophrenia Bulletin* **37**:5, 937-945. [[Crossref](#)]
201. H.F. Unterrainer, H.P. Huber, I.M. Sorgo, J. Collicutt, A. Fink. 2011. Dimensions of religious/spiritual well-being and schizotypal personality. *Personality and Individual Differences* **51**:3, 360-364. [[Crossref](#)]
202. Marissa Ericson, Catherine Tuvblad, Adrian Raine, Kelly Young-Wolff, Laura A. Baker. 2011. Heritability and Longitudinal Stability of Schizotypal Traits During Adolescence. *Behavior Genetics* **41**:4, 499-511. [[Crossref](#)]
203. Alex S. Cohen, Gina M. Najolia. 2011. Birth characteristics and schizotypy: Evidence of a potential "second hit". *Journal of Psychiatric Research* **45**:7, 955-961. [[Crossref](#)]
204. Gerard R. Dawson, Kevin J. Craig, Colin T. Dourish. 2011. Validation of experimental medicine methods in psychiatry: The P1vital approach and experience. *Biochemical Pharmacology* **81**:12, 1435-1441. [[Crossref](#)]

205. Hannah Darwin, Nick Neave, Joni Holmes. 2011. Belief in conspiracy theories. The role of paranormal belief, paranoid ideation and schizotypy. *Personality and Individual Differences* **50**:8, 1289-1293. [[Crossref](#)]
206. Eduardo Fonseca-Pedrero, Mercedes Paino, Serafin Lemos-Giráldez, José Muñiz. 2011. Schizotypal traits and depressive symptoms in nonclinical adolescents. *Comprehensive Psychiatry* **52**:3, 293-300. [[Crossref](#)]
207. Alex S. Cohen, Melissa R. Beck, Gina M. Najolia, Laura A. Brown. 2011. Affective disturbances in psychometrically defined schizotypy across direct, but not indirect assessment modes. *Schizophrenia Research* **128**:1-3, 136-142. [[Crossref](#)]
208. L. T. Germine, C. I. Hooker. 2011. Face emotion recognition is related to individual differences in psychosis-proneness. *Psychological Medicine* **41**:5, 937-947. [[Crossref](#)]
209. Nicholas T. Van Dam, Mitch Earleywine. 2011. Validation of the Center for Epidemiologic Studies Depression Scale—Revised (CESD-R): Pragmatic depression assessment in the general population. *Psychiatry Research* **186**:1, 128-132. [[Crossref](#)]
210. Tomohisa Asai, Eriko Sugimori, Yoshihiko Tanno. 2011. A psychometric approach to the relationship between hand-foot preference and auditory hallucinations in the general population: Atypical cerebral lateralization may cause an abnormal sense of agency. *Psychiatry Research* . [[Crossref](#)]
211. Raymond C.K. Chan, Chao Yan, Yong-Hong Qing, Ya Wang, Yu-Na Wang, Zheng Ma, Xiao-Hong Hong, Zhan-Jiang Li, Qi-Yong Gong, Xin Yu. 2011. Subjective awareness of everyday dysexecutive behavior precedes 'objective' executive problems in schizotypy: A replication and extension study. *Psychiatry Research* **185**:3, 340-346. [[Crossref](#)]
212. ###, Seon-Ah Yoon, Myungsun Kim. 2011. Relationships between Autonomous and Conscious Facial Emotional Processes and Neuropsychological Functions in Nonclinical College Students with Schizotypal Traits. *Korean Journal of Clinical Psychology* **30**:1, 225-245. [[Crossref](#)]
213. K. Gray, A. C. Jenkins, A. S. Heberlein, D. M. Wegner. 2011. Distortions of mind perception in psychopathology. *Proceedings of the National Academy of Sciences* **108**:2, 477-479. [[Crossref](#)]
214. Frederick Aardema, Kevin D. Wu. 2011. Imaginative, dissociative, and schizotypal processes in obsessive-compulsive symptoms. *Journal of Clinical Psychology* **67**:1, 74-81. [[Crossref](#)]
215. Bernard J. Crespi. One Hundred Years of Insanity: Genomic, Psychological, and Evolutionary Models of Autism in Relation to Schizophrenia 163-185. [[Crossref](#)]
216. Tomohisa Asai, Eriko Sugimori, Naoko Bando, Yoshihiko Tanno. 2011. The hierarchic structure in schizotypy and the five-factor model of personality. *Psychiatry Research* **185**:1-2, 78-83. [[Crossref](#)]
217. Mascha van 't Wout, Alan G. Sanfey. 2011. Interactive decision-making in people with schizotypal traits: A game theory approach. *Psychiatry Research* **185**:1-2, 92-96. [[Crossref](#)]
218. Michelle L. Esterberg, Sandra M. Goulding, Elaine F. Walker. 2010. Cluster A Personality Disorders: Schizotypal, Schizoid and Paranoid Personality Disorders in Childhood and Adolescence. *Journal of Psychopathology and Behavioral Assessment* **32**:4, 515-528. [[Crossref](#)]

219. Wei-Fen Ma, Po-Lun Wu, Shu-Ju Yang, Kuang-Fu Cheng, Hsien-Tsai Chiu, Hsien-Yuan Lane. 2010. Sensitivity and specificity of the Chinese version of the Schizotypal Personality Questionnaire-Brief for identifying undergraduate students susceptible to psychosis. *International Journal of Nursing Studies* 47:12, 1535-1544. [[Crossref](#)]
220. A. Raine, J. Liu, P. H. Venables, S. A. Mednick, C. Dalais. 2010. Cohort Profile: The Mauritius Child Health Project. *International Journal of Epidemiology* 39:6, 1441-1451. [[Crossref](#)]
221. Alex S. Cohen, Russell A. Matthews. 2010. Primary and secondary negative schizotypal traits in a large non-clinical sample. *Personality and Individual Differences* 49:5, 419-424. [[Crossref](#)]
222. John Stirling, Lauren McCoy. 2010. Quantifying the Psychological Effects of Ketamine: From Euphoria to the k-Hole. *Substance Use & Misuse* 45:14, 2428-2443. [[Crossref](#)]
223. Diana W. Stewart, Alex S. Cohen, Amy L. Copeland. 2010. Cigarette smoking across the schizotypy spectrum. *Psychiatry Research* 179:1, 113-115. [[Crossref](#)]
224. Ivan Koychev, Wael El-Deredy, Corinna Haenschel, John Francis William Deakin. 2010. Visual information processing deficits as biomarkers of vulnerability to schizophrenia: An event-related potential study in schizotypy. *Neuropsychologia* 48:7, 2205-2214. [[Crossref](#)]
225. ###, Myungsun Kim. 2010. Neuropsychological Profiles of Female College Students with Schizotypal and Obsessive-Compulsive Traits. *Korean Journal of Clinical Psychology* 29:2, 387-405. [[Crossref](#)]
226. Seon-Ah Yoon. 2010. Validity Study of Korean Version Schizotypal Personality Questionnaire-Brief(SPQ-B). *Korean Journal of Clinical Psychology* 29:2, 491-504. [[Crossref](#)]
227. Alejandro Parra. 2010. Out-of-Body Experiences and Hallucinatory Experiences: A Psychological Approach. *Imagination, Cognition and Personality* 29:3, 211-223. [[Crossref](#)]
228. Eduardo Fonseca-Pedrero, Serafin Lemos-Giráldez, Mercedes Páino-Piñeiro, Ursula Villazón-García, José Muñiz. 2010. Schizotypal traits, obsessive-compulsive symptoms, and social functioning in adolescents. *Comprehensive Psychiatry* 51:1, 71-77. [[Crossref](#)]
229. Shinya Ito, Yasuyuki Okumura, Shinji Sakamoto. 2010. Sex differences in the Schizotypal Personality Questionnaire Brief among Japanese employees and undergraduates: A cross-sectional study. *Personality and Individual Differences* 48:1, 40-43. [[Crossref](#)]
230. Clare Reeder, Teuta Rexhepi-Johansson, Til Wykes. 2010. Different Components of Metacognition and their Relationship to Psychotic-Like Experiences. *Behavioural and Cognitive Psychotherapy* 38:1, 49-57. [[Crossref](#)]
231. C. Massoubre, H. Bonnefond, A. Grosselin, A. Nelva, J. Pellet, F. Lang. 2009. Étude préliminaire comparative de l'instrument d'évaluation des troubles de la personnalité DIP avec l'entretien semi-structuré SCID-II. *L'Encéphale* 35:6, 544-553. [[Crossref](#)]
232. Glenn Shean, Joseph Meyer. 2009. Symptoms of schizophrenia and social cognition. *Psychiatry Research* 170:2-3, 157-160. [[Crossref](#)]
233. Michael T. Compton, Sandra M. Goulding, Roger Bakeman, Erin B. McClure-Tone. 2009. An examination of the factorial structure of the Schizotypal Personality

- Questionnaire-Brief (SPQ-B) among undergraduate students. *Schizophrenia Research* **115**:2-3, 286-289. [[Crossref](#)]
234. C. B. Lesmana, N. Tiliopoulos. 2009. Schizotypal personality traits and attitudes towards Hinduism among Balinese Hindus. *Mental Health, Religion & Culture* **12**:8, 773-785. [[Crossref](#)]
235. T. Kircher, V. Markov, A. Krug, T. Eggermann, K. Zerres, M. M. Nöthen, M. H. Skowronek, M. Rietschel. 2009. Association of the DTNBP1 genotype with cognition and personality traits in healthy subjects. *Psychological Medicine* **39**:10, 1657. [[Crossref](#)]
236. Eduardo Fonseca-Pedrero, Mercedes Paíno-Piñeiro, Serafin Lemos-Giráldez, Úrsula Villazón-García, José Muñiz. 2009. Validation of the Schizotypal Personality Questionnaire—Brief Form in adolescents. *Schizophrenia Research* **111**:1-3, 53-60. [[Crossref](#)]
237. David A. Bradbury, John Stirling, John Cavill, Andrew Parker. 2009. Psychosis-like experiences in the general population: An exploratory factor analysis. *Personality and Individual Differences* **46**:7, 729-734. [[Crossref](#)]
238. Julie D. Henry, Melissa J. Green, Corinne Restuccia, Amber de Lucia, Peter G. Rendell, Skye McDonald, Jessica R. Grisham. 2009. Emotion dysregulation and schizotypy. *Psychiatry Research* **166**:2-3, 116-124. [[Crossref](#)]
239. Neil Dagnall, Andrew Parker. 2009. Schizotypy and false memory. *Journal of Behavior Therapy and Experimental Psychiatry* **40**:1, 179-188. [[Crossref](#)]
240. Jeffrey S. Bedwell, Vidyulata Kamath, Michael T. Compton. 2009. The relationship between interview-based schizotypal personality dimension scores and the continuous performance test. *Schizophrenia Research* **108**:1-3, 158-162. [[Crossref](#)]
241. Mark Batey, Adrian Furnham. 2008. The relationship between measures of creativity and schizotypy. *Personality and Individual Differences* **45**:8, 816-821. [[Crossref](#)]
242. Alejandro Parra. 2008. La "visión del aura" como experiencia alucinatoria en individuos no-clínicos. *Psico-USF* **13**:2, 277-286. [[Crossref](#)]
243. Suzanne L. Seah, Rebecca P. Ang. 2008. Differential correlates of reactive and proactive aggression in Asian adolescents: relations to narcissism, anxiety, schizotypal traits, and peer relations. *Aggressive Behavior* **34**:5, 553-562. [[Crossref](#)]
244. Fabian Aguirre, Mark J. Sergi, Cynthia A. Levy. 2008. Emotional intelligence and social functioning in persons with schizotypy. *Schizophrenia Research* **104**:1-3, 255-264. [[Crossref](#)]
245. Nicholas T Van Dam, Mitch Earleywine, Greg DiGiacomo. 2008. Polydrug use, cannabis, and psychosis-like symptoms. *Human Psychopharmacology: Clinical and Experimental* **23**:6, 475-485. [[Crossref](#)]
246. Andreas Hergovich, Reinhard Schott, Martin Arendasy. 2008. On the relationship between paranormal belief and schizotypy among adolescents. *Personality and Individual Differences* **45**:2, 119-125. [[Crossref](#)]
247. Keith R. Laws, Devina D. Patel, Philip J. Tyson. 2008. Awareness of everyday executive difficulties precede overt executive dysfunction in schizotypal subjects. *Psychiatry Research* **160**:1, 8-14. [[Crossref](#)]

248. Charles Fernyhough, Simon R. Jones, Chantelle Whittle, Jodie Waterhouse, Richard P. Bentall. 2008. Theory of mind, schizotypy, and persecutory ideation in young adults. *Cognitive Neuropsychiatry* 13:3, 233-249. [[Crossref](#)]
249. Vidyulata Kamath, Jeffrey S. Bedwell. 2008. Olfactory identification performance in individuals with psychometrically-defined schizotypy. *Schizophrenia Research* 100:1-3, 212-215. [[Crossref](#)]
250. Jennifer Johnstone, Niko Tiliopoulos. 2008. Exploring the Relationship between Schizotypal Personality Traits and Religious Attitude in an International Muslim Sample. *Archive for the Psychology of Religion* 30:1, 241-254. [[Crossref](#)]
251. Shinya Ito, Hitoshi Okada. 2008. Asymmetries in Hemispheric Control of Attention in Schizotypy. *The Japanese Journal of Personality* 17:1, 108-110. [[Crossref](#)]
252. Kerry Schofield, Gordon Claridge. 2007. Paranormal experiences and mental health: Schizotypy as an underlying factor. *Personality and Individual Differences* 43:7, 1908-1916. [[Crossref](#)]
253. Tilo T. Kircher, Nina Y. Seiferth, Christian Plewnia, Sophia Baar, Rainer Schwabe. 2007. Self-face recognition in schizophrenia. *Schizophrenia Research* 94:1-3, 264-272. [[Crossref](#)]
254. Andreas Hergovich, Martin Arendasy. 2007. Scores for Schizotypy and Five-Factor Model of a Sample of Distant Healers: A Preliminary Study. *Perceptual and Motor Skills* 105:1, 197-203. [[Crossref](#)]
255. Valerie Krysanski, F. R. Ferraro. 2007. Creativity, Unique Designs, and Schizotypy in a Nonclinical Sample. *Psychological Reports* 101:1, 273-274. [[Crossref](#)]
256. Matteo Cella, Kelly Taylor, Phil Reed. 2007. Violation of expectancies produces more false positive reports in a word detection task in people scoring high in unusual experiences scale. *Personality and Individual Differences* 43:1, 59-70. [[Crossref](#)]
257. Michael T. Compton, Victoria H. Chien, Annie M. Bollini. 2007. Psychometric properties of the Brief Version of the Schizotypal Personality Questionnaire in relatives of patients with schizophrenia-spectrum disorders and non-psychiatric controls. *Schizophrenia Research* 91:1-3, 122-131. [[Crossref](#)]
258. Carol S. Jahshan, Mark J. Sergi. 2007. Theory of mind, neurocognition, and functional status in schizotypy. *Schizophrenia Research* 89:1-3, 278-286. [[Crossref](#)]
259. ANDREAS HERGOVICH. 2007. SCORES FOR SCHIZOTYPY AND FIVE-FACTOR MODEL OF A SAMPLE OF DISTANT HEALERS: A PRELIMINARY STUDY. *Perceptual and Motor Skills* 105:5, 197. [[Crossref](#)]
260. VALERIE KRYSAWSKI. 2007. CREATIVITY, UNIQUE DESIGNS, AND SCHIZOTYPY IN A NON CLINICAL SAMPLE. *Psychological Reports* 101:5, 273. [[Crossref](#)]
261. Emre Bora, Baybars Veznedaroglu. 2007. Temperament and character dimensions of the relatives of schizophrenia patients and controls: The relationship between schizotypal features and personality. *European Psychiatry* 22:1, 27-31. [[Crossref](#)]
262. Jeffrey S. Bedwell, Vidyulata Kamath, Elizabeth Baksh. 2006. Comparison of three computer-administered cognitive tasks as putative endophenotypes of schizophrenia. *Schizophrenia Research* 88:1-3, 36-46. [[Crossref](#)]

263. Mitch Earleywine. 2006. Schizotypy, marijuana, and differential item functioning. *Human Psychopharmacology: Clinical and Experimental* **21**:7, 455-461. [[Crossref](#)]
264. Catherine L. Caldwell-Harris, Ayse Ayçiçeği. 2006. When Personality and Culture Clash: The Psychological Distress of Allocentrics in an Individualist Culture and Idiocentrics in a Collectivist Culture. *Transcultural Psychiatry* **43**:3, 331-361. [[Crossref](#)]
265. J.-M. Cloos, M.-C. Pull-Erpelding, C.-B. Pull. 2006. Entretiens diagnostiques structurés en psychiatrie. *EMC - Psychiatrie* **3**:3, 1-30. [[Crossref](#)]
266. Jeffrey S. Bedwell, Reesa S. Donnelly. 2005. Schizotypal personality disorder or prodromal symptoms of schizophrenia?. *Schizophrenia Research* **80**:2-3, 263-269. [[Crossref](#)]
267. Jeremy E.C. Genovese. 2005. Paranormal beliefs, schizotypy, and thinking styles among teachers and future teachers. *Personality and Individual Differences* **39**:1, 93-102. [[Crossref](#)]
268. Andreas Hergovich, Ulrike Willinger, Martin Arendasy. 2005. Paranormal Belief, Schizotypy, and Body Mass Index. *Perceptual and Motor Skills* **100**:3, 883-891. [[Crossref](#)]
269. Viviana Wuthrich, Timothy C. Bates. 2005. Reliability and validity of two Likert versions of the Schizotypal Personality Questionnaire (SPQ). *Personality and Individual Differences* **38**:7, 1543-1548. [[Crossref](#)]
270. Anneli Goulding. 2005. Healthy schizotypy in a population of paranormal believers and experients. *Personality and Individual Differences* **38**:5, 1069-1083. [[Crossref](#)]
271. Ignacio Mata, David Mataix-Cols, Victor Peralta. 2005. Schizotypal Personality Questionnaire-Brief: factor structure and influence of sex and age in a nonclinical population. *Personality and Individual Differences* **38**:5, 1183-1192. [[Crossref](#)]
272. Jason Schiffman, Brad Nakamura, Mitchell Earleywine, Joseph LaBrie. 2005. Symptoms of schizotypy precede cannabis use. *Psychiatry Research* **134**:1, 37-42. [[Crossref](#)]
273. Ayse Aycicegi, Wayne M. Dinn, Catherine L. Harris. 2005. Validation of Turkish and English Versions of the Schizotypal Personality Questionnaire-B. *European Journal of Psychological Assessment* **21**:1, 34-43. [[Crossref](#)]
274. Robert F. Krueger, Angus W. MacDonald. 2005. Dimensional Approaches to Understanding and: Treating Psychosis. *Psychiatric Annals* **35**:1, 31-35. [[Crossref](#)]
275. Wayne M Dinn, Ayse Aycicegi, Catherine L Harris. 2004. Cigarette smoking in a student sample: Neurocognitive and clinical correlates. *Addictive Behaviors* **29**:1, 107-126. [[Crossref](#)]
276. Ayse Aycicegi, Wayne M. Dinn, Catherine L. Harris, Husnu Erkmen. 2003. Neuropsychological function in obsessive-compulsive disorder: effects of comorbid conditions on task performance. *European Psychiatry* **18**:5, 241-248. [[Crossref](#)]
277. Wayne M Dinn, Catherine L Harris, Ayse Aycicegi, Paul Greene, Margaret S Andover. 2002. Positive and negative schizotypy in a student sample: neurocognitive and clinical correlates. *Schizophrenia Research* **56**:1-2, 171-185. [[Crossref](#)]
278. Charles McCreery, Gordon Claridge. 2002. Healthy schizotypy. *Personality and Individual Differences* **32**:1, 141-154. [[Crossref](#)]

279. James Houran, Harvey J. Irwin, Rense Lange. 2001. Clinical relevance of the two-factor rasch version of the Revised Paranormal Belief Scale. *Personality and Individual Differences* 31:3, 371-382. [[Crossref](#)]
280. Seth R. Axelrod,, Carlos M. Grilo,, Charles Sanislow,, Thomas H. McGlashan,. 2001. Schizotypal Personality Questionnaire-Brief: Factor Structure and Convergent Validity in Inpatient Adolescents. *Journal of Personality Disorders* 15:2, 168-179. [[Abstract](#)] [[References](#)] [[PDF](#)] [[PDF with links](#)]
281. Harvey J. Irwin. 2001. The relationship between dissociative tendencies and schizotypy: An artifact of childhood trauma?. *Journal of Clinical Psychology* 57:3, 331-342. [[Crossref](#)]
282. Uwe Wolfradt, Viktor Oubaid, Eckart R. Straube, Natascha Bischoff, Johannes Mischo. 1999. Thinking styles, schizotypal traits and anomalous experiences. *Personality and Individual Differences* 27:5, 821-830. [[Crossref](#)]
283. Uwe Wolfradt, Eckart R. Straube. 1998. Factor structure of schizotypal traits among adolescents. *Personality and Individual Differences* 24:2, 201-206. [[Crossref](#)]
284. Irwin S. Rosenfarb, Michael A. Juan. Schizotypal Personality Disorder 593-599. [[Crossref](#)]