## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %} ← {% bl}

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %}↔{% bl

```
Showing results for contents of text-input area - Nu Html Checker
    Error Element head is missing a required instance of child element title.
    From line 1, column 1; to line 1, column 25
    {% extends 'base.html' %}↔{% bl
    Content model for element <u>head</u>:
       If the document is an iframe srcdoc document or if title information is available from a
       higher-level protocol: Zero or more elements of metadata content, of which no more than one
       is a title element and no more than one is a base element.
       Otherwise: One or more elements of metadata content, of which exactly one is a title
       element and no more than one is a base element.
   Error Bad value {% static '' %}img/hogwarts.png for attribute src on
    element | img |: Illegal character in path segment: | { | is not allowed.
    From line 16, column 25; to line 16, column 109
                <img class="home-image" src="{% static '' %}img/hogwarts.png"</pre>
    alt="Hogwarts Crest" />↩
    [ Error ] Bad value | {% url 'sorting' %} | for attribute | href | on element | a |:
5.
    Illegal character in path segment: | { | is not allowed.
    From line 29, column 25; to line 29, column 96
                <a class="btn btn btn-dark btn-lg large-btn" href="{% url 'sorting'</pre>
   Error Bad value {% static '' %}img/{{h.name}}.png for attribute src
    on element | img |: Illegal character in path segment: | { | is not allowed.
    From line 50, column 41; to line 51, column 86
                <img src="{% static '' %}img/{{h.name}}.png"←</pre>
    class="index-card-icon" alt="\{\{h.name\}\}">\hookrightarrow
    Error Bad value {% url 'house' name=h.name %} for attribute href on
7.
    element | a |: Illegal character in path segment: | { | is not allowed.
    From line 55, column 41; to line 56, column 80
```

<a class="btn btn-lg uppercase-txt {{h.name}}-btn mb-1"←</pre>

Document checking completed.

## Source

1. {% extends 'base.html' %}↔

href="{% url 'house' name=h.name %}">↔

- 2. {% block content %} ←
- 3. {% load static %}↔
- <div class="container">←

```
<article>←
 6
 7.
                <!-- Page Title -->↔
 8.
                <header>←
 9.
                     <div class="row">↔
10.
                         <div class="col-xs-1 text-center">←
11.
                             <h1>Welcome to<br>Hogwarts School of Witchcraft and
    Wizardry!</h1>↔
12.
                         </div>←
13.
                     </div>←
14.
                     <div class="row mt-3 mb-4">↔
15.
                         <div class="center-container">←
                             <img class="home-image" src="{% static ''</pre>
16.
    %}img/hogwarts.png" alt="Hogwarts Crest" />↩
17.
                         </div>←
18.
                     </div>↩
19.
                </header>←
20.
                <!-- Site Objective & Quick access of main Sorting application --
21.
                <section>←
22.
                     <div class="row">↔
23.
                         <div class="col-xs-1 text-center">←
24.
                             <h2>Ready to find your Hogwarts House and let the magic
    begin?</h2>↔
25.
                         </div>↔
26.
                     </div>↩
27.
                     <div class="row mt-4 mb-4">↔
28.
                         <div class="center-container">↔
29.
                             <a class="btn btn btn-dark btn-lg large-btn" href="{%</pre>
    url 'sorting' %}">←
30.
                                 <strong>Sorting Ceremony</strong>↔
31.
                             </a>←
32.
                         </div>←
33.
                     </div>↩
34.
                     <div class="row">←
                         <div class="col-xs-1 text-center">←
35.
36.
                             <h3>There are four Houses in Hogwarts to host students
    with different personalities.<br>↔
37.
                             Discover all houses and get sorted in yours during the
    Sorting Ceremony!</h3>←
38.
                         </div>↩
39.
                     </div>↔
40.
                </section>←
41.
                <!-- Short introduction & Quick access of Houses to get information
    before Sorting -->↔
42.
                <div>←
43.
                     <div class="buttons-container mt-3 mb-2">←
44.
                         {% for h in houses %}↔
45.
                             <div class="center-container mt-2">←
                                 <div class="index-card">↔
46.
47.
                                      <section>←
48.
                                          <header>←
49.
                                              <h3 class="mt-3 uppercase-txt</pre>
    {{h.name}}-txt"><strong>{{h.name}}</strong></h3>↔
50.
                                              <img src="{% static ''</pre>
    %}img/{{h.name}}.png"↔
51.
                                                   class="index-card-icon" alt="
    {{h.name}}">↩
52.
                                          </header>←
                                          <div class="mb-2">↔
53.
54.
                                              <b>
    {{h.description|linebreaks}}</b>↔
55.
                                              <a class="btn btn-lg uppercase-txt</pre>
    {{h.name}}-btn mb-1"↔
                                                 href="{% url 'house' name=h.name
56.
    %}">↩
57.
                                                  <strong>House {{h.name}}</strong>←
58.
                                              </a>←
59.
                                          </div>←
60.
                                     </section>↩
61.
                                 </div>↩
62.
                             </div>←
```

```
63. {% endfor %}↔
64. </div>↔
65. </div>↔
66. </article>↔
67. </div>↔
68. </main>↔
69. {% endblock content %}
```

Used the HTML parser.

Total execution time 7 milliseconds.

About this checker • Report an issue • Version: 21.11.14