

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
{% extends 'base.html' %}
{% block content %}
{% load static %}
<main>
  <div class="container">
    <!-- Page Title -->
    <div class="row mb-2">
      <div class="col-xs-1 text-center">
        <h1>{{quiz}}</h1>
      </div>
    </div>
    <div class="row mt-3 mb-3">
      <div class="center-container">
        
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↔{% b1
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↔{% b1
```

3. **Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↵{% b1
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** Bad value `{% static ' ' %}img/hogwarts.png` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 14, column 17; to line 14, column 108](#)

```
↵
```

5. **Error** Bad value `{% static ' ' %}img/sorting_{{h.name}}.png` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 32, column 37; to line 33, column 99](#)

```
↵
```

6. **Error** Bad value `{% url 'house' name=h.name %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 65, column 37; to line 66, column 76](#)

```
<a class="btn btn-lg uppercase-txt {{h.name}}-btn mb-1"↵
href="{% url 'house' name=h.name %}">↵
```

7. **Error** Bad value `{% static ' ' %}img/sorting_{{h.name}}.png` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 90, column 37; to line 91, column 71](#)

```
↵
```

8. **Error** Bad value `{% url 'house' name=h.name %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 123, column 37; to line 123, column 129](#)

```
<a class="btn btn-lg uppercase-txt {{h.name}}-btn mb-1" href="{%
url 'house' name=h.name %}">↵
```

9. **Error** Bad value `{% url 'sorting' %}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

[From line 190, column 17; to line 190, column 93](#)

```
<a class="btn btn btn-dark btn-lg large-btn ml-2" href="{% url
'sorting' %}">↵
```

10. **Error** Bad value `{% url 'results' %}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

[From line 198, column 17; to line 198, column 93](#)

```
<a class="btn btn btn-dark btn-lg large-btn ml-2" href="{% url
'results' %}">↵
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↵
2. {% block content %}↵
3. {% load static %}↵
4. <main>↵
5.     <div class="container">↵
6.         <!-- Page Title -->↵
7.         <div class="row mb-2">↵
8.             <div class="col-xs-1 text-center">↵
9.                 <h1>{{quiz}}</h1>↵
10.            </div>↵
11.        </div>↵
12.        <div class="row mt-3 mb-3">↵
13.            <div class="center-container">↵
14.                ↵
15.            </div>↵
16.        </div>↵
17.        <!-- User result for main house(s) -->↵
18.        <section class="row mb-3">↵
19.            <header class="row">↵
20.                <div class="col-xs-1 text-center">↵
21.                    <h2 class="uppercase-txt bold">You belong to</h2>↵
22.                    <h2 class="uppercase-txt bold">{{title}}</h2>↵
23.                </div>↵
24.            </header>↵
25.            <div class="buttons-container mt-3 mb-2">↵
26.                {% for h in houses %}↵
27.                    <div class="center-container mt-1">↵
28.                        <div class="index-card">↵
29.                            <article>↵
30.                                <header>↵
31.                                    <h3 class="mt-3 mb-4 uppercase-txt
{{h.name}}-txt"><strong>{{h.name}}</strong></h3>↵
32.                                    ↵
```

```

34.                                <!-- Handle color styling based on house
name -->
35.                                <div class="row mt-4">
36.                                    <div class="center-container">
37.                                        {% if h.name in 'gryffindor' %}
38.                                            <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn
39.                                                {{h.name}}-label bold">
40.                                                    {{result.gryffindor}}%
41.                                                </h3>
42.                                        {% elif h.name in 'hufflepuff' %}
43.                                            <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn
44.                                                {{h.name}}-label bold">
45.                                                    {{result.hufflepuff}}%
46.                                                </h3>
47.                                        {% elif h.name in 'ravenclaw' %}
48.                                            <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn
49.                                                {{h.name}}-label bold">
50.                                                    {{result.ravenclaw}}%
51.                                                </h3>
52.                                        {% elif h.name in 'slytherin' %}
53.                                            <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn
54.                                                {{h.name}}-label bold">
55.                                                    {{result.slytherin}}%
56.                                                </h3>
57.                                        {% endif %}
58.                                    </div>
59.                                </div>
60.                            </header>
61.                            <section class="mb-2">
62.                                <div class="uppercase-txt bold">
63.                                    <h4 class="mt-2 mb-3">
{{h.keywords|linebreaks}}</h4>
64.                                </div>
65.                                <a class="btn btn-lg uppercase-txt
{{h.name}}-btn mb-1"
66.                                    href="{% url 'house' name=h.name %}">
67.                                    <strong>House {{h.name}}</strong>
68.                                </a>
69.                            </section>
70.                        </article>
71.                    </div>
72.                </div>
73.            {% endfor %}
74.        </div>
75.    </section>
76.    <!-- User result for other houses -->
77.    <section class="row mt-3 mb-3">
78.        <header class="row">
79.            <div class="col-xs-1 text-center">
80.                <h2 class="bold">Your results for other Houses</h2>
81.            </div>
82.        </header>
83.        <div class="buttons-container mt-4 mb-2">
84.            {% for h in other_houses %}
85.                <div class="center-container mt-1">
86.                    <div class="index-card">
87.                        <article>
88.                            <header>
89.                                <h3 class="mt-3 mb-4 uppercase-txt
{{h.name}}-txt"><strong>{{h.name}}</strong></h3>
90.                                
92.                            <!-- Handle color styling based on house
name -->
93.                                <div class="row mt-4">
94.                                    <div class="center-container">

```

```

95.                                     {% if h.name in 'gryffindor' %}↵
96.                                     <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn↵
97.                                     {{h.name}}-label bold">↵
98.                                     {{result.gryffindor}}%↵
99.                                     </h3>↵
100.                                    {% elif h.name in 'hufflepuff' %}↵
101.                                    <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn↵
102.                                    {{h.name}}-label bold">↵
103.                                    {{result.hufflepuff}}%↵
104.                                    </h3>↵
105.                                    {% elif h.name in 'ravenclaw' %}↵
106.                                    <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn↵
107.                                    {{h.name}}-label bold">↵
108.                                    {{result.ravenclaw}}%↵
109.                                    </h3>↵
110.                                    {% elif h.name in 'slytherin' %}↵
111.                                    <h3 class="mt-1 uppercase-txt
result-label {{h.name}}-btn↵
112.                                    {{h.name}}-label bold">↵
113.                                    {{result.slytherin}}%↵
114.                                    </h3>↵
115.                                    {% endif %}↵
116.                                </div>↵
117.                            </div>↵
118.                        </header>↵
119.                        <section class="mb-2">↵
120.                            <div class="uppercase-txt bold">↵
121.                                <h4 class="mt-2 mb-3">
{{h.keywords|linebreaks}}</h4>↵
122.                                </div>↵
123.                                <a class="btn btn-lg uppercase-txt
{{h.name}}-btn mb-1" href="{% url 'house' name=h.name %}">↵
124.                                    <strong>House {{h.name}}</strong>↵
125.                                </a>↵
126.                            </section>↵
127.                        </article>↵
128.                    </div>↵
129.                </div>↵
130.            {% endfor %}↵
131.        </div>↵
132.    </section>↵
133.    <!-- User satisfaction input -->↵
134.    <div class="row mt-4">↵
135.        <div class="row">↵
136.            <h3 class="text-center bold">Are you satisfied with your
sorting result?</h3>↵
137.        </div>↵
138.        {% if satisfaction_done %}↵
139.            <!-- If satisfaction input already provided -->↵
140.            {% if satisfied %}↵
141.                <!-- If satisfaction input already provided & positive
input received -->↵
142.                <div class="row mt-3">↵
143.                    <div class="center-container">↵
144.                        <h3 class="text-center slytherin-txt bold">ANSWERED
: YES</h3>↵
145.                    </div>↵
146.                </div>↵
147.            {% else %}↵
148.                <!-- If satisfaction input already provided & negative
input received -->↵
149.                <div class="row mt-3">↵
150.                    <div class="center-container">↵
151.                        <h3 class="text-center gryffindor-txt
bold">ANSWERED : NO</h3>↵
152.                    </div>↵
153.                </div>↵
154.            {% endif %}↵

```

```

155.         <!-- Comment on received satisfaction user input -->
156.         <div class="row mt-3">
157.             <div class="center-container">
158.                 <h3 class="text-center bold">{{satisfaction_comment}}
</h3>
159.             </div>
160.         </div>
161.     {% else %}
162.         <!-- If satisfaction input is not yet provided -->
163.         <div class="row mt-3">
164.             <div class="center-container">
165.                 <form method="POST">
166.                     {% csrf_token %}
167.                     <input type="submit" id="satisfied_btn"
name="satisfied_btn"
168.                         class="btn btn-lg btn-success small-btn"
value="YES"/>
169.                     <input type="submit" id='not_satisfied_btn'
name='not_satisfied_btn'
170.                         class="btn btn-lg btn-danger small-btn"
value="NO">
171.                 </form>
172.             </div>
173.         </div>
174.     {% endif %}
175. </div>
176. <!-- Additional Action Buttons -->
177. <!-- User can save/export current result to csv file -->
178. <div class="row mt-4">
179.     <div class="center-container mt-4">
180.         <form method="POST">
181.             {% csrf_token %}
182.             <input type="submit" id='save_result' name='save_result'
183.                 class="btn btn btn-dark btn-lg large-btn ml-2 bold"
value="Save My Result">
184.         </form>
185.     </div>
186. </div>
187. <!-- Start new Sorting -->
188. <div class="row mt-4">
189.     <div class="center-container">
190.         <a class="btn btn btn-dark btn-lg large-btn ml-2" href="{% url
'sorting' %}">
191.             <strong>New Sorting</strong>
192.         </a>
193.     </div>
194. </div>
195. <!-- See all houses' results -->
196. <div class="row mt-4">
197.     <div class="center-container">
198.         <a class="btn btn btn-dark btn-lg large-btn ml-2" href="{% url
'sorting' %}">
199.             <strong>All Results</strong>
200.         </a>
201.     </div>
202. </div>
203. </div>
204. </main>
205. {% endblock content %}s

```

Used the HTML parser.

Total execution time 16 milliseconds.

