Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %} ↔ {% bl

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

[<!DOCTYPE html>].

From line 1, column 1; to line 1, column 25

[{% extends 'base.html' %}↔{% bl}]
```

```
3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %} ↔ {% b1}

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
```

```
4. Error Bad value [% url 'social:begin' 'facebook' %} for attribute [href] on element a: Illegal character in path segment: [{ is not allowed.}

From line 34, column 18; to line 34, column 92

<a href="f"><a href=f"><a href="f"><a href="f"><a href=f"><a h
```

```
5. Error Bad value {% url 'social:begin' 'twitter' %} for attribute href on element a: Illegal character in path segment: {{ is not allowed.}

From line 35, column 18; to line 35, column 88

<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info mb-2">Login</a>
```

```
6. Error Bad value [% url 'social:begin' 'google-oauth2' %] for attribute href on element a: Illegal character in path segment: [{ is not allowed.

From line 36, column 18; to line 36, column 96

<a href="{% url 'social:begin' 'google-oauth2' %}" class="btn btn-danger mb-2">Login</a>
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
2. {% block content %}↔
3. ⟨div class="overlay"></div>↔
4. <div class="container main-container">←
5.
       <article>↩
6.
            <!-- Page Title -->↔
7.
            <header class="row page-title mb-3">←
                <div class="col-12">←
8.
9.
                    <h1 class="text-dark mt-4">Log In</h1>↔
10.
                </div>↔
11.
            </header>←
12.
            <!-- Login form -->↔
            <div class="row">↔
13.
                <div class="col-7">↔
14.
15.
                    <form method="POST">←
```

```
16.
                        {% csrf_token %}↔
17.
                        <div class="form-group">←
18.
                            <label for="username">Username</label>←
19.
                            <input type="text" class="form-control" id="username"</pre>
   name="username" required/>↔
20.
                        </div>←
21.
                        <div class="form-group">←
22.
                            <label for="password">Password</label>←
                            <input type="password" class="form-control"</pre>
23.
    id="password" name="password" required/>↔
24.
                        </div>←
25.
                        <br>>←
26.
                        <input type="submit" value="Log In" class="btn btn-lg btn-</pre>
   dark"/>↩
27.
                    </form>←
28.
                </div>←
29.
            </div>←
30.
            <br>
<
31.
             <!-- Login with social media accounts (Facebook / Twitter / Google) --
   >←
32.
            <footer class="row">↔
                33.
34.
   primary mb-2">Login with Facebook</a>
                     <a href="{% url 'social:begin' 'twitter' %}" class="btn btn-</pre>
35.
    info mb-2">Login with Twitter</a>↔
                     <a href="{% url 'social:begin' 'google-oauth2' %}" class="btn</pre>
36.
   btn-danger mb-2">Login with Google</a>↔
37.
                 </div>←
38.
            </footer>↩
39.
        </article>↩
40. </div>←
41. {% endblock content %}
```

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 22.6.5