## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends "base.html" %} ← {% 10}
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends "base.html" %}↔ {% lo
```

```
Error Element head is missing a required instance of child element title.
   From line 1, column 1; to line 1, column 25
    {% extends "base.html" %}↔{% lo
    Content model for element <u>head</u>:
      If the document is an iframe srcdoc document or if title information is available from a
      higher-level protocol: Zero or more elements of metadata content, of which no more than one
      is a title element and no more than one is a base element.
      Otherwise: One or more elements of metadata content, of which exactly one is a title
      element and no more than one is a <u>base</u> element.
    Error) Bad value | {% url 'profile' %} | for attribute | action | on element
    form: Illegal character in path segment: | { | is not allowed.
   From line 22, column 21; to line 22, column 69
               <form action="{% url 'profile' %}" method="POST">←
   Warning Section lacks heading. Consider using h2 Hh6 elements to add
   identifying headings to all sections, or else use a | div| element instead for any
    cases where no heading is needed.
   From line 21, column 17; to line 21, column 38
               <section class="mt-3">←
   [Error] Bad value {% url 'feedback' %} for attribute href on element a:
   Illegal character in path segment: | { | is not allowed.
   From line 62, column 29; to line 62, column 80
               <a class="btn btn-dark" href="{% url 'feedback' %}">←
   [ Error ] Bad value | {% url 'quiz' %} | for attribute | href | on element | a |:
7.
   Illegal character in path segment: | { | is not allowed.
   From line 143, column 29; to line 143, column 76
               <a class="btn btn-dark" href="{% url 'quiz' %}">←
    [ Error | Bad value | {% url 'book_detail' b.book.id %} | for attribute | href |
8.
    on element a: Illegal character in path segment: { is not allowed.
    From line 161, column 37; to line 161, column 98
               <a href="{% url 'book_detail' b.book.id %}" class="text-dark">←
    Error Bad value {% url 'result' b.id %} for attribute href on element
9.
    a: Illegal character in path segment: | { | is not allowed.
    From line 170, column 37; to line 170, column 91
               <a class="btn btn-dark" href="{% url 'result' b.id %}">←
```

```
10. Error Bad value [% url 'feedback' %} for attribute [href] on element a:

Illegal character in path segment: [{ is not allowed.

From line 208, column 29; to line 208, column 80

⟨a class="btn btn-dark" href="{% url 'feedback' %}">←
```

11. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 15, column 9; to line 15, column 29

> ☆ <section class="row"> ☆ <

```
12. Error Bad value {% static 'js/profiles_country.js' %} for attribute src on element script : Illegal character in path segment: { is not allowed.

From line 254, column 1; to line 254, column 75

e>⇔</div>⇔<script type="text/javascript" src="{% static 'js/profiles_country.js' %}"></scri
```

```
Warning The type attribute is unnecessary for JavaScript resources.

From line 254, column 1; to line 254, column 75

e>⇔</div>⇔<script type="text/javascript" src="{% static
  'js/profiles_country.js' %}"></scri
```

Document checking completed.

## Source

```
1. {% extends "base.html" %}↔
 2. {% load static %}↔
 3. {% block content %}↔
 4. <div class="overlay"></div>↔
 5. <div class="container main-container">←
        <article class="row">←
 7.
             <!-- Page Title -->↔
            <header class="row">↔
 8.
 9.
                <div class="col">←
10.
                    <h1 class="logo-font mt-4">My Profile</h1>↔
11.
                    <h2 class="logo-font mb-4">User {{ request.user.username }}
   </h2>↩
12.
                </div>↔
13.
            </header>↩
            <!-- Profile Elements -->↔
14.
15.
            <section class="row">←
16.
                 <!-- Delivery information saved from order -->↔
                <article class="col-12 col-lg-6 mt-2">←
17.
18.
                    <header>←
19.
                        <h3 class="text-dark white-shadow bold">Latest Delivery
    Information</h3>←
20.
                    </header>←
21.
                    <section class="mt-3">←
                        <form action="{% url 'profile' %}" method="POST">←
22.
23.
                            {% csrf token %}↔
```

```
24.
                           {{ form crispy }}↔
25.
                       </form>←
26.
                   </section>↔
27.
               </article>↔
28.
                <!-- Order History : List of past orders -->↔
29.
               <article class="col-12 col-lg-6 mt-2">←
30.
                    <header>←
31.
                       <h3 class="text-dark white-shadow bold">Order
   History</h3>↩
                   </header>↩
32.
33.
                    <section class="order-history table-responsive">←
                       {% if orders %}↔
34.
                       ←
35.
36.
                           <thead>←
37.

<
38.
                                   Order Number←
39.
                                   Date↔
40.
                               ↩
41.
                           </thead>←
42.
                           ←
43. ←
44.
                           ←
45.
                       ←
46.
                       {% else %}←
47.
                       <header class="card row">←
48.
                           <div class="row">↔
49.
                                <h5 class="mt-2 mb-2">No orders yet.</h5>↔
50.
                           </div>←
51.
                        </header>↩
                        {% endif %}↔
52.
53.
                   </section>↩
               </article>↩
54.
55.
               <!-- List of book recommendations made by user↔
56.
                    with link toward the Feedback page and Delete option-->↔
                <article class="row mt-4 mb-3">←
57.
58.
59.
                       <h3 class="white-shadow">My Recommendations</h3>↔
60.
                       <div class="mb-3 mt-2">↔
                           <div class="col-12">←
61.
                               <a class="btn btn-dark" href="{% url 'feedback'</pre>
62.
   %}">↩
63.
                                   Create New←
64.
                               </a>←
65.
                           </div>↩
                       </div>↔
66.
67.
                   </header>←
                    {% if recommendations %}↔
68.
69.
                    {% for r in recommendations %}↔
70.
                    <section class="row card mb-3">↔
71.
                        <header class="row">↔
72.
                           <h5 class="mt-2 mb-3">Recommendation #{{r.id}}</h5>↔
73.
                       </header>←
74.
                       <div class="row">↔
75.
                           <div>←
76.
                               Title : {{r.title}}↔
77.
                               Author : {{r.author}}↔
78.
                               Category : {{r.category}}↔
79.
                               Status : {{r.status}}↔
80.
                           </div>←
81.
                           <div>←
82.
                               <div class="center-container">↔
83.
                                   {% if request.user == r.user %}↔
                                   <form class="mb-2 me-1" method="POST">←
84.
85.
                                       {% csrf_token %}↔
86.
                                       <div>←
87.
                                           <div class="col-12">←
88.
                                               <input type="hidden"</pre>
    id="myrecommendations-to-delete"↔
                                                      name="myrecommendations-to-
89.
   delete"↩
90.
                                                      value="{{r.id}}}">↔
```

```
91.
                                                     <input type="submit"</pre>
     value="Delete"↔
 92.
                                                            class="btn btn-md btn-
     danger">↩
 93.
                                                </div>←
 94.
                                            </div>←
 95.
                                        </form>←
                                        {% endif %}↔
 96.
 97.
                                        {% if request.user.is_superuser and r.status ==
     'Pending' %}↔
 98.
                                        <form class="mb-2 me-1" method="POST">←
 99.
                                            {% csrf_token %}↔
100.
                                            <div>↩
                                                <div class="col-12">↔
101.
102.
                                                     <input type="hidden"</pre>
     id="recommendations-to-approve"↔
103.
                                                            name="recommendations-to-
     approve"↔
104.
                                                            value="{{r.id}}">↔
105.
                                                     <input type="submit'</pre>
     value="Approve"↔
106.
                                                            class="btn btn-md btn-
     dark">↔
107.
                                                </div>←
108.
                                            </div>↔
109.
                                        </form>←
                                        <form class="mb-2 me-1" method="POST">←
110.
111.
                                            {% csrf_token %}↔
112.
                                            <div>←
113.
                                                <div class="col-12">←
114.
                                                     <input type="hidden"</pre>
     id="recommendations-to-reject"↔
115.
                                                            name="recommendations-to-
     reject"↔
116.
                                                            value="{{r.id}}">↔
117.
                                                     <input type="submit"</pre>
     value="Reject"↔
118.
                                                            class="btn btn-md btn-
     danger">↩
119.
                                                </div>←
120.
                                            </div>←
121.
                                        </form>←
122
                                        {% endif %}←
123.
                                   </div>↔
124.
                               </div>←
125.
                           </div>←
126.
                      </section>←
127.
                      {% endfor %}↔
128.
                      {% else %}←
129.
                      <section class="card row">↔
                           <header class="row">←
130.
                               <h5 class="mt-2 mb-2">No recommendations yet.</h5>↔
131.
132.
                           </header>←
133.
                      </section>↩
134.
                      {% endif %}↔
135.
                  </article>←
136.
                  <!-- List of daily books got by user via Daily Book Quiz↔
137.
                       with link toward the Daily Book Quiz, Daily Book Details and
     Delete option-->↔
                  <article class="row mt-4 mb-3">←
138.
139.
                      <header>←
                           <h3 class="white-shadow">My Daily Books</h3>↔
140.
141.
                           <div class="mb-3 mt-2">←
142.
                               <div class="col-12">↔
                                   <a class="btn btn-dark" href="{% url 'quiz' %}">←
143.
144.
                                        New Daily Book↔
145.
                                   </a>←
146.
                               </div>↩
147.
                           </div>←
148.
                      </header>↩
149.
                      {% if dailybooks %}↔
```

```
150.
                          {% for b in dailybooks %}↔
151.
                          <section class="row card mb-3">←
152.
                              <header class="row">↔
153.
                                   <h5 class="mt-2 mb-3">Daily Book #{{b.id}}</h5>↔
154.
155.
                              <div class="row">↔
156.
                                   <div>←
157.
                                       Date : {{b.created}}
158.
                                       Result : {{b.point}} / {{quiz_qs_count}}
     ←
159.
                                       Your Daily Category :
     {{b.category.friendly_name}}↔
160.
                                        ←
                                           <a href="{% url 'book_detail' b.book.id %}"</pre>
161.
     class="text-dark">↔
162.
                                               <strong>←
163.
                                               Your Daily Book : {{b.book.author}} -
     {{b.book.name}}↔
164.
                                                </strong>↩
165.
                                           </a>←
166.
                                       ←
167.
                                   </div>←
168.
                                   <div class="row mb-2">←
169.
                                       <div class="col-12">←
170.
                                           <a class="btn btn-dark" href="{% url</pre>
     'result' b.id %}">↩
171.
                                               Check Daily Book↔
172.
                                           </a>←
173.
                                       </div>↩
174.
                                   </div>←
175.
                                   <div class="row">↔
176.
                                       {% if request.user == b.user %}↔
                                       <form class="mb-2 me-1" method="POST">←
177.
178.
                                           {% csrf_token %}↔
179.
                                           <div>←
180.
                                               <div class="col-12">←
181.
                                                    <input type="hidden"</pre>
     id="mydailybook-to-delete"↔
182.
                                                           name="mydailybook-to-
     delete"↩
183.
                                                           value="{{b.id}}">↔
184.
                                                    <input type="submit"</pre>
     value="Delete"↔
185.
                                                           class="btn btn-md btn-
     danger">↩
186.
                                               </div>←
187.
                                           </div>←
188.
                                       </form>←
189.
                                       {% endif %}←
190.
                                   </div>↩
191.
                              </div>←
192
                          </section>↩
193.
                          {% endfor %}↔
                      {% else %}←
194.
195.
                      <section class="card row">←
196.
                          <header class="row">←
197.
                               <h5 class="mt-2 mb-2">No daily books yet.</h5>↔
198.
                          </header>↩
199.
                      </section>←
200.
                      {% endif %}←
201.
                  </article>←
202.
                  <!-- List of feedbacks made by user with Delete option and link to
     Feedback page -->↔
203.
                  <article class="row mt-4 mb-3">←
204.
                      <header>←
205.
                          <h3 class="white-shadow">My Feedbacks</h3>↔
206.
                          <div class="mb-3 mt-2">↔
207.
                              <div class="col-12">←
                                   <a class="btn btn-dark" href="{% url 'feedback'</pre>
208.
     %}">↩
209.
                                       Create New←
```

```
2022.06.18.15:49
                                      Showing results for contents of text-input area - Nu Html Checker
    210.
                                      </a>←
    211.
                                  </div>↩
    212.
                              </div>↔
    213.
                          </header>←
    214.
                          {% if feedbacks %}↔
    215.
                              {% for f in feedbacks %}↔
    216.
                                  <section class="row card mb-3">←
    217.
                                      <header class="row">←
    218.
                                          <div class="row">↔
    219.
                                              <h5 class="mt-2 feedback-post-title">↔
    220.
                                                   <strong>Feedback #{{f.id}}</strong>←
    221.
                                               </h5>←
    222.
                                          </div>←
    223.
                                          <div>←
    224.
                                               By user : {{f.user}}↔
    225.
                                               Created on : {{f.created}}↔
    226.
                                              Rating : {{f.rating_point}} stars
         ({{f.rating_description}})↔
    227.
                                              Feedback :<br>
         {{f.content|default:"N/A"}}↔
    228.
                                          </div>↩
    229.
                                      </header>←
    230.
                                      <form class="row" method="POST">←
    231.
                                          {% csrf_token %}↔
    232.
                                          <div class="row mb-2">←
    233.
                                              <div class="col-12">↔
                                                   <input type="hidden" id="myfeedback-to-</pre>
    234.
         delete"↔
    235.
                                                          name="myfeedback-to-delete"
         value="{{f.id}}">↔
    236.
                                                   <input type="submit" value="Delete"←</pre>
    237.
                                                          class="btn btn-md btn-danger">↔
    238.
                                              </div>←
    239.
                                          </div>←
    240.
                                      </form>←
    241.
                                  </section>↩
    242.
                              {% endfor %}↔
    243.
                          {% else %}←
                          <section class="card row">←
    244.
    245.
                              <header class="row">←
                                  <h5 class="mt-2 mb-2">No feedbacks yet.</h5>↔
    246.
    247.
                              </header>↩
    248.
                          </section>↩
    249.
                          {% endif %}↔
    250.
                     </article>↔
    251.
                 </section>↩
    252.
             </article>↩
    253. </div>↔
         <script type="text/javascript" src="{% static 'js/profiles_country.js' %}">
    254.
         </script>↩
    255. {% endblock %}
```

Used the HTML parser.

Total execution time 22 milliseconds.

About this checker • Report an issue • Version: 22.6.13