

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

[Options...](#)

Check by [text input](#) [css](#)

```
{% extends "base.html" %}
{% load static %}
{% block content %}
<div class="overlay"></div>
<div class="container-fluid main-container">
    <article>
        <!-- Page Title -->
        <header class="row">
            <div class="col text-center">
                {% if current_categories == None %}
                    <!-- If no category selected, generic page title and page
image -->
                    <h1 class="logo-font mt-4 mb-3">All Books</h1>
                    <div class="row">
                        <div class="center-container">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 25](#)

`{% extends "base.html" %} {# ... %}`

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected

`<!DOCTYPE html>.`

[From line 1, column 1; to line 1, column 25](#)

`{% extends "base.html" %} {# ... %}`

3. **Error** Element `head` is missing a required instance of child element `title`.From line 1, column 1; to line 1, column 25

```
{% extends "base.html" %}←{%
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{% static '' %}img/books.png` for attribute `src` onelement `img`: Illegal character in path segment: `{` is not allowed.From line 15, column 30; to line 16, column 90

```
←
```

5. **Error** Bad value `{% static '' %}img/{{ c.friendly_name }}.png` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.From line 25, column 34; to line 27, column 72

```
←
```

6. **Error** Bad value `{% url 'books' %}?category={{ c.name }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.From line 30, column 25; to line 31, column 74

```
<a class="category-badge text-decoration-none"←  
href="{% url 'books' %}?category={{ c.name }}">←
```

7. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.At line 51, column 78

```
rrrent_sorting == 'None_None' %
```

8. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.At line 51, column 80

```
ent_sorting == 'None_None' %
```

9. **Error** Quote ' in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 51, column 90](#)

```
g == 'None_None' %} selected {
```

10. **Error** Duplicate attribute [%].

[At line 51, column 106](#)

```
%} selected {%-endif%}>Sort
```

11. **Error** Duplicate attribute [%].

[At line 51, column 115](#)

```
ted {%-endif%}>Sort by...</op
```

12. **Warning** Attribute [%] is not serializable as XML 1.0.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%-if current_sorting == 'None_None' %}  
selected {%-endif%}>Sort b
```

13. **Warning** Attribute ['none_none'] is not serializable as XML 1.0.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%-if current_sorting == 'None_None' %}  
selected {%-endif%}>Sort b
```

14. **Warning** Attribute [%] is not serializable as XML 1.0.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%-if current_sorting == 'None_None' %}  
selected {%-endif%}>Sort b
```

15. **Error** Attribute [%] not allowed on element option at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%-if current_sorting == 'None_None' %}  
selected {%-endif%}>Sort b
```

Attributes for element option:

Global attributes

disabled — Whether the form control is disabled

label — User-visible label

selected — Whether the option is selected by default

value — Value to be used for form submission

16. **Error** Attribute [if] not allowed on element option at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%
  if current_sorting == 'None_None' %}
selected {%
  endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

17. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%
  if current_sorting == 'None_None' %}
selected {%
  endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

18. **Error** Attribute `'none_none'` not allowed on element `option` at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%
  if current_sorting == 'None_None' %}
selected {%
  endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

19. **Error** Attribute `%}` not allowed on element `option` at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%
  if current_sorting == 'None_None' %}
selected {%
  endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

20. **Error** Attribute `endif` not allowed on element `option` at this point.

[From line 51, column 33; to line 51, column 115](#)

```
<option value="reset" {%- if current_sorting == 'None_None' %}  
selected {%- endif %}>Sort b
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

21. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 52, column 82](#)

```
current_sorting == 'price_asc' %
```

22. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 52, column 84](#)

```
ent_sorting == 'price_asc' %} s
```

23. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 52, column 94](#)

```
g == 'price_asc' %} selected{%
```

24. **Warning** Attribute `{%` is not serializable as XML 1.0.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

25. **Warning** Attribute `'price_asc'` is not serializable as XML 1.0.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

26. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%
  if current_sorting == 'price_asc'
%}selected{%
  endif %}>Price
```

27. **Warning** Attribute `{%}` is not serializable as XML 1.0.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%
  if current_sorting == 'price_asc'
%}selected{%
  endif %}>Price
```

28. **Error** Attribute `{%` not allowed on element `option` at this point.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%
  if current_sorting == 'price_asc'
%}selected{%
  endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

29. **Error** Attribute `if` not allowed on element `option` at this point.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%
  if current_sorting == 'price_asc'
%}selected{%
  endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

30. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

[From line 52, column 33; to line 52, column 117](#)

```
<option value="price_asc" {%
  if current_sorting == 'price_asc'
%}selected{%
  endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

31. **Error** Attribute 'price_asc' not allowed on element `option` at this point.

From line 52, column 33; to line 52, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

32. **Error** Attribute '%}selected{%' not allowed on element `option` at this point.

From line 52, column 33; to line 52, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

33. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 52, column 33; to line 52, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

34. **Error** Attribute '%' not allowed on element `option` at this point.

From line 52, column 33; to line 52, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

selected — Whether the option is selected by default

value — Value to be used for [form submission](#)

35. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 53, column 83](#)

```
rrent_sorting == 'price_desc'
```

36. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 53, column 85](#)

```
ent_sorting == 'price_desc' %}
```

37. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 53, column 96](#)

```
= 'price_desc' %}selected{%
```

38. **Warning** Attribute `{%` is not serializable as XML 1.0.

[From line 53, column 33; to line 53, column 119](#)

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
  %}selected{%
  endif %}>Price
```

39. **Warning** Attribute `'price_desc'` is not serializable as XML 1.0.

[From line 53, column 33; to line 53, column 119](#)

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
  %}selected{%
  endif %}>Price
```

40. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

[From line 53, column 33; to line 53, column 119](#)

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
  %}selected{%
  endif %}>Price
```

41. **Warning** Attribute `{%}` is not serializable as XML 1.0.

[From line 53, column 33; to line 53, column 119](#)

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
  %}selected{%
  endif %}>Price
```

42. **Error** Attribute `{%` not allowed on element [option](#) at this point.

[From line 53, column 33; to line 53, column 119](#)

```
<option value="price_desc" {% if current_sorting == 'price_desc'  
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

43. **Error** Attribute [if](#) not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {% if current_sorting == 'price_desc'  
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

44. **Error** Attribute [current_sorting](#) not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {% if current_sorting == 'price_desc'  
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

45. **Error** Attribute '[price_desc](#)' not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {% if current_sorting == 'price_desc'  
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

46. **Error** Attribute `%}selected{%` not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
%}selected{%
  endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

47. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
%}selected{%
  endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

48. **Error** Attribute `%}` not allowed on element [option](#) at this point.

From line 53, column 33; to line 53, column 119

```
<option value="price_desc" {%
  if current_sorting == 'price_desc'
%}selected{%
  endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

49. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 54, column 98

```
current_sorting == 'book_deposit'
```

50. **Error** Saw ' when expecting an attribute name. Probable cause: [=] missing immediately before.

[At line 54, column 100](#)

```
ent_sorting == 'book_depositor'
```

51. **Error** Quote [=] in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 54, column 126](#)

```
itory_stars_asc' %}selected{%
```

52. **Warning** Attribute [%] is not serializable as XML 1.0.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

53. **Warning** Attribute 'book_depository_stars_asc' is not serializable as XML 1.0.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

54. **Warning** Attribute %}selected{[%] is not serializable as XML 1.0.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

55. **Warning** Attribute %} is not serializable as XML 1.0.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

56. **Error** Attribute {[%] not allowed on element option at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element option:

Global attributes

disabled — Whether the form control is disabled

label — User-visible label

selected — Whether the option is selected by default

value — Value to be used for form submission

57. **Error** Attribute `if` not allowed on element `option` at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

58. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

59. **Error** Attribute `'book_depository_stars_asc'` not allowed on element `option` at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

60. **Error** Attribute `{%}selected{%-}` not allowed on element `option` at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

61. **Error** Attribute [endif](#) not allowed on element [option](#) at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

62. **Error** Attribute [{}](#) not allowed on element [option](#) at this point.

[From line 54, column 33; to line 54, column 149](#)

```
<option value="book_depository_stars_asc" {%- if current_sorting ==  
'book_depository_stars_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

63. **Error** [=](#) at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 55, column 99](#)

```
rrent_sorting == 'book_deposit
```

64. **Error** Saw ['](#) when expecting an attribute name. Probable cause: [=](#) missing immediately before.

[At line 55, column 101](#)

```
ent_sorting == 'book_depositor
```

65. **Error** Quote ['](#) in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 55, column 128](#)

```
tory_stars_desc' %}selected{%
```

66. **Warning** Attribute `{%}` is not serializable as XML 1.0.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

67. **Warning** Attribute `'book_depository_stars_desc'` is not serializable as XML 1.0.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

68. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

69. **Warning** Attribute `{%}` is not serializable as XML 1.0.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

70. **Error** Attribute `{%}` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

71. **Error** Attribute `if` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%
  if current_sorting ==
  'book_depository_stars_desc' %}selected{%
  endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

disabled — Whether the form control is disabled
label — User-visible label
selected — Whether the option is selected by default
value — Value to be used for [form submission](#)

72. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%- if current_sorting ==  
'book_depository_stars_desc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)
disabled — Whether the form control is disabled
label — User-visible label
selected — Whether the option is selected by default
value — Value to be used for [form submission](#)

73. **Error** Attribute `'book_depository_stars_desc'` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%- if current_sorting ==  
'book_depository_stars_desc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)
disabled — Whether the form control is disabled
label — User-visible label
selected — Whether the option is selected by default
value — Value to be used for [form submission](#)

74. **Error** Attribute `{%}selected{%-}` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%- if current_sorting ==  
'book_depository_stars_desc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)
disabled — Whether the form control is disabled
label — User-visible label
selected — Whether the option is selected by default
value — Value to be used for [form submission](#)

75. **Error** Attribute `endif` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%- if current_sorting ==  
'book_depository_stars_desc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

76. **Error** Attribute `{%}` not allowed on element `option` at this point.

[From line 55, column 33; to line 55, column 151](#)

```
<option value="book_depository_stars_desc" {%- if current_sorting ==  
'book_depository_stars_desc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

77. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 56, column 81](#)

```
rrrent_sorting == 'name_asc' %}
```

78. **Error** Saw `[]` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 56, column 83](#)

```
ent_sorting == 'name_asc' %}{se
```

79. **Error** Quote `[]` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 56, column 92](#)

```
ng == 'name_asc' %}{selected{%
```

80. **Warning** Attribute `{%` is not serializable as XML 1.0.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%- if current_sorting == 'name_asc'  
{%}selected{%- endif %}>Name (
```

81. **Warning** Attribute `'name_asc'` is not serializable as XML 1.0.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

82. **Warning** Attribute `%}selected{%` is not serializable as XML 1.0.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

83. **Warning** Attribute `%}` is not serializable as XML 1.0.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

84. **Error** Attribute `{%` not allowed on element `option` at this point.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

85. **Error** Attribute `if` not allowed on element `option` at this point.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

86. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%- if current_sorting == 'name_asc' %}  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

87. **Error** Attribute 'name_asc' not allowed on element [option](#) at this point.

From line 56, column 33; to line 56, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc' %}  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

88. **Error** Attribute %}selected{%- not allowed on element [option](#) at this point.

From line 56, column 33; to line 56, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc' %}  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

89. **Error** Attribute endif not allowed on element [option](#) at this point.

From line 56, column 33; to line 56, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc' %}  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

90. **Error** Attribute `%}` not allowed on element `option` at this point.

[From line 56, column 33; to line 56, column 115](#)

```
<option value="name_asc" {%
  if current_sorting == 'name_asc'
%}selected{%
  endif %}>Name (
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

91. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 57, column 82](#)

```
current_sorting == 'name_desc' %
```

92. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 57, column 84](#)

```
ent_sorting == 'name_desc' %) s
```

93. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 57, column 94](#)

```
g == 'name_desc' %}selected{%
```

94. **Warning** Attribute `{%` is not serializable as XML 1.0.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

95. **Warning** Attribute `'name_desc'` is not serializable as XML 1.0.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

96. **Warning** Attribute `{%selected{%` is not serializable as XML 1.0.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

97. **Warning** Attribute [%] is not serializable as XML 1.0.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

98. **Error** Attribute [%] not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

99. **Error** Attribute if not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

100. **Error** Attribute current_sorting not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

101. **Error** Attribute 'name_desc' not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

102. **Error** Attribute `%}selected{%` not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

103. **Error** Attribute `endif` not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

104. **Error** Attribute `%}` not allowed on element [option](#) at this point.

[From line 57, column 33; to line 57, column 117](#)

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

105. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

[At line 58, column 85](#)

```
rrent_sorting == 'category_asc'
```

106. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 58, column 87](#)

```
ent_sorting == 'category_asc'
```

107. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 58, column 100](#)

```
= 'category_asc' %}selected{%
```

108. **Warning** Attribute `{%` is not serializable as XML 1.0.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%
  if current_sorting == 'category_asc'
%}selected{%
  endif %}>Catego
```

109. **Warning** Attribute `'category_asc'` is not serializable as XML 1.0.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%
  if current_sorting == 'category_asc'
%}selected{%
  endif %}>Catego
```

110. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%
  if current_sorting == 'category_asc'
%}selected{%
  endif %}>Catego
```

111. **Warning** Attribute `{%}` is not serializable as XML 1.0.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%
  if current_sorting == 'category_asc'
%}selected{%
  endif %}>Catego
```

112. **Error** Attribute `{%` not allowed on element `option` at this point.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%
  if current_sorting ==
%}selected{%
  endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

113. **Error** Attribute [if](#) not allowed on element [option](#) at this point.

From line 58, column 33; to line 58, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

114. **Error** Attribute [current_sorting](#) not allowed on element [option](#) at this point.

From line 58, column 33; to line 58, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

115. **Error** Attribute ['category_asc'](#) not allowed on element [option](#) at this point.

From line 58, column 33; to line 58, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

116. **Error** Attribute `%}selected{%` not allowed on element `option` at this point.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

117. **Error** Attribute `endif` not allowed on element `option` at this point.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

118. **Error** Attribute `%}` not allowed on element `option` at this point.

[From line 58, column 33; to line 58, column 123](#)

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

119. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray

duplicate equals sign.

[At line 59, column 86](#)

```
current_sorting == 'category_des'
```

120. **Error** Saw `['` when expecting an attribute name. Probable cause: `=` missing immediately before.

[At line 59, column 88](#)

```
ent_sorting == 'category_desc'
```

121. **Error** **Quote** ' in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 59, column 102](#)

```
'category_desc' %}selected{%
```

122. **Warning** **Attribute** { is not serializable as XML 1.0.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" { if current_sorting ==
'category_desc' %}selected{% endif %}>Catego
```

123. **Warning** **Attribute** 'category_desc' is not serializable as XML 1.0.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" { if current_sorting ==
'category_desc' %}selected{% endif %}>Catego
```

124. **Warning** **Attribute** %}selected{ is not serializable as XML 1.0.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" { if current_sorting ==
'category_desc' %}selected{% endif %}>Catego
```

125. **Warning** **Attribute** %} is not serializable as XML 1.0.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" { if current_sorting ==
'category_desc' %}selected{% endif %}>Catego
```

126. **Error** **Attribute** { not allowed on element [option](#) at this point.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" { if current_sorting ==
'category_desc' %}selected{% endif %}>Catego
```

Attributes for element [option](#):[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

127. **Error** **Attribute** if not allowed on element [option](#) at this point.

[From line 59, column 33; to line 59, column 125](#)

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

128. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 59, column 33; to line 59, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

129. **Error** Attribute `'category_desc'` not allowed on element `option` at this point.

From line 59, column 33; to line 59, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

130. **Error** Attribute `%}selected{%` not allowed on element `option` at this point.

From line 59, column 33; to line 59, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

selected — Whether the option is selected by default

value — Value to be used for [form submission](#)

131. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 59, column 33; to line 59, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

disabled — Whether the form control is disabled

label — User-visible label

selected — Whether the option is selected by default

value — Value to be used for [form submission](#)

132. **Error** Attribute `%}` not allowed on element `option` at this point.

From line 59, column 33; to line 59, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

disabled — Whether the form control is disabled

label — User-visible label

selected — Whether the option is selected by default

value — Value to be used for [form submission](#)

133. **Error** Bad value `{%- url 'books' %}` for attribute `href` on element `a`:

Illegal character in path segment: `{` is not allowed.

From line 67, column 33; to line 67, column 101

```
<a class="btn btn-sm btn-outline-dark bold" href="{%- url 'books'  
%}">All Bo
```

134. **Error** Bad value `{%- url 'book_detail' book.id %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 84, column 37; to line 84, column 78

```
<a href="{%- url 'book_detail' book.id %}"><
```

135. **Error** Bad value `{% static '' %}`img/{{ book.img_paths }} for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 85, column 41; to line 86, column 113

```
<
```

136. **Error** **Bad value** `{% url 'books' %}?category={{ book.category.name }}`
for attribute `href` **on element** `a`: **Illegal character in path segment: { is not allowed.**

[From line 100, column 49; to line 101, column 110](#)

```
<a class="text-muted">...  
href="{% url 'books' %}?category={{ book.category.name }}">...
```

137. **Warning** **Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.**

[From line 42, column 9; to line 42, column 29](#)

```
>...<section class="row">...
```

138. **Error** **Bad value** `{% static 'js/books.js' %}` **for attribute** `src` **on element** `script`: **Illegal character in path segment: { is not allowed.**

[From line 159, column 1; to line 159, column 64](#)

```
page -->...<script type="text/javascript" src="{% static 'js/books.js' %}">  
</script>...
```

139. **Warning** **The type attribute is unnecessary for JavaScript resources.**

[From line 159, column 1; to line 159, column 64](#)

```
page -->...<script type="text/javascript" src="{% static 'js/books.js' %}">  
</script>...
```

Document checking completed.

Source

```
1. {% extends "base.html" %}<...  
2. {% load static %}<...  
3. {% block content %}<...  
4. <div class="overlay"></div><...  
5. <div class="container-fluid main-container"><...  
6.   <article><...  
7.     <!-- Page Title --><...  
8.     <header class="row"><...  
9.       <div class="col text-center"><...  
10.         {% if current_categories == None %}<...  
11.           <!-- If no category selected, generic page title and page  
image --><...  
12.             <h1 class="logo-font mt-4 mb-3">All Books</h1><...  
13.             <div class="row"><...  
14.               <div class="center-container"><...  
15.                 <img class="site-icon"><...  
16.                   src="{% static '' %}img/books.png" alt="Find  
Your Book"><...  
17.                     </div><...  
18.                   </div><...
```

```

19.         {% else %}←
20.             {% for c in current_categories %}←
21.                 <!-- If specific category selected, specific page title
22. and page image --&gt;←
23.             &lt;h1 class="logo-font mt-4 mb-3"&gt;{{ c.friendly_name }}←
24.             &lt;div class="row mb-3"&gt;←
25.                 &lt;div class="center-container"&gt;←
26.                     &lt;img class="site-icon"←
27.                         src="{{ static '' }}img/{{ c.friendly_name }}.png"←
28.                         alt="{{ c.friendly_name }} Books"&gt;←
29.                     &lt;/div&gt;←
30.                 &lt;a class="category-badge text-decoration-none"←
31.                     href="{{ url 'books' }}?category={{ c.name }}"&gt;←
32.                     &lt;span class="p-2 mt-2 bold btn btn-md btn-outline-dark"&gt;←
33.                         {{ c.friendly_name }}←
34.                     &lt;/span&gt;←
35.                 &lt;/a&gt;←
36.             {% endfor %}←
37.             {% endif %}←
38.             &lt;hr class="w-50 mb-1"&gt;←
39.         &lt;/div&gt;←
40.     &lt;/header&gt;←
41.     <!-- Container for displaying books with sorting option --&gt;←
42.     &lt;section class="row"&gt;←
43.         &lt;div class="book-container col-10 offset-1"&gt;←
44.             <!-- Sorting function of books --&gt;←
45.             &lt;div class="row mt-1 mb-2"&gt;←
46.                 <!-- Selector for sorting criterias --&gt;←
47.                 &lt;div class="col-12 col-md-6 my-auto order-md-last d-flex
justify-content-center justify-content-md-end"&gt;←
48.                     &lt;div class="sort-select-wrapper w-50"&gt;←
49.                         &lt;select id="sort-selector"←
50.                             class="custom-select custom-select-sm
rounded-0 border border-{{ if current_sorting != 'None_None' }}info{{ else
}}black{{ endif }}"&gt;←
51.                             &lt;option value="reset" {{ if current_sorting ==
}}'None_None' {{ selected }} selected {{ endif }}&gt;Sort by...&lt;/option&gt;←
52.                             &lt;option value="price_asc" {{ if current_sorting ==
}}'price_asc' {{ selected }} selected {{ endif }}&gt;Price (low to high)&lt;/option&gt;←
53.                             &lt;option value="price_desc" {{ if
current_sorting == }}'price_desc' {{ selected }} selected {{ endif }}&gt;Price (high to low)
&lt;/option&gt;←
54.                             &lt;option value="book_depository_stars_asc" {{ if
current_sorting == }}'book_depository_stars_asc' {{ selected }} selected {{ endif }}&gt;Rating
(low to high)&lt;/option&gt;←
55.                             &lt;option value="book_depository_stars_desc" {{ if
if current_sorting == }}'book_depository_stars_desc' {{ selected }} selected {{ endif }}&gt;Rating
(high to low)&lt;/option&gt;←
56.                             &lt;option value="name_asc" {{ if current_sorting ==
}}'name_asc' {{ selected }} selected {{ endif }}&gt;Name (A-Z)&lt;/option&gt;←
57.                             &lt;option value="name_desc" {{ if current_sorting ==
}}'name_desc' {{ selected }} selected {{ endif }}&gt;Name (Z-A)&lt;/option&gt;←
58.                             &lt;option value="category_asc" {{ if
current_sorting == }}'category_asc' {{ selected }} selected {{ endif }}&gt;Category (A-Z)
&lt;/option&gt;←
59.                             &lt;option value="category_desc" {{ if
current_sorting == }}'category_desc' {{ selected }} selected {{ endif }}&gt;Category (Z-A)
&lt;/option&gt;←
60.                         &lt;/select&gt;←
61.                     &lt;/div&gt;←
62.                 &lt;/div&gt;←
63.                 <!-- Displaying general information based on sorting /
searching options --&gt;←
64.                 &lt;div class="col-12 col-md-6 order-md-first"&gt;←
65.                     &lt;p class="mt-3 text-center text-md-left"&gt;←
66.                         {{ if search_term or current_categories or
current_sorting != }}'None_None' {{ endif }}←
</pre>

```

```

67.          <a class="btn btn-sm btn-outline-dark bold"
68. href="#"><% url 'books' %}>All Books</a>↔
69.          {% endif %}↔
70.          <strong>{{ books|length }} books</strong>↔
71.          {% if search_term %} found for↔
72.          <strong>"{{ search_term }}"</strong>↔
73.          {% endif %}↔
74.          </p>↔
75.        </div>↔
76.      <!-- Books container -->↔
77.      <div class="row">↔
78.        {% for book in books %}>
79.          <div class="col-sm-6 col-md-6 col-lg-4 col-xl-3">↔
80.            <!-- Book Card -->↔
81.            <div class="card h-100 border-0 card-shadow">↔
82.              <!-- Book cover image -->↔
83.              <div class="center-container mt-4">↔
84.                <a href="#"><% url 'book_detail' book.id
85. %}>↔
86.                  <% static '' %}>img/{{ book.img_paths }}" alt="{{ book.name }}">↔
88.                </a>↔
89.              </div>↔
90.              <!-- Book details -->↔
91.              <div class="card-body pb-0">↔
92.                <p class="mb-0">{{ book.author }}</p>↔
93.                <p class="mb-0">{{ book.name }}</p>↔
94.              </div>↔
95.              <div class="card-footer bg-white pt-0 border-0
96. text-left">↔
97.                <div class="row">↔
98.                  <div class="col">↔
99.                    <p class="lead mb-0 text-left font-
100. weight-bold">${{ book.price }}</p>↔
101.                  {% if book.category %}>
102.                    <p class="small mt-1 mb-0">↔
103.                      <a class="text-muted" href="#"><% url 'books' %>?category={{ book.category.name }}>↔
104.                      <i class="fas fa-tag mr-1">↔
105.                      {{ book.category.friendly_name }}</i>↔
106.                    </p>↔
107.                  {% endif %}>
108.                  <small class="text-muted"><i
109. class="fas fa-star mr-1"></i>↔
110.                  {{ book.book_depository_stars }} / 5↔
111.                  Rating</small>↔
112.                  {% endif %}>
113.                  available only for System Admin -->↔
114.                  {% if request.user.is_superuser %}>
115.                    <small class="ml-3">↔
116.                      <a href="#">Edit</a> | ↔
117.                      <a class="text-danger" href="#"><% url 'book_detail' book.id %}>Delete</a>↔
118.                    </small>↔
119.                  {% endif %}>
120.                </div>↔
121.              </div>↔
122.            </div>↔
123.          </div>↔

```

```
124.         </div>↔
125.         <!-- HTML elements added for dynamic columns -->↔
126.         {% if forloop.counter|divisibleby:1 %}↔
127.             <div class="col-12 d-sm-none mb-5">↔
128.                 <hr>↔
129.             </div>↔
130.         {% endif %}↔
131.         {% if forloop.counter|divisibleby:2 %}↔
132.             <div class="col-12 d-none d-sm-block d-md-block d-
lg-none mb-5">↔
133.                 <hr>↔
134.             </div>↔
135.         {% endif %}↔
136.         {% if forloop.counter|divisibleby:3 %}↔
137.             <div class="col-12 d-none d-lg-block d-xl-none mb-
5">↔
138.                 <hr>↔
139.             </div>↔
140.         {% endif %}↔
141.         {% if forloop.counter|divisibleby:4 %}↔
142.             <div class="col-12 d-none d-xl-block mb-5">↔
143.                 <hr>↔
144.             </div>↔
145.         {% endif %}↔
146.     {% endfor %}↔
147.     </div>↔
148.     </div>↔
149.     </section>↔
150.     <!-- Button located under books' container, taking user to the top of
page -->↔
151.     <footer class="btt-button shadow-sm rounded-0 mt-4">↔
152.         <a class="btt-link d-flex h-100">↔
153.             <i class="fas fa-arrow-up text-black mx-auto my-auto"></i>↔
154.         </a>↔
155.     </footer>↔
156.     </article>↔
157. </div>↔
158. <!-- Javascript code to handle book sorting and jump to top of page -->↔
159. <script type="text/javascript" src="{% static 'js/books.js' %}"></script>↔
160. {% endblock %}
```

Used the HTML parser.

Total execution time 37 milliseconds.
