Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ← {% bl}
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends 'base.html' %}↔ 8 bl]
```

```
Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %} ↔ {% bl}

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
```

```
5. Error Bad value [% url 'social:begin' 'twitter' %} for attribute href on element a: Illegal character in path segment: [{ is not allowed.

From line 45, column 18; to line 45, column 88

<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2">
<a href="{% url 'social:begin' 'twitter' %}" class="btn btn-info" mb-2"</a>
<a href="{% url 'social:begi
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
2. {% block content %}↔
3. ⟨div class="overlay"></div>↔
4. <div class="container main-container">←
5.
       <article>↩
6.
            <!-- Page Title -->↔
7.
            <header class="row page-title mb-3">←
                <div class="col-12">←
8.
9.
                    <h1 class="text-dark mt-4">Sign Up</h1>↔
10.
                </div>↔
11.
            </header>←
12.
            <!-- Signup form -->↔
            <div class="row">↔
13.
                <div class="col-7">↔
14.
15.
                    <form method="POST">←
```

```
16.
                         {% csrf_token %}↔
                          <div class="form-group">↔
17.
18.
                              <label for="username">Username</label>←
19.
                              <input type="text" class="form-control" id="username"</pre>
    name="username" required/>↔
20.
                         </div>←
21.
                         <div class="form-group">←
22.
                              <label for="email">Email</label>←
                              <input type="email" class="form-control" id="email"</pre>
23.
    name="email" required/>↔
24.
                         </div>←
25.
                         <div class="form-group">←
                              <label for="password1">Password</label>←
26.
                              <input type="password" class="form-control"</pre>
27.
    id="password1" name="password1" required/>↔
28.
                         </div>←
29.
                         <div class="form-group">←
30.
                              <label for="password2">Password again</label>←
31.
                              <input type="password" class="form-control"</pre>
    id="password2" name="password2" required/>↔
32.
                         </div>↩
33.
                         <br>→
                         <input type="submit" value="Sign Up" class="btn btn-lg btn-</pre>
34.
    dark"/>↩
35.
                     </form>←
36.
                 </div>↩
37.
            </div>←
38.
            <br>
<
39.
              <!-- Sign Up with social media accounts (Facebook / Twitter / Google)
    -->←
40.
              <footer class="row">↔
                  <div class="d-grid gap-2 col-6">←
41.
42.
                      <a href="{% url 'social:begin' 'facebook' %}" class="btn btn-</pre>
    primary mb-2">←
43.
                           Sign Up with Facebook↔
44.
45.
                      <a href="{% url 'social:begin' 'twitter' %}" class="btn btn-</pre>
    info mb-2">↩
46.
                          Sign Up with Twitter↔
47.
                      </a>←
                      <a href="{% url 'social:begin' 'google-oauth2' %}" class="btn</pre>
48.
    btn-danger mb-2">↩
49.
                          Sign Up with Google↔
50.
                      </a>←
51.
                  </div>↔
52.
            </footer>↔
53.
        </article>↩
54. </div>↔
55. {% endblock content %}
```

Used the HTML parser.

Total execution time 10 milliseconds.

About this checker • Report an issue • Version: 22.6.5